



Ontario MG00E (2100-2300 HU) Areas, OSACC 1 Yr. RR Summary (2015)




Ontario MG00 (2300-2500 HU) Areas, OSACC 2 Yr. RR Summary (2015-2016)




Ontario MG0 (2500-2800 HU) Areas, OSACC 2 Yr. RR Summary (2015-2016)




Ontario MG1 (2700-2900 HU) Areas, OSACC 2 Yr. RR Summary (2015-2016)




Ontario Early MG2 (2900-3300 HU) Areas, OSACC 2 Yr. Clay RR Summary (2015-2016)



Ontario Early MG2 (2900-3300 HU) Areas, OSACC 2 Yr. Loam RR Summary (2015-2016)




Ontario Late MG2 (3300-3500 HU) Areas, OSACC 2 Yr. Clay RR Summary (2015-2016)



Ontario Late MG2 (3300-3500 HU) Areas, OSACC 2 Yr. Loam RR Summary (2015-2016)




Ontario MGO (2500-2800 HU) Areas, OSACC 2 Yr. Conventional Summary (2015-2016)



Average of 7 tests conducted in
Brussels, Elora, Lindsay and Ottawa

Ontario MG1 (2700-2900 HU) Areas, OSACC 2 Yr. Conventional Summary (2015-2016)



Days to Maturity


Average of 8 tests conducted in
Exeter, St. Marys, Winchester and Woodstock

Ontario Early MG2 (2900-3300 HU) Areas, OSACC 2 Yr. Clay Conventional Summary (2015-2016)



Average of 4 tests conducted in
Inwood and Palmyra

Ontario Early MG2 (2900-3300 HU) Areas, OSACC 2 Yr. Loam Conventional Summary (2015-2016)



Ontario Late MG2 (3300-3500 HU) Areas, OSACC 2 Yr. Clay Conventional Summary (2015-2016)



Ontario Late MG2 (3300-3500 HU) Areas, OSACC 2 Yr. Loam Conventional Summary (2015-2016)

