

Canadian Food-Grade Soybean Database - 2013 Crop Year

Variety Name	Test Area ⁷	Hilum Colour	Seed Size (g/100 seeds)		Protein (% DM) ¹		Oil (% DM)		Sucrose (% DM)		Oligosaccharides ² (% DM)		Total Free Sugars ³ (% DM)		Total Carbohydrates ⁴ (% DM)		Total Isoflavones ⁵ (ppm) ⁶	
			Average ⁸	Range ⁹	Average	Range	Average	Range	Average	Range	Average	Range	Average	Range	Average	Range	Average	Range
AAC Malden	MG 2 Early	Y	22.8	21.1 - 25.0	45.3	43.9 - 46.0	18.7	18.5 - 18.9	7.0	6.6 - 7.2	4.2	4.0 - 4.4	12.2	12.0 - 12.3	18.6	18.2 - 18.8	1990	1840 - 2160
AAC Malden	MG 2 Late	Y	23.1	20.8 - 25.5	46.1	45.1 - 47.8	18.5	17.8 - 18.8	6.9	6.7 - 7.2	4.0	3.9 - 4.1	12.0	11.6 - 12.3	18.3	18.1 - 18.6	1990	1760 - 2120
AAC Stern	MG 2 Late	Y	19.6	16.4 - 21.7	44.8	42.9 - 47.5	19.6	18.5 - 20.2	6.3	5.9 - 6.9	4.3	4.2 - 4.5	11.7	11.3 - 12.3	17.7	17.1 - 18.2	2060	1750 - 2380
AAC Vireo	MG 0	IY	23.1	21.4 - 24.5	43.7	43.1 - 44.4	20.5	19.2 - 21.4	6.0	5.8 - 6.3	4.2	4.1 - 4.3	11.3	11.2 - 11.4	17.7	17.7 - 17.9	1650	1370 - 1860
ADV Cadet	MG 1	Y	22.7	19.3 - 26.2	45.3	44.6 - 46.2	18.8	17.7 - 19.4	6.2	5.7 - 6.4	4.1	3.9 - 4.4	11.2	10.8 - 11.5	17.8	17.6 - 17.9	2060	1750 - 2290
ADV Windfall	MG 0	IY	20.6	19.5 - 21.4	43.2	41.5 - 45.1	19.3	18.4 - 20.1	6.7	6.5 - 7.2	4.3	4.2 - 4.5	11.9	11.7 - 12.2	18.6	18.2 - 18.8	1970	1580 - 2340
Anser	MG 0	IY	19.6	17.5 - 22.0	40.8	39.7 - 42.3	20.7	19.8 - 21.3	6.2	5.6 - 6.5	4.3	4.2 - 4.4	11.4	10.8 - 11.7	18.8	18.2 - 19.1	1470	1320 - 1650
Auriga	MG 0	Y	19.0	18.1 - 19.5	39.5	38.4 - 41.5	20.8	19.5 - 21.6	7.8	7.6 - 8.0	4.7	4.5 - 4.7	13.4	13.2 - 13.5	20.1	19.7 - 20.3	1620	1410 - 1740
Black Pearl	MG 1	BL	17.8	12.3 - 21.3	42.1	41.2 - 42.6	20.9	20.4 - 21.3	7.0	6.4 - 7.5	3.8	3.7 - 4.0	12.1	11.5 - 12.5	17.7	17.3 - 18.0	1850	1690 - 2080
Chikala	MG 0	Y	8.7	8.3 - 9.5	40.3	39.2 - 41.7	20.1	19.2 - 20.7	5.9	5.8 - 6.0	4.6	4.4 - 4.7	11.3	11.2 - 11.4	19.2	19.0 - 19.4	1680	1620 - 1730
Colby	MG 1	Y	20.3	19.6 - 20.9	40.5	39.6 - 41.2	20.8	19.9 - 21.3	8.0	7.3 - 8.5	4.0	3.8 - 4.1	12.9	12.2 - 13.5	19.5	19.1 - 19.7	1770	1410 - 1990
Destiny	MG 1	IY	20.1	17.2 - 21.9	42.6	41.7 - 43.5	20.5	19.3 - 20.9	6.2	5.8 - 6.7	4.2	4.1 - 4.4	11.5	11.1 - 12.0	18.2	18.0 - 18.4	1900	1670 - 2140
DF 155	MG 2 Early	Y	21.6	19.5 - 25.4	44.6	43.4 - 45.7	20.0	19.8 - 20.1	5.8	5.3 - 6.3	4.4	4.3 - 4.5	11.2	10.7 - 11.5	17.3	16.8 - 17.9	1720	1460 - 2090
DF 155	MG 2 Late	Y	20.7	19.0 - 21.8	44.7	43.4 - 46.9	20.0	19.2 - 20.3	5.6	5.3 - 6.0	4.4	4.3 - 4.5	11.1	10.7 - 11.5	17.4	17.2 - 17.6	1670	1440 - 1910
DH410SCN	MG 1	Y	18.7	17.0 - 20.1	44.6	43.6 - 46.0	19.9	18.6 - 20.7	5.8	5.3 - 6.2	4.3	4.0 - 4.6	11.1	10.8 - 11.4	17.3	17.2 - 17.8	1580	1280 - 1810
DH410SCN	MG 2 Early	Y	17.3	15.7 - 20.1	44.3	42.5 - 46.4	20.8	20.1 - 21.3	5.2	4.9 - 5.7	4.6	4.3 - 4.8	10.7	10.4 - 11.1	16.9	16.5 - 17.5	1300	1050 - 1650
DH4173	MG 1	Y	18.8	17.5 - 20.3	41.7	40.4 - 43.3	20.3	19.8 - 21.2	7.2	6.2 - 7.9	4.1	3.9 - 4.3	12.4	11.5 - 12.9	19.1	18.4 - 19.4	1970	1400 - 2420
DH4202	MG 1	Y	20.2	18.7 - 22.3	41.0	40.3 - 41.7	20.7	19.8 - 21.3	7.3	6.8 - 7.8	4.1	3.9 - 4.3	12.4	11.9 - 12.8	19.0	18.7 - 19.3	1970	1470 - 2280
DH4202	MG 2 Early	Y	17.3	13.3 - 21.2	41.2	39.5 - 42.3	21.7	21.2 - 22.4	6.5	6.0 - 6.8	4.4	4.2 - 4.6	11.7	11.5 - 11.9	18.6	18.2 - 19.1	1350	970 - 1560
DH5170	MG 1	Y	17.1	16.0 - 17.8	41.4	40.1 - 42.5	20.7	19.1 - 21.3	7.1	6.4 - 7.7	4.3	4.0 - 4.7	12.5	11.9 - 13.2	18.6	18.4 - 18.8	1730	1490 - 1850
DH530	MG 1	IY	19.7	17.5 - 21.5	40.9	40.3 - 41.3	21.2	20.1 - 22.1	7.2	6.7 - 7.6	3.8	3.6 - 4.2	12.0	11.6 - 12.2	18.8	18.7 - 18.9	2480	2120 - 2760
DH618	MG 0	IY	18.5	15.7 - 20.7	41.9	40.6 - 44.1	20.5	18.9 - 21.3	6.4	6.4 - 6.6	4.5	4.3 - 4.6	11.9	11.7 - 12.1	18.4	18.0 - 18.7	1870	1670 - 2020
DH748	MG 1	IY	18.2	15.8 - 20.3	38.0	37.0 - 39.0	22.1	20.7 - 22.8	7.5	6.8 - 7.9	4.3	4.1 - 4.5	12.7	12.1 - 13.2	19.8	19.1 - 20.1	2380	2010 - 2720
Eider	MG 1	Y	20.1	18.0 - 22.8	41.7	41.2 - 42.1	21.1	19.8 - 21.6	5.8	5.0 - 6.4	4.3	4.1 - 4.6	11.0	10.3 - 11.8	17.7	17.2 - 18.0	1390	1020 - 1560
Etna	MG 0	IY	18.5	18.3 - 18.6	40.8	39.3 - 42.7	21.7	20.8 - 22.5	7.7	7.7 - 7.8	3.9	3.6 - 4.1	12.4	12.2 - 12.5	18.9	18.5 - 19.1	1950	1930 - 1980
Havane	MG 1	Y	19.4	17.6 - 21.3	41.9	40.6 - 42.8	20.3	19.4 - 21.0	7.4	6.5 - 8.0	3.8	3.6 - 4.1	12.2	11.4 - 12.8	18.9	18.4 - 19.1	1590	1060 - 1870
HDC 1600T	MG 1	Y	19.7	16.8 - 21.5	42.9	42.5 - 43.7	20.3	19.4 - 21.1	6.2	5.7 - 6.4	4.5	4.3 - 4.9	11.8	11.6 - 12.0	18.0	17.8 - 18.2	1900	1650 - 2100
HDC 1600T	MG 2 Early	Y	18.2	16.0 - 20.1	42.6	41.3 - 43.4	21.5	21.0 - 21.9	5.4	4.8 - 6.1	4.9	4.5 - 5.2	11.4	11.0 - 11.9	17.5	17.0 - 18.0	1360	1030 - 1650
HDC Blake	MG 1	Y	24.4	19.5 - 26.7	43.2	42.4 - 43.5	19.7	18.6 - 20.4	7.7	7.4 - 8.0	3.7	3.5 - 3.9	12.5	12.2 - 12.9	18.6	18.3 - 18.8	1710	1540 - 1930
HDC Blake	MG 2 Early	Y	23.9	22.8 - 24.5	43.7	42.8 - 44.2	20.4	20.0 - 20.7	6.9	6.5 - 7.3	3.9	3.7 - 4.1	11.8	11.6 - 12.2	18.0	17.6 - 18.6	1300	1150 - 1590
HDC Goshen	MG 1	Y	22.1	20.8 - 24.0	43.3	42.7 - 43.6	19.6	18.5 - 20.4	6.8	6.3 - 7.2	4.5	4.2 - 4.7	12.3	12.0 - 12.8	18.3	18.1 - 18.5	1700	1510 - 1970
HDC Goshen	MG 2 Early	Y	20.4	19.1 - 22.5	43.3	41.2 - 44.6	20.2	19.8 - 21.0	6.3	5.9 - 6.9	4.6	4.4 - 4.8	11.9	11.5 - 12.4	18.0	17.6 - 18.7	1330	1130 - 1480
HDC Winthrop	MG 0	IY	21.9	19.4 - 23.7	43.8	42.0 - 46.7	20.3	18.7 - 21.5	7.1	6.9 - 7.4	3.8	3.8 - 3.9	12.0	11.8 - 12.2	18.2	18.0 - 18.3	1800	1590 - 2020
HDC Winthrop	MG 1	IY	22.0	18.1 - 24.4	43.4	42.3 - 43.8	20.4	19.7 - 20.9	6.7	6.2 - 7.0	3.7	3.5 - 4.0	11.5	11.2 - 11.9	17.9	17.6 - 18.1	1740	1430 - 2150
HS 09C02	MG 0	Y	20.0	17.9 - 21.6	42.5	40.0 - 46.2	20.0	18.0 - 21.4	6.9	6.7 - 7.2	4.5	4.3 - 4.6	12.5	12.5 - 12.5	19.0	18.6 - 19.3	1040	630 - 1280

Canadian Food-Grade Soybean Database - 2013 Crop Year

Variety Name	Test Area ⁷	Hilum Colour	Seed Size (g/100 seeds)		Protein (% DM) ¹		Oil (% DM)		Sucrose (% DM)		Oligosaccharides ² (% DM)		Total Free Sugars ³ (% DM)		Total Carbohydrates ⁴ (% DM)		Total Isoflavones ⁵ (ppm) ⁶	
			Average ⁸	Range ⁹	Average	Range	Average	Range	Average	Range	Average	Range	Average	Range	Average	Range	Average	Range
HS 09C02	MG 1	Y	19.2	18.1 - 20.6	42.5	42.1 - 43.1	20.4	19.7 - 20.9	6.6	6.2 - 7.3	4.3	4.0 - 4.6	12.0	11.7 - 12.6	18.7	18.6 - 18.8	1110	740 - 1400
HS 13C38	MG 1	Y	20.2	19.1 - 21.1	42.3	41.3 - 43.0	20.5	19.8 - 21.5	6.6	5.9 - 7.1	4.0	3.8 - 4.3	11.6	11.0 - 12.1	18.1	17.7 - 18.3	1780	1280 - 2100
Jari	MG 0	IY	18.5	18.1 - 19.2	46.2	45.1 - 47.9	18.5	18.1 - 18.9	5.9	5.7 - 6.1	4.3	4.1 - 4.5	11.3	11.2 - 11.3	17.5	17.2 - 17.7	1520	1260 - 1740
Madison	MG 0	BR	18.5	18.2 - 18.9	41.0	39.6 - 43.5	21.9	20.6 - 22.9	6.4	6.2 - 6.7	4.3	4.2 - 4.4	11.7	11.4 - 12.1	18.2	17.9 - 18.6	2510	2430 - 2640
Mersea	MG 2 Early	Y	19.4	16.4 - 22.0	42.1	41.2 - 42.9	20.9	20.6 - 21.0	6.5	6.2 - 6.8	4.4	4.3 - 4.6	12.0	11.8 - 12.3	18.6	18.3 - 18.9	1560	1430 - 1690
Mersea	MG 2 Late	Y	20.0	17.5 - 22.1	42.5	41.3 - 43.9	20.7	20.3 - 21.7	6.5	6.2 - 6.8	4.4	4.3 - 4.7	12.0	11.8 - 12.2	18.4	18.2 - 18.6	1490	1110 - 1750
OAC Avatar	MG 1	Y	20.4	18.8 - 21.4	41.6	41.2 - 41.8	20.6	19.6 - 21.3	7.4	6.9 - 7.8	4.2	4.0 - 4.4	12.6	12.2 - 12.8	19.1	18.7 - 19.4	2770	2530 - 3000
OAC Belgrave	MG 0	BF	16.6	15.8 - 17.6	42.4	40.5 - 45.1	19.3	18.1 - 20.3	7.3	7.1 - 7.5	4.3	4.2 - 4.4	12.8	12.7 - 13.0	19.4	18.9 - 19.6	2480	2220 - 2800
OAC Blythe	MG 0	BL	17.2	15.8 - 18.0	43.3	41.9 - 45.1	19.1	18.9 - 19.4	6.7	6.5 - 7.0	4.2	4.1 - 4.4	11.9	11.8 - 12.1	18.8	18.7 - 18.8	2160	1900 - 2440
OAC Brooke	MG 2 Early	Y	21.1	18.1 - 25.1	42.1	40.6 - 43.7	20.9	20.3 - 21.2	6.9	6.4 - 7.2	4.3	4.0 - 4.7	12.3	12.2 - 12.4	18.4	18.3 - 18.7	1640	1440 - 1870
OAC Brooke	MG 2 Late	Y	22.5	18.8 - 25.8	43.1	42.4 - 43.9	20.5	20.0 - 21.1	6.9	6.5 - 7.4	4.2	4.0 - 4.4	12.1	11.8 - 12.4	18.2	18.1 - 18.4	1560	1280 - 1830
OAC Calypso	MG 1	IY	20.3	18.8 - 21.5	39.9	39.3 - 40.7	21.1	19.9 - 21.9	7.2	6.8 - 7.5	4.2	3.9 - 4.5	12.3	12.1 - 12.6	19.6	19.2 - 20.0	3150	2930 - 3380
OAC Calypso	MG 2 Early	IY	18.3	16.8 - 20.7	39.6	38.7 - 40.3	22.1	21.7 - 22.5	6.6	6.0 - 7.3	4.4	4.2 - 4.6	11.9	11.6 - 12.3	19.1	18.5 - 19.8	2370	1970 - 2950
OAC Champion	MG 0	IY	20.1	19.3 - 21.4	44.3	42.8 - 46.5	19.9	18.9 - 20.7	5.6	5.4 - 5.8	4.4	4.3 - 4.5	11.0	10.8 - 11.1	17.7	17.4 - 17.8	1500	1200 - 1650
OAC Drayton	MG 0	LBR	18.0	17.2 - 18.6	39.1	37.6 - 41.2	21.8	20.7 - 22.7	6.5	6.2 - 6.8	4.5	4.5 - 4.5	12.0	11.7 - 12.3	19.4	19.1 - 19.5	3230	3120 - 3430
OAC Drayton	MG 1	LBR	18.9	16.4 - 20.8	39.7	39.1 - 40.4	21.7	21.2 - 22.2	6.4	6.0 - 6.8	4.4	4.2 - 4.5	11.7	11.2 - 12.2	19.0	18.7 - 19.2	3160	2850 - 3390
OAC Huron	MG 1	Y	21.7	19.8 - 23.6	42.9	42.7 - 43.3	20.1	19.3 - 20.8	7.2	6.7 - 7.6	3.7	3.4 - 3.9	12.1	11.7 - 12.5	18.3	17.9 - 18.4	2070	1810 - 2360
OAC Kent	MG 2 Early	Y	20.6	18.3 - 23.6	42.6	41.7 - 43.7	21.7	21.5 - 21.8	5.9	5.7 - 6.1	4.3	4.1 - 4.5	11.1	10.7 - 11.4	17.5	17.3 - 17.9	1450	1330 - 1580
OAC Kent	MG 2 Late	Y	21.1	19.4 - 22.9	43.5	42.3 - 45.5	21.5	20.4 - 22.5	5.8	5.7 - 6.0	4.3	4.1 - 4.4	11.0	10.9 - 11.2	17.4	17.4 - 17.5	1430	1160 - 1620
OAC Lakeview	MG 0	Y	19.0	18.6 - 19.3	40.2	39.0 - 42.0	21.2	20.1 - 22.1	7.7	7.5 - 8.0	4.0	3.9 - 4.2	12.7	12.6 - 12.8	19.4	19.3 - 19.7	2490	2210 - 2780
OAC Madoc	MG 0	Y	19.5	18.8 - 20.6	40.4	39.3 - 42.4	21.8	20.8 - 22.4	6.9	6.7 - 7.0	4.4	4.2 - 4.6	12.2	11.9 - 12.4	19.1	18.5 - 19.4	1550	1410 - 1700
OAC Marvel	MG 2 Early	Y	21.7	18.9 - 24.2	43.3	40.8 - 44.9	20.3	19.8 - 21.4	6.3	5.9 - 6.6	4.6	4.5 - 4.8	11.8	11.7 - 12.0	17.9	17.6 - 18.5	1560	1350 - 1830
OAC Marvel	MG 2 Late	Y	21.8	20.0 - 23.1	43.7	41.5 - 46.0	20.1	19.3 - 20.5	6.2	6.1 - 6.4	4.5	4.4 - 4.5	11.6	11.4 - 11.9	17.7	17.6 - 17.9	1520	1310 - 1720
OAC Nation	MG 0	IY	21.1	19.1 - 22.4	43.5	41.0 - 46.1	19.6	18.4 - 21.3	7.4	7.1 - 7.7	4.2	4.1 - 4.3	12.7	12.6 - 12.9	18.7	18.5 - 18.8	1720	1650 - 1860
OAC Perth	MG 1	IY	20.0	18.7 - 21.2	41.5	41.2 - 41.6	21.0	20.3 - 21.7	6.3	5.7 - 6.6	4.3	4.1 - 4.5	11.7	11.3 - 12.0	18.1	17.7 - 18.3	1550	1370 - 1740
OAC Petrel	MG 0	IY	15.9	15.4 - 16.7	43.4	42.0 - 46.1	19.5	18.6 - 20.3	6.2	5.8 - 6.5	4.6	4.4 - 4.7	11.8	11.3 - 12.1	18.2	17.5 - 18.6	1670	1580 - 1790
OAC Sunny	MG 0	IY	18.6	17.4 - 20.3	41.7	39.9 - 43.9	21.2	20.2 - 22.0	7.3	7.1 - 7.4	4.2	4.1 - 4.3	12.3	12.2 - 12.3	18.5	18.2 - 18.7	1780	1730 - 1850
OAC Thamesville	MG 2 Early	Y	21.4	19.0 - 24.2	43.6	41.9 - 44.8	20.3	19.9 - 20.6	7.1	6.7 - 7.6	4.0	3.8 - 4.1	12.1	11.8 - 12.5	18.3	17.8 - 18.8	1550	1330 - 1850
OAC Thamesville	MG 2 Late	Y	21.0	19.3 - 23.0	43.6	42.6 - 45.1	20.6	20.0 - 21.0	7.1	6.7 - 7.3	4.0	3.9 - 4.1	12.0	11.7 - 12.2	18.2	18.0 - 18.4	1570	1390 - 1760
OAC Wallace	MG 0	BR	19.0	18.3 - 19.7	38.5	37.1 - 40.0	22.1	21.1 - 23.0	7.0	6.8 - 7.3	4.4	4.3 - 4.4	12.2	12.0 - 12.5	19.9	19.6 - 20.0	2860	2780 - 2900
OAC Wellington	MG 0	Y	20.2	19.3 - 20.8	43.0	41.9 - 45.0	20.5	19.7 - 21.0	5.6	5.5 - 5.9	4.8	4.7 - 5.0	11.4	11.2 - 11.5	17.8	17.5 - 18.0	1330	1260 - 1460
PRO 275	MG 0	IY	19.4	18.7 - 19.9	41.2	40.1 - 43.2	20.5	19.3 - 21.3	7.6	7.4 - 7.9	4.1	4.0 - 4.1	12.8	12.7 - 13.1	19.4	19.1 - 19.8	2180	1950 - 2320
S03-W4	MG 0	IY	19.4	18.9 - 19.7	42.8	41.9 - 44.5	20.7	20.2 - 21.0	6.7	6.6 - 6.8	4.3	4.1 - 4.4	11.8	11.7 - 11.9	18.2	17.8 - 18.4	1470	1200 - 1680
S05-T6	MG 0	IY	20.1	19.7 - 20.4	41.6	40.0 - 43.9	21.1	20.2 - 21.9	7.6	7.5 - 7.7	4.2	4.0 - 4.4	12.6	12.4 - 12.8	19.1	18.8 - 19.5	2000	1800 - 2100
S07-D2	MG 0	Y	21.0	19.8 - 23.2	45.0	44.5 - 45.8	18.2	17.6 - 18.7	6.4	6.0 - 6.7	4.2	4.1 - 4.3	11.6	11.3 - 11.9	18.7	18.6 - 18.8	2170	1710 - 2520

Canadian Food-Grade Soybean Database - 2013 Crop Year

Variety Name	Test Area ⁷	Hilum Colour	Seed Size (g/100 seeds)		Protein (% DM) ¹		Oil (% DM)		Sucrose (% DM)		Oligosaccharides ² (% DM)		Total Free Sugars ³ (% DM)		Total Carbohydrates ⁴ (% DM)		Total Isoflavones ⁵ (ppm) ⁶	
			Average ⁸	Range ⁹	Average	Range	Average	Range	Average	Range	Average	Range	Average	Range	Average	Range	Average	Range
S12-A5	MG 1	BR	21.1	20.1 - 22.0	41.9	41.5 - 42.5	20.2	19.5 - 20.6	7.9	7.4 - 8.3	4.0	3.8 - 4.3	12.9	12.6 - 13.2	18.9	18.6 - 19.1	2600	2220 - 2910
S18-R6	MG 1	Y	20.9	18.7 - 22.7	41.5	41.3 - 41.6	19.9	18.9 - 20.5	7.3	6.8 - 7.7	4.3	4.0 - 4.6	12.6	12.4 - 13.1	19.0	18.6 - 19.4	2300	1920 - 2720
S18-R6	MG 2 Early	Y	19.5	16.9 - 21.7	41.0	39.9 - 41.7	21.1	21.0 - 21.2	6.7	6.1 - 7.2	4.5	4.2 - 4.7	12.2	12.0 - 12.5	18.6	18.0 - 19.3	1690	1380 - 2140
S20-G7	MG 2 Early	Y	20.8	19.0 - 23.0	44.3	42.1 - 45.4	20.4	19.8 - 21.0	6.2	5.7 - 6.8	4.3	4.1 - 4.4	11.4	11.1 - 12.1	17.3	16.7 - 18.0	1720	1520 - 2080
S23-T5	MG 2 Late	IY	17.8	16.3 - 19.1	42.9	41.8 - 43.7	19.8	19.4 - 20.3	6.6	6.3 - 6.9	4.5	4.4 - 4.8	12.2	11.9 - 12.5	18.6	18.4 - 18.9	2050	1870 - 2280
Savanna	MG 0	IY	19.6	18.6 - 20.5	43.1	41.8 - 45.2	20.2	19.5 - 20.7	6.2	6.0 - 6.4	4.2	4.0 - 4.4	11.3	11.2 - 11.6	18.3	17.8 - 18.6	2170	1830 - 2400
SG 2311	MG 2 Early	Y	19.8	17.5 - 24.5	42.7	41.3 - 44.2	20.3	19.9 - 20.8	7.2	7.0 - 7.3	4.3	4.1 - 4.5	12.6	12.4 - 12.7	18.5	18.3 - 18.9	1490	1300 - 1640
Stargazer	MG 1	Y	24.4	22.1 - 26.4	43.3	42.9 - 43.5	20.4	19.7 - 20.8	6.5	5.6 - 6.9	3.9	3.6 - 4.3	11.3	10.8 - 11.6	17.7	17.5 - 18.0	2020	1500 - 2280
Thames	MG 2 Early	Y	17.2	12.6 - 20.5	42.1	40.2 - 44.5	20.1	19.5 - 20.8	7.1	6.7 - 7.5	4.5	4.3 - 4.9	12.7	12.5 - 12.9	18.7	18.4 - 19.3	1090	840 - 1380
X790P	MG 2 Early	Y	24.5	20.6 - 27.7	47.8	45.7 - 49.8	18.4	18.0 - 18.8	5.5	5.2 - 5.8	4.5	4.3 - 4.7	10.9	10.6 - 11.1	16.7	16.5 - 17.0	1630	1450 - 1810

Footnotes to Tables:

¹% of dry matter basis. To convert from composition on a dry matter basis to composition at 13% moisture, multiply the value by 0.87.

²stachyose and raffinose

³includes all soluble sugars

⁴includes soluble and non-soluble sugars

⁵the sum of genistein, daidzein and glycitein aglycone equivalents

⁶parts per million (equivalent to mg/kg or µg/g)

⁷maturity group for the test sites at which the variety was grown

⁸averaged across all test sites where the variety was grown

⁹minimum and maximum values across all of the test sites where the variety was grown