




Ontario MG00 (2300-2500 HU) Areas, OSACC 3 Yr. RR Summary (2015-2017)




Ontario MG0 (2500-2800 HU) Areas, OSACC 3 Yr. RR Summary (2014-2016)




Ontario MG1 (2700-2900 HU) Areas, OSACC 3 Yr. RR Summary (2015-2017)



Ontario Early MG2 (2900-3300 HU) Areas, OSACC 3 Yr. Clay RR Summary (2015-2017)




Ontario Late MG2 (3300-3500 HU) Areas, OSACC 3 Yr. Loam RR Summary (2015-2017)




Ontario Late MG2 (3300-3500 HU) Areas, OSACC 3 Yr. Clay RR Summary (2015-2017)



Ontario Early MG2 (2900-3300 HU) Areas, OSACC 3 Yr. Loam RR Summary (2015-2017)




Ontario MGO (2500-2800 HU) Areas, OSACC 3 Yr. Conventional Summary (2015-2017)




Average of 11 tests conducted in
Brussels, Elora, Lindsay and Ottawa

Ontario MG1 (2700-2900 HU) Areas, OSACC 3 Yr. Conventional Summary (2015-2017)



Average of 11 tests conducted in Exeter, St. Marys, Winchester and Woodstock


Ontario Early MG2 (2900-3300 HU) Areas, OSACC 3 Yr. Clay Conventional Summary (2015-2017)



Ontario Early MG2 (2900-3300 HU) Areas, OSACC 3 Yr. Loam Conventional Summary (2015-2017)



Ontario Late MG2 (3300-3500 HU) Areas, OSACC 3 Yr. Clay Conventional Summary (2015-2017)



Ontario Late MG2 (3300-3500 HU) Areas, OSACC 3 Yr. Loam Conventional Summary (2015-2017)

