




Ontario MG00 (2300-2500 HU) Areas, OSACC 3 Yr. RR Summary (2016-2018)




Ontario MG0 (2500-2800 HU) Areas, OSACC 3 Yr. RR Summary (2016-2018)




Ontario MG1 (2700-2900 HU) Areas, OSACC 3 Yr. RR Summary (2016-2018)




Ontario Early MG2 (2900-3300 HU) Areas, OSACC 3 Yr. Clay RR Summary (2016-2018)



Ontario Early MG2 (2900-3300 HU) Areas, OSACC 3 Yr. Loam RR Summary (2016-2018)




Ontario Late MG2 (3300-3500 HU) Areas, OSACC 3 Yr. Clay RR Summary (2016-2018)



Ontario Late MG2 (3300-3500 HU) Areas, OSACC 3 Yr. Loam RR Summary (2016-2018)



Ontario MGO (2500-2800 HU) Areas, OSACC 3 Yr. Conventional Summary (2016-2018)



Average of 12 tests conducted in
Brussels, Elora, Lindsay, Port Hope and Ottawa


Ontario MG1 (2700-2900 HU) Areas, OSACC 3 Yr. Conventional Summary (2016-2018)




Ontario Early MG2 (2900-3300 HU) Areas, OSACC 3 Yr. Clay Conventional Summary (2016-2018)



Ontario Early MG2 (2900-3300 HU) Areas, OSACC 3 Yr. Loam Conventional Summary (2016-2018)



Ontario Late MG2 (3300-3500 HU) Areas, OSACC 3 Yr. Clay Conventional Summary (2016-2018)



Average of 6 tests conducted in
Merlin and Woodslee

Ontario Late MG2 (3300-3500 HU) Areas, OSACC 3 Yr. Loam Conventional Summary (2016-2018)

