

Canadian Food-Grade Soybean Database - 2018 Crop Year

Variety Name	Test Area ⁷	Hilum Colour	Seed Size (g/100 seeds)		Protein (% DM) ¹		Oil (% DM)		Sucrose (% DM)		Oligosaccharides ² (% DM)		Total Free Sugars ³ (% DM)		Total Carbohydrates ⁴ (% DM)		Total Isoflavones ⁵ (ppm) ⁶	
			Average ⁸	Range ⁹	Average	Range	Average	Range	Average	Range	Average	Range	Average	Range	Average	Range	Average	Range
AAC 26-15	MG 2 Early	Y	23.9	22.5 - 25.5	43.5	42.6 - 44.4	20.5	20.1 - 20.9	6.6	6.0 - 7.8	4.7	4.4 - 4.9	11.8	11.2 - 12.8	18.4	17.7 - 19.1	1860	1640 - 2110
AAC 26-15	MG 2 Late	Y	21.1	17.2 - 23.7	42.0	41.6 - 42.6	21.7	21.2 - 22.1	5.8	5.1 - 6.2	4.8	4.7 - 5.0	11.2	10.6 - 11.5	18.0	17.6 - 18.5	1850	1330 - 2210
AAC Hensatto	MG 0	Y	10.1	9.1 - 11.4	40.0	37.4 - 42.3	20.5	19.5 - 21.2	5.9	5.5 - 6.2	5.0	4.9 - 5.3	11.5	11.3 - 11.8	19.2	18.8 - 19.4	1910	1750 - 2130
AAC Invest 1605	MG 0	Y	19.3	18.5 - 19.7	45.9	42.5 - 48.1	19.0	18.1 - 20.3	5.4	4.9 - 6.2	5.0	4.9 - 5.1	10.9	10.4 - 11.6	17.6	16.9 - 18.3	1740	1480 - 2270
AAC Malden	MG 2 Late	Y	23.3	19.6 - 25.5	43.6	43.0 - 44.3	19.5	18.7 - 20.0	6.4	5.7 - 6.8	4.6	4.4 - 4.8	11.7	11.1 - 12.0	18.6	18.1 - 19.0	2160	1540 - 2510
AAC Shinju	MG 0	Y	11.7	10.7 - 12.5	38.8	36.8 - 40.4	21.6	21.1 - 22.2	6.7	6.4 - 7.2	5.1	5.0 - 5.3	12.3	12.0 - 12.8	19.3	19.1 - 19.6	2450	2150 - 2960
Acora	MG 1	IY	22.8	20.6 - 24.1	41.4	40.7 - 41.9	20.7	20.3 - 21.0	7.1	6.5 - 7.4	4.9	4.8 - 4.9	12.3	11.7 - 12.5	18.9	18.6 - 19.2	2370	2240 - 2490
Angelica	MG 0	IY	23.9	23.2 - 24.3	40.7	39.7 - 41.2	21.9	21.6 - 22.2	6.8	6.6 - 7.3	4.8	4.7 - 4.9	11.9	11.6 - 12.5	18.6	18.0 - 19.0	1940	1650 - 2250
Arius	MG 1	Y	25.7	23.9 - 28.0	44.1	43.1 - 45.0	19.5	19.3 - 19.9	6.9	6.4 - 7.3	4.4	4.2 - 4.5	11.8	11.3 - 12.1	18.7	18.2 - 19.0	1580	1400 - 1770
Asuka	MG 0	IY	23.9	21.8 - 25.6	41.1	39.8 - 41.9	20.9	20.5 - 21.1	7.0	6.6 - 7.2	4.7	4.6 - 4.8	12.2	12.0 - 12.5	19.0	18.6 - 19.1	1920	1710 - 2200
B045C0	MG 0	IY	21.4	20.1 - 22.8	40.1	39.3 - 40.8	21.6	21.2 - 21.9	6.8	6.6 - 7.1	4.9	4.9 - 5.0	12.1	11.8 - 12.4	18.8	18.6 - 19.1	2340	1970 - 2800
B101C0	MG 1	Y	22.0	20.4 - 23.5	41.0	40.4 - 41.4	21.6	21.1 - 21.8	7.1	6.8 - 7.5	4.3	4.1 - 4.3	11.9	11.6 - 12.1	18.6	18.3 - 19.0	1910	1760 - 2140
B213C0	MG 2 Early	Y	20.7	20.5 - 21.0	43.5	42.4 - 44.1	19.8	19.2 - 21.0	6.1	5.6 - 6.7	4.9	4.7 - 5.2	11.6	11.3 - 12.0	18.5	18.2 - 18.7	2570	2290 - 2760
Bakara	MG 1	IY	26.7	25.8 - 27.6	44.1	43.6 - 44.7	19.9	19.5 - 20.4	7.2	6.8 - 7.5	4.5	4.4 - 4.6	12.1	11.7 - 12.4	18.2	17.7 - 18.4	1850	1710 - 2100
Black Pearl	MG 1	BL	22.8	21.1 - 25.3	42.3	41.2 - 43.1	20.7	20.2 - 21.1	6.8	6.5 - 7.3	4.2	4.1 - 4.3	11.6	11.3 - 12.0	17.7	17.5 - 18.0	1740	1630 - 1840
Cascade	MG 0	Y	27.9	26.7 - 29.3	42.9	41.4 - 44.3	21.0	20.1 - 21.9	5.8	5.5 - 6.4	4.5	4.5 - 4.5	10.7	10.3 - 11.2	18.0	17.8 - 18.2	2580	2320 - 3010
Cascade	MG 1	Y	28.7	27.3 - 31.1	43.3	42.7 - 43.8	20.9	20.5 - 21.2	5.7	5.4 - 6.0	4.4	4.4 - 4.5	10.5	10.2 - 10.8	17.9	17.7 - 18.1	2430	2320 - 2540
Chikala	MG 0	Y	11.2	10.2 - 12.0	38.9	36.5 - 41.3	21.3	19.9 - 22.2	5.7	5.5 - 5.9	5.2	5.1 - 5.3	11.4	11.2 - 11.6	19.7	19.5 - 19.8	1920	1670 - 2140
DF 155	MG 2 Early	Y	23.2	21.7 - 25.1	43.2	42.8 - 43.7	20.6	20.3 - 20.9	6.1	5.6 - 6.4	4.9	4.8 - 5.0	11.4	11.0 - 11.8	18.0	17.6 - 18.4	2110	1870 - 2360
DF 155	MG 2 Late	Y	20.5	18.8 - 21.7	42.3	41.8 - 42.9	21.2	20.9 - 21.5	5.5	5.0 - 5.9	5.0	4.9 - 5.0	11.0	10.5 - 11.4	17.9	17.8 - 18.1	1870	1310 - 2450
Eider	MG 1	Y	24.0	22.8 - 25.2	42.2	41.8 - 42.9	21.2	20.7 - 21.5	5.7	5.4 - 5.9	4.8	4.6 - 4.9	10.9	10.7 - 11.0	17.9	17.8 - 18.0	1640	1400 - 1750
Ezra	MG 0	IY	22.2	21.7 - 22.6	38.0	37.1 - 38.8	22.3	21.8 - 22.8	6.5	6.3 - 6.8	5.1	4.9 - 5.2	11.9	11.7 - 12.2	19.8	19.5 - 20.0	2370	2130 - 2720
Fjord	MG 0	IY	21.3	20.6 - 23.3	46.7	45.3 - 48.6	18.5	17.9 - 19.2	5.3	4.9 - 5.7	4.9	4.7 - 5.0	10.7	10.4 - 11.0	17.4	17.2 - 17.5	1330	790 - 1680
Hana	MG 0	Y	21.1	20.2 - 21.6	44.7	43.0 - 45.7	19.7	19.2 - 20.1	5.4	5.0 - 5.9	5.0	4.9 - 5.1	10.8	10.5 - 11.2	17.8	17.4 - 18.2	1930	1450 - 2360
Havane	MG 1	Y	23.8	22.0 - 25.3	41.6	40.5 - 42.8	21.0	20.4 - 21.5	7.2	6.3 - 7.7	4.3	4.2 - 4.5	12.0	11.3 - 12.4	18.8	18.2 - 19.0	1780	1660 - 1920
HDC 1600T	MG 1	Y	23.9	22.9 - 25.3	42.7	42.3 - 43.5	21.0	20.4 - 21.8	5.9	5.5 - 6.2	5.1	4.9 - 5.3	11.5	11.0 - 11.7	18.4	18.0 - 18.7	2130	1750 - 2420
HDC 1600T	MG 2 Early	Y	23.2	20.6 - 25.4	42.4	41.3 - 43.4	21.4	21.1 - 21.7	5.7	5.3 - 6.1	5.3	5.1 - 5.5	11.4	11.2 - 11.8	18.1	17.9 - 18.6	1950	1800 - 2130
HDC Blake	MG 1	Y	27.9	22.4 - 30.9	42.7	42.0 - 43.5	20.6	20.0 - 20.8	7.0	6.4 - 7.5	4.3	4.1 - 4.6	11.8	11.2 - 12.1	18.5	17.7 - 19.0	1800	1560 - 2140
HDC Blake	MG 2 Early	Y	28.5	27.4 - 30.2	43.3	42.5 - 43.6	20.4	20.2 - 20.5	6.9	6.7 - 7.3	4.4	4.2 - 4.5	11.8	11.6 - 12.2	18.3	17.9 - 18.7	1620	1520 - 1760

Canadian Food-Grade Soybean Database - 2018 Crop Year

Variety Name	Test Area ⁷	Hilum Colour	Seed Size (g/100 seeds)		Protein (% DM) ¹		Oil (% DM)		Sucrose (% DM)		Oligosaccharides ² (% DM)		Total Free Sugars ³ (% DM)		Total Carbohydrates ⁴ (% DM)		Total Isoflavones ⁵ (ppm) ⁶	
			Average ⁸	Range ⁹	Average	Range	Average	Range	Average	Range	Average	Range	Average	Range	Average	Range	Average	Range
HDC Goshen	MG 1	Y	25.4	23.7 - 27.1	43.5	42.8 - 44.2	19.7	19.1 - 20.3	6.7	6.3 - 7.0	5.0	4.8 - 5.1	12.1	11.7 - 12.2	18.7	18.3 - 18.9	1860	1730 - 1970
HDC Goshen	MG 2 Early	Y	25.3	24.1 - 26.4	44.2	43.0 - 45.0	19.8	19.4 - 20.1	6.4	6.0 - 7.0	5.0	4.9 - 5.1	11.9	11.6 - 12.4	18.4	18.2 - 18.9	1710	1460 - 1980
Jari	MG 0	IY	22.1	21.3 - 22.9	45.6	44.0 - 47.3	19.4	18.8 - 19.9	5.5	5.0 - 6.1	4.8	4.8 - 4.9	10.9	10.3 - 11.5	17.4	17.2 - 17.6	1620	1270 - 1850
Karra	MG 1	Y	21.8	20.0 - 23.6	41.3	40.4 - 41.9	21.5	21.3 - 21.7	7.0	6.6 - 7.4	4.5	4.3 - 4.6	12.0	11.6 - 12.3	18.9	18.6 - 19.2	2010	1750 - 2280
Kyoto	MG 0	Y	21.9	21.4 - 22.2	42.6	42.0 - 43.3	20.7	20.4 - 21.2	6.7	6.4 - 7.2	4.6	4.5 - 4.7	11.8	11.6 - 12.1	18.3	17.8 - 18.5	2230	1940 - 2480
Marula	MG 0	Y	25.1	23.3 - 26.6	42.9	42.0 - 43.8	20.6	20.3 - 20.9	6.5	6.3 - 7.2	4.9	4.8 - 5.0	11.8	11.6 - 12.5	18.7	18.4 - 19.1	1510	1220 - 1780
Mozart	MG 0	Y	23.8	21.5 - 26.1	42.7	41.5 - 44.3	20.0	19.3 - 20.3	6.7	6.3 - 7.2	4.6	4.5 - 4.7	11.9	11.7 - 12.4	18.9	18.7 - 19.1	2100	1790 - 2500
NA 2300	MG 2 Early	Y	22.3	20.4 - 24.1	42.7	42.0 - 43.1	19.9	19.6 - 20.2	7.0	6.6 - 7.3	4.8	4.7 - 5.0	12.3	12.1 - 12.5	19.0	18.7 - 19.3	2160	2040 - 2300
Nagoya	MG 0	Y	20.5	19.4 - 21.4	43.2	41.3 - 44.2	20.3	19.8 - 20.6	6.6	6.4 - 7.0	4.6	4.5 - 4.8	11.7	11.5 - 12.2	18.4	18.1 - 18.7	1920	1670 - 2290
Nagoya	MG 1	Y	20.5	18.8 - 23.5	43.3	43.1 - 43.5	20.0	19.7 - 20.5	6.7	6.6 - 6.9	4.6	4.5 - 4.8	11.8	11.7 - 11.9	18.5	18.3 - 18.5	2080	1870 - 2330
Nordika	MG 0	Y	25.1	23.7 - 26.7	40.2	38.2 - 41.5	21.2	20.6 - 21.7	6.7	6.3 - 7.2	5.2	5.0 - 5.3	12.3	12.0 - 12.7	19.2	19.0 - 19.3	2120	1790 - 2620
Nordika	MG 1	Y	23.4	21.3 - 25.4	40.8	40.2 - 41.8	20.9	20.3 - 21.5	6.7	6.5 - 7.0	5.2	5.2 - 5.3	12.3	12.1 - 12.7	19.1	18.9 - 19.4	2210	2130 - 2390
OAC Adare	MG 1	IY	22.2	20.2 - 23.7	42.3	41.0 - 43.6	20.3	19.7 - 20.8	6.7	6.3 - 7.0	4.9	4.8 - 4.9	12.0	11.5 - 12.3	18.8	18.6 - 19.0	1830	1580 - 1930
OAC Avatar	MG 1	IY	22.1	20.8 - 24.5	41.3	40.2 - 42.5	20.6	20.0 - 21.2	7.1	6.9 - 7.3	4.8	4.7 - 4.9	12.3	12.1 - 12.4	19.2	19.0 - 19.4	2590	2480 - 2740
OAC Brooke	MG 2 Early	Y	26.9	24.6 - 29.2	43.2	42.2 - 44.9	20.1	19.4 - 20.6	7.2	7.0 - 7.4	4.5	4.3 - 4.8	12.3	11.8 - 12.6	18.7	18.4 - 18.9	1960	1860 - 2020
OAC Bruton	MG 2 Early	Y	27.6	25.3 - 30.9	42.9	42.4 - 43.3	20.7	20.3 - 21.2	6.5	6.2 - 6.8	4.4	4.3 - 4.5	11.4	11.2 - 11.7	18.3	18.0 - 18.4	1980	1940 - 2040
OAC Drayton	MG 0	LBR	21.0	19.9 - 21.8	37.1	36.4 - 37.7	23.0	22.7 - 23.3	6.2	6.1 - 6.6	5.2	5.1 - 5.3	11.8	11.6 - 12.2	19.4	19.3 - 19.5	3470	3030 - 3890
OAC Durham	MG 0	Y	24.7	23.8 - 25.5	40.4	39.3 - 42.3	21.4	20.8 - 22.2	7.6	7.3 - 8.1	4.4	4.3 - 4.5	12.5	12.1 - 13.1	18.8	18.5 - 19.1	2420	2220 - 2780
OAC Eve	MG 0	IY	24.4	24.0 - 24.6	41.2	39.9 - 42.0	20.4	20.0 - 21.2	7.2	6.8 - 7.8	5.0	4.9 - 5.1	12.7	12.4 - 13.2	19.4	19.2 - 19.5	2030	1720 - 2510
OAC Evolution	MG 0	IY	22.5	21.2 - 23.7	40.0	39.0 - 41.0	21.4	21.0 - 21.9	6.0	5.7 - 6.5	5.1	4.8 - 5.1	11.4	11.2 - 11.8	18.9	18.6 - 19.1	2480	2180 - 2760
OAC Kent	MG 2 Early	Y	25.5	23.5 - 28.8	42.3	41.8 - 42.6	21.8	21.5 - 21.9	6.0	5.8 - 6.3	4.7	4.6 - 4.9	11.1	10.9 - 11.3	18.0	17.7 - 18.1	1690	1470 - 2040
OAC Lakeview	MG 0	Y	21.9	20.6 - 22.7	38.2	37.3 - 39.1	22.6	22.1 - 23.2	7.1	6.7 - 7.2	4.7	4.5 - 4.8	12.2	12.0 - 12.4	19.6	19.5 - 19.8	2530	2180 - 2750
OAC Marvel	MG 2 Early	Y	23.7	20.0 - 26.4	43.8	43.0 - 44.7	19.9	19.4 - 20.5	6.4	6.1 - 6.7	5.0	4.8 - 5.2	11.8	11.7 - 12.1	18.4	18.1 - 18.9	1880	1730 - 2080
OAC Marvel	MG 2 Late	Y	22.0	18.9 - 23.7	43.0	42.2 - 43.7	20.7	20.0 - 21.1	5.9	5.5 - 6.0	5.1	5.0 - 5.1	11.4	11.1 - 11.6	18.2	17.9 - 18.4	1630	1160 - 2080
OAC Prescott	MG 0	GR	23.5	22.6 - 24.8	39.0	38.2 - 39.7	22.3	21.8 - 23.1	6.6	6.4 - 6.9	4.9	4.9 - 5.0	12.0	11.8 - 12.3	19.2	19.1 - 19.2	2670	2480 - 2850
OAC Prosper	MG 1	Y	22.7	20.8 - 23.6	43.3	41.8 - 44.1	19.7	19.1 - 20.5	6.7	6.5 - 6.9	5.1	5.0 - 5.1	12.3	12.2 - 12.4	19.0	18.9 - 19.1	2050	1980 - 2150
OAC Prosper	MG 2 Early	Y	22.1	19.4 - 24.8	43.2	41.7 - 44.1	20.0	19.5 - 20.8	6.5	6.0 - 7.0	5.2	5.1 - 5.4	12.2	11.9 - 12.6	18.7	18.6 - 19.0	2010	1930 - 2140
OAC Ramsay	MG 2 Early	Y	26.5	23.3 - 29.0	42.5	42.3 - 42.9	21.1	20.6 - 21.5	6.4	6.0 - 6.8	4.7	4.5 - 4.8	11.6	11.4 - 12.0	18.2	17.9 - 18.5	1820	1550 - 1980
OAC Strive	MG 0	IY	24.5	23.9 - 25.2	43.6	42.1 - 44.4	20.3	19.9 - 20.7	6.5	6.0 - 6.9	4.6	4.4 - 4.6	11.5	11.2 - 11.9	17.9	17.4 - 18.2	1920	1670 - 2240

Canadian Food-Grade Soybean Database - 2018 Crop Year

Variety Name	Test Area ⁷	Hilum Colour	Seed Size (g/100 seeds)		Protein (% DM) ¹		Oil (% DM)		Sucrose (% DM)		Oligosaccharides ² (% DM)		Total Free Sugars ³ (% DM)		Total Carbohydrates ⁴ (% DM)		Total Isoflavones ⁵ (ppm) ⁶	
			Average ⁸	Range ⁹	Average	Range	Average	Range	Average	Range	Average	Range	Average	Range	Average	Range	Average	Range
OAC Thamesville	MG 2 Early	Y	24.9	22.9 - 26.5	42.4	41.9 - 42.8	20.6	20.1 - 20.9	7.3	7.1 - 7.6	4.4	4.3 - 4.5	12.1	11.9 - 12.4	18.6	18.5 - 18.7	1990	1870 - 2210
OAC Thamesville	MG 2 Late	Y	21.7	17.5 - 24.5	41.0	40.2 - 41.8	21.6	21.3 - 22.1	6.9	6.3 - 7.2	4.5	4.4 - 4.7	11.9	11.4 - 12.1	18.5	18.0 - 18.9	1680	1070 - 2060
OAC Wallace	MG 0	BR	21.1	20.6 - 21.7	37.4	35.8 - 38.1	22.6	22.1 - 22.9	6.4	6.1 - 6.8	5.2	5.1 - 5.2	11.9	11.6 - 12.4	19.8	19.6 - 20.2	2790	2430 - 3180
Osaka	MG 0	Y	21.6	20.7 - 22.4	40.1	39.7 - 40.3	22.0	21.5 - 22.5	7.1	6.9 - 7.5	4.5	4.4 - 4.7	12.1	11.8 - 12.6	19.3	18.9 - 19.7	2210	1890 - 2510
Osaka	MG 1	Y	21.2	20.0 - 23.0	41.7	41.2 - 42.1	21.3	21.1 - 21.5	7.1	6.8 - 7.4	4.5	4.4 - 4.6	12.0	11.8 - 12.2	18.7	18.5 - 18.9	2110	1910 - 2390
P05T80	MG 0	IY	23.7	22.7 - 24.4	40.8	39.8 - 41.3	21.7	21.5 - 22.2	6.7	6.5 - 7.2	4.4	4.3 - 4.5	11.7	11.4 - 12.3	18.8	18.6 - 19.0	2300	2000 - 2640
P11A10	MG 1	Y	22.9	21.3 - 24.5	39.5	38.9 - 40.1	21.8	21.2 - 22.5	7.0	6.9 - 7.2	4.8	4.7 - 4.9	12.1	12.0 - 12.3	19.2	19.0 - 19.5	2810	2700 - 2990
P11A67	MG 1	IY	23.2	20.2 - 25.9	40.0	39.6 - 40.4	21.3	21.0 - 21.9	6.5	6.3 - 6.6	5.2	5.1 - 5.3	12.1	11.9 - 12.3	19.4	19.1 - 19.8	2540	2370 - 2690
P21A20	MG 2 Early	Y	20.7	18.7 - 23.0	42.8	42.1 - 44.0	20.1	19.6 - 20.4	6.3	5.9 - 6.7	5.0	4.9 - 5.2	11.8	11.5 - 12.1	18.4	18.1 - 18.7	2390	2230 - 2490
S03-W4	MG 0	IY	22.1	21.3 - 22.8	42.0	40.4 - 42.9	21.5	21.3 - 21.8	6.3	6.2 - 6.7	4.9	4.9 - 5.0	11.5	11.3 - 11.9	17.9	17.6 - 18.1	1660	1310 - 2030
S07-D2	MG 0	Y	23.7	21.4 - 26.0	43.2	41.6 - 44.8	19.8	19.3 - 20.5	6.0	5.7 - 6.6	4.8	4.7 - 4.9	11.4	11.0 - 11.9	18.7	18.5 - 18.9	2360	2060 - 2670
S07-M8	MG 0	IY	23.7	22.8 - 24.2	42.0	40.7 - 43.6	20.9	20.3 - 21.5	6.9	6.4 - 7.2	4.4	4.3 - 4.5	11.8	11.4 - 12.1	18.4	18.0 - 19.1	2400	2260 - 2610
S10-R2	MG 0	Y	22.6	21.8 - 23.2	42.7	41.8 - 43.6	19.7	19.2 - 20.2	6.4	6.0 - 6.8	4.8	4.7 - 4.8	11.6	11.3 - 12.0	18.8	18.7 - 19.0	2440	2220 - 2670
S10-R2	MG 1	Y	21.8	19.6 - 23.3	43.6	42.9 - 43.9	19.2	18.8 - 19.7	6.5	6.2 - 6.7	4.7	4.6 - 4.7	11.7	11.3 - 11.8	18.6	18.5 - 18.8	2390	2220 - 2530
S14-H3	MG 1	IY	24.8	22.7 - 26.7	43.1	42.4 - 43.9	19.9	19.3 - 20.4	7.1	6.9 - 7.2	4.6	4.5 - 4.7	12.2	12.0 - 12.4	18.9	18.7 - 19.0	2330	2120 - 2470
S16-F5	MG 1	Y	26.4	23.7 - 28.9	44.1	43.5 - 44.9	19.8	19.1 - 20.2	6.3	6.2 - 6.6	4.7	4.6 - 4.9	11.5	11.4 - 11.7	18.3	18.1 - 18.4	2460	2260 - 2590
SG 2311	MG 2 Early	Y	25.2	23.9 - 26.6	42.5	42.1 - 43.0	20.4	20.2 - 20.7	7.3	7.1 - 7.6	4.8	4.8 - 4.9	12.5	12.3 - 12.8	19.0	18.8 - 19.1	1890	1650 - 2000
SG 2311	MG 2 Late	Y	21.0	16.8 - 22.9	41.1	40.1 - 42.5	21.4	21.1 - 21.9	6.8	6.0 - 7.1	4.8	4.6 - 5.0	12.2	11.5 - 12.4	18.9	18.5 - 19.2	1660	970 - 2040
Taurus	MG 0	IY	21.5	20.9 - 22.0	44.1	42.8 - 45.8	20.2	19.5 - 20.9	5.6	5.2 - 6.0	4.8	4.7 - 4.8	10.8	10.5 - 11.2	17.6	17.4 - 17.9	1370	1260 - 1590
Windsor	MG 0	LBR	24.7	23.2 - 25.4	42.9	41.5 - 43.7	19.9	19.4 - 20.2	6.5	6.2 - 7.1	4.6	4.4 - 4.6	11.7	11.4 - 12.3	18.8	18.6 - 18.9	1760	1430 - 2040
X790P	MG 2 Early	Y	28.1	25.4 - 30.8	47.4	47.2 - 47.7	18.3	17.9 - 18.4	5.7	5.4 - 6.0	4.8	4.5 - 5.0	10.8	10.5 - 11.1	17.4	17.3 - 17.5	2240	1930 - 2490
Zana	MG 1	Y	22.4	21.0 - 23.4	40.3	39.4 - 41.1	20.6	20.0 - 21.1	7.4	7.1 - 7.6	4.9	4.8 - 5.1	12.8	12.6 - 12.9	19.7	19.4 - 19.9	2540	2430 - 2660

Footnotes to Tables:

¹% of dry matter basis. To convert from composition on a dry matter basis to composition at 13% moisture, multiply the value by 0.87.

²stachyose and raffinose

³includes all soluble sugars

⁴includes soluble and non-soluble sugars

⁵the sum of genistein, daidzein and glycitein aglycone equivalents

⁶parts per million (equivalent to mg/kg or µg/g)

⁷maturity group for the test sites at which the variety was grown

⁸averaged across all test sites where the variety was grown

⁹minimum and maximum values across all of the test sites where the variety was grown