

2021

Ontario Soybean Variety Trials

Data Collected 2019-2021


Conducted by the
Ontario Soybean And Canola Committee
www.GoSoy.ca

Research conducted and reported by:



Agriculture and
Agri-Food Canada

Agriculture et
Agroalimentaire Canada



Grain Farmers of Ontario
www.gfo.ca

January 20, 2022

© 1987 Ontario Soybean And Canola Committee

ONTARIO SOYBEAN AND CANOLA COMMITTEE (OSACC)

This organization is made up of representatives of Agriculture & Agri-Food Canada, the University of Guelph, the Ontario Seed Growers Association, the Canadian Seed Trade Association, the Grain Farmers of Ontario, OMAFRA and various agricultural organizations. Soybean variety Trials are conducted each year by AAFC research centres at Ottawa and Harrow; University of Guelph and its regional campuses at Ridgetown, Winchester and New Liskeard; or by a contractor under the directions of regional MG zone coordinators. Information in this brochure as well as additional variety information can be found on the web at **www.GoSoy.ca**

© (1987) OSACC. Any reproduction of this report must include at least an entire table. Requests for reproduction must be made to:

**Tom Welacky
Soybean Data Coordinator
OSACC
Box 947
Harrow ON NOR 1G0
Email: gosoytom@cogeco.ca**

Copyright/Permission to Reproduce

Materials in this Publication were produced and/or compiled by the Ontario Soybean And Canola Committee for the purpose of providing growers with direct access to information about the soybean varieties. The material in this publication is covered by the provisions of the Copyright Act and by Canadian laws and regulations. Such provisions serve to identify the information source and, in specific instances, to prohibit reproduction of materials in part or whole without written permission from the Ontario Soybean And Canola Committee.

2021

Ontario Soybean Variety Trials

Conducted by the Ontario Soybean and Canola Committee • www.GoSoy.ca

Tables

Table 1. Soybean Variety Performance List and Descriptions	2
Table 2a. Agronomic Data at Early Maturity Group 00 (2100-2300 HU) Areas	9
Table 2b. Agronomic Data at Maturity Group 00 (2300-2500 HU) Areas	10
Table 3. Agronomic Data at Maturity Group 0 (2500-2800 HU) Areas	11
Table 4. Agronomic Data at Maturity Group 1 (2700-2900 HU) Areas	13
Table 5. Agronomic Data at Early Maturity Group 2 (2900-3300 HU) Areas	15
Table 6. Agronomic Data at Late Maturity Group 2 (3300-3500 HU) Areas	17

Reference

Interpretation of Tables and Results	18
Test Locations and Soil Types	19
Soybean Variety Distributors	20
Ontario Soybean Relative Maturity Map	21

Head to Head comparisons can be made from the [Agronomic Performance](#) page at GoSoy.ca

Ontario Soybean And Canola Committee

Table 1. Soybean Variety Performance List and Descriptions


Variety	PBR	Notes	Herbicide Reaction	Relative Maturity†	Hilum Colour	Seeds per Kg	Phytophthora		Distributor
							Root Rot % Plant Loss**		
Briggs R2X		SCN 1c	RR2X	000.7	BL	--	--		SeCan
Evo E3			E3	000.7	BF	--	--		Prograin
S0007-S1X		1c, 3a	RR2X	000.7	IY	--	--		Syngenta Canada, Inc.
DKB0009-89		1c, 1k	RR2X	000.9	BL	6300	44		DEKALB
Fresco R2X		1a	RR2X	000.9	BL	7000	--		Prograin
S0009-M2		6	RR2Y	000.9	IY	7100	46		Syngenta Canada, Inc.
DKB002-32		SCN 1k	RR2X	00.2	BR	9300	29		DEKALB
JAGO				00.2	Y	4900	--		SG Ceresco, Inc.
Mahony R2			RR2Y	00.2	BL	5300	45		SeCan
003-R5X		1c	RR2X	00.3	IY	--	--		Syngenta Canada, Inc.
Bourke R2X		1k	RR2X	00.4	BL	8100	41		SeCan
Merino R2X		SCN 1k	RR2X	00.4	BL	4800	--		Prograin
Mozart				00.4	Y	4600	--		Semican Inc.
Aurelina				00.5	IY	4900	46		C&M Seeds
P005A83X		SCN 1c	RR2X	00.5	BL	6200	--		Pioneer
S007-Y4		1c	RR2Y	00.5	IY	5700	36		Syngenta Canada, Inc.
Kudo R2X			RR2X	00.6	BL	6100	--		Prograin
P006A37X		1c	RR2X	00.6	BR	7200	--		Pioneer
PS 0068 XR		1c	RR2X	00.6	BL	5700	61		PRIDE Seeds
S006-K3X		SCN 1c	RR2X	00.6	BF	6000	--		Syngenta Canada, Inc.
SI 00620XTN		SCN 1c	RR2X	00.6	BL	4800	--		Sevita International
Elmo E3		SCN 1a	E3	00.7	LBR	6800	--		Prograin
PS 0074 R2			RR2Y	00.7	BR	6100	50		PRIDE Seeds
S007-Z1X		1c	RR2X	00.7	BR	5200	45*		Syngenta Canada, Inc.
SI 007XTN		SCN 1c	RR2X	00.7	BL	4500	--		Sevita International
Windsor				00.7	LBR	4500	--		Semican Inc.
AAC Hensatto				00.8	Y	10800	--		Hensall Co-op
BAFFIN				00.8	IY	5200	--		SG Ceresco, Inc.
DKB008-48			RR2X	00.8	BL	6000	28*		DEKALB
Mao R2X		SCN 1c	RR2X	00.8	BL	5700	--		Prograin
S008-N2			RR2Y	00.8	BR	5000	44		Syngenta Canada, Inc.
SI 00820XTN		SCN 3a	RR2X	00.8	BL	5100	41*		Sevita International
Kazart				00.9	Y	4600	--		Semican Inc.
PS 0098 XR		1k	RR2X	00.9	BL	5900	32		PRIDE Seeds
Triquet R2X		SCN 1k	RR2X	00.9	BL	4800	--		SeCan
Verso R2X		1k	RR2X	00.9	BR	5700	--		Prograin
Atiron				0	IY	4900	43*		Huron Commodities Inc.
Bronco R2X		1c, 6	RR2X	0	IY	4900	--		Prograin
DKB00-20		SCN 3a	RR2X	0	BL	5400	32*		DEKALB
PRO 2525R2			RR2Y	0	BL	4900	41		Sevita International
B011DE		1c	E3	0.1	BF	6200	--		Brevant Seeds
Grizzly R2X		SCN 1k, 3a	RR2X	0.1	BL	5800	--		Elite

Table 1. Soybean Variety Performance List and Descriptions








Variety	PBR	Notes	Herbicide Reaction	Relative Maturity†	Hilum Colour	Seeds per Kg	Phytophthora		Distributor
							Root Rot % Plant Loss**		
LS 008R21			RR2Y	0.1	BR	5300	49		Sevita International
Rico R2X		SCN 1c	RR2X	0.1	LBR	6100	--		Prograin
S01-C4X		1c	RR2X	0.1	BL	5700	46		Syngenta Canada, Inc.
Arenda				0.2	IY	4400	39*		Huron Commodities Inc.
Asahi				0.2	IY	5100	--		Synagri
Donaldo R2X		1c	RR2X	0.2	BL	5600	--		Prograin
Emilio E3		1a, 3a	E3	0.2	BF	5500	--		Prograin
Haltifo				0.2	Y	4500	--		Cerela
Kyoto				0.2	Y	4800	--		Synagri
PRO 03X74		1c	RR2X	0.2	BR	5700	48		Sevita International
PS 0229 XRN		SCN	RR2X	0.2	BL	5600	41		PRIDE Seeds
S02-M4XF		SCN 1c	XF	0.2	BL	6200	--		Syngenta Canada, Inc.
AAC Hoshi				0.3	Y	9100	47		Huron Commodities Inc.
AAC Shinju		1c		0.3	Y	8900	39		Huron Commodities Inc.
Astor			MS	0.3	Y	4400	--		Sevita International
Cobra R2X		SCN 1c	RR2X	0.3	BR	5800	--		Elite
DKB03-25		1c	RR2X	0.3	BR	5500	32*		DEKALB
EXP0321XRN		SCN 1c	RR2X	0.3	IBL	5700	--		PRIDE Seeds
Panorama		1c, 6		0.3	Y	4800	44		Sevita International
S03-P4		SCN 1c, 3a		0.3	IY	4800	50*		Syngenta Canada, Inc.
SI 0320XTN		SCN 3a	RR2X	0.3	BL	5700	--		Sevita International
AAC Larkin				0.4	Y	10600	44		Sevita International
OAC Champion				0.4	IY	4900	55		Agrocentre Belcan
OAC Strive				0.4	IY	4500	35		SeCan
PS 0416 R2		1c	RR2Y	0.4	BL	6100	40		PRIDE Seeds
PS 0420 XRN		SCN	RR2X	0.4	BL	5400	--		PRIDE Seeds
S04-J6X		SCN 1c	RR2X	0.4	BL	6000	37*		Syngenta Canada, Inc.
S04-K9		SCN 1c		0.4	Y	4400	35*		Syngenta Canada, Inc.
Salto R2		1c, 3a	RR2Y	0.4	BR	5700	--		Prograin
Stingray R2X		SCN 1c	RR2X	0.4	BL	5900	--		Elite
Aya				0.5	Y	4300	--		Prograin
Chiba				0.5	Y	4800	--		Elite
CL1941256		SCN 1c	XF	0.5	IY	6200	--		Syngenta Canada, Inc.
OAC Acclaim				0.5	IY	4600	44		Huron Commodities Inc.
OAC Lakeview				0.5	Y	5000	44		Snobelen Farms Ltd.
P05A35X		1c	RR2X	0.5	BF	5500	--		Pioneer
Ramage XF		SCN 1c	XF	0.5	IY	6100	--		SeCan
Samson E3		1k	E3	0.5	BR	6700	--		SeCan
Shaw R2X			RR2X	0.5	IBL	6500	--		SeCan
Woden R2X		SCN 1k	RR2X	0.5	BL	5800	--		Elite
Altitude R2		3a	RR2Y	0.6	BR	5000	42		SeCan
Amino R2X		1c	RR2X	0.6	BL	5500	--		Prograin
Asana		1c		0.6	Y	4500	--		Prograin

Table 1. Soybean Variety Performance List and Descriptions







Variety	PBR	Notes	Herbicide Reaction	Relative Maturity†	Hilum Colour	Seeds per Kg	Phytophthora		Distributor
							Root Rot %	Plant Loss**	
B061FE			E3	0.6	Y	5600	--		Brevant Seeds
B063UX		SCN 1k	RR2X	0.6	BF	5200	--		Brevant Seeds
Cypress		1c		0.6	Y	5000	27		Sevita International
Expand R2X		SCN 1c	RR2X	0.6	BL	5600	34		SeCan
Kristian				0.6	IY	4500	33*		Saatbau Linz
Nano R2X		SCN 3a	RR2X	0.6	BR	5300	--		Prograin
OAC Evolution				0.6	IY	5100	37		Agrocentre Belcan
P06A48X		1c	RR2X	0.6	LBR	6000	--		Pioneer
Seabrook R2X		1k	RR2X	0.6	BL	6400	--		SeCan
SI 0620XTN		SCN 1c	RR2X	0.6	BL	5700	--		Sevita International
O7-A7E3		SCN 3a	E3	0.7	BF	6200	--		Syngenta Canada, Inc.
Abiola				0.7	IY	4700	--		Saatbau Linz
Angelica				0.7	IY	4800	55		C&M Seeds
Axis E3		1c	E3	0.7	LBR	5900	--		Horizon Seeds Canada
Dunham		SCN 1c		0.7	IY	4300	39		Sevita International
Elico E3		SCN	E3	0.7	Y	6000	--		Prograin
Harvey E3			E3	0.7	BF	6400	--		SeCan
Kagawa				0.7	IY	4300	--		Synagri
Lindber				0.7	Y	10500	--		Sevita International
Marula		1c		0.7	Y	4400	--		Prograin
OAC Bounty				0.7	IY	4700	43		Snobelen Farms Ltd.
OAC Hastings				0.7	IY	4700	50		SeCan
OAC Wallace				0.7	BR	5100	48		SeCan
P07A18X		SCN 1k	RR2X	0.7	BL	5200	--		Pioneer
Primo				0.7	Y	4800	47		SG Ceresco, Inc.
PRO 2625R2			RR2Y	0.7	BL	4800	36		Sevita International
PRO 2735R2C		SCN 1k	RR2Y	0.7	IBL	5700	35		Sevita International
PS 0779 XRN		SCN 1c	RR2X	0.7	BL	6300	39		PRIDE Seeds
S07-K5X		3a	RR2X	0.7	GR	5100	40		Syngenta Canada, Inc.
SI 0720E3N		SCN 1a, 3a	E3	0.7	IBL	5500	34*		Sevita International
Ajico		1c		0.8	IY	4600	--		Elite
B081RX		SCN 1c	RR2X	0.8	BR	5700	--		Brevant Seeds
B088Y1		1k	RR2Y	0.8	Y	5000	--		Brevant Seeds
DKB08-98		SCN 1c	RR2X	0.8	BL	5800	34*		DEKALB
Enyo E3		SCN	E3	0.8	BF	5500	--		Prograin
Ezra		3a		0.8	Y	4900	--		Prograin
Miko R2		1c	RR2Y	0.8	BR	5100	--		Prograin
Neptune		1c, 3a		0.8	IY	4200	34		Sevita International
OAC Drayton				0.8	LBR	5400	23		Snobelen Farms Ltd.
OAC Kamran				0.8	IY	4800	43		SeCan
Orr R2X		SCN 3a	RR2X	0.8	BR	5600	--		SeCan
Park E3			E3	0.8	BF	6300	--		SeCan
S07-M8		1c		0.8	IY	4700	43		Syngenta Canada, Inc.

Table 1. Soybean Variety Performance List and Descriptions







Variety	PBR	Notes	Herbicide Reaction	Relative Maturity†	Hilum Colour	Seeds per Kg	Phytophthora	
							Root Rot % Plant Loss**	Distributor
Vertigo R2		SCN 1c	RR2Y	0.8	BL	5600	--	Prograin
Viper R2X		SCN 1c	RR2X	0.8	BL	5300	--	Elite
AAC Kovik				0.9	Y	4600	--	SG Ceresco, Inc.
B091FE		1c	E3	0.9	IBL	5700	--	Brevant Seeds
Beliveau R2X		SCN 1k, 3a	RR2X	0.9	BR	5300	28	SeCan
CP0921X		3a	RR2X	0.9	BL	6400	--	CROPLAN by WinField United
Finch		1c		0.9	Y	5100	36	Sevita International
Genesis		1a		0.9	Y	4700	46	Sevita International
Havane				0.9	Y	4700	30	SG Ceresco, Inc.
Landmark E3		3a	E3	0.9	IBL	5400	--	Horizon Seeds Canada
P09A53X		1k	RR2X	0.9	BR	4800	--	Pioneer
P09A62X		1c	RR2X	0.9	BF	5300	--	Pioneer
Pico R2X		1c	RR2X	0.9	BL	6000	--	Prograin
S09-R8X		SCN 1c	RR2X	0.9	IY	5600	41	Syngenta Canada, Inc.
SI 0921XTN		SCN	RR2X	0.9	BL	6000	--	Sevita International
Acora		1c		1.0	Y	4700	--	Prograin
B102ZE		SCN	E3	1.0	IBL	5600	--	Brevant Seeds
Forto				1.0	IY	4300	--	SG Ceresco, Inc.
Kites E3		1a	E3	1.0	BF	6400	--	Elite
OAC Malory		SCN		1.0	Y	5100	30	SeCan
S10-R2		SCN		1.0	Y	4900	42	Syngenta Canada, Inc.
S10-W8XF		SCN 1c	XF	1.0	IY	5900	--	Syngenta Canada, Inc.
Skyline		SCN 1c, 3a		1.0	Y	5100	32	Sevita International
Bercika				1.1	IY	4500	--	Cerela
CF2858Xt		SCN 1c	RR2X	1.1	BR	5400	--	CROPLAN by WinField United
CP1121E		1k	E3	1.1	BL	6000	--	CROPLAN by WinField United
DKB11-51		SCN	RR2X	1.1	BL	5900	35*	DEKALB
DKB11-84		SCN 3a	RR2X	1.1	BR	5900	30*	DEKALB
Eider				1.1	Y	4600	27	SG Ceresco, Inc.
Emperor		1a		1.1	IY	4000	53	Sevita International
Neo R2X		SCN 3a	RR2X	1.1	BR	5100	--	Prograin
P11A10				1.1	Y	4600	--	Pioneer
PS 1119 XRN		SCN	RR2X	1.1	BL	5100	41	PRIDE Seeds
SI 1120E3N		SCN	E3	1.1	IBL	4800	31*	Sevita International
Taku				1.1	Y	5200	--	SG Ceresco, Inc.
Atena		1c, 3a		1.2	Y	4200	--	Prograin
Baltazar				1.2	IY	4600	--	Semican Inc.
DH530				1.2	IY	5200	46	Sevita International
Maris R2X		SCN 3a	RR2X	1.2	BR	5800	--	Elite
OAC Adare				1.2	IY	4700	--	Hensall Co-op
Odessa				1.2	IY	4000	32	Sevita International
S12-J7		SCN 1c, 3a		1.2	Y	4200	35	Syngenta Canada, Inc.
S12-M5X		SCN 1k, 3a	RR2X	1.2	BL	4800	36*	Syngenta Canada, Inc.

Table 1. Soybean Variety Performance List and Descriptions





Variety	PBR	Notes	Herbicide Reaction	Relative Maturity†	Hilum Colour	Seeds per Kg	Phytophthora	
							Root Rot % Plant Loss**	Distributor
Harrier E3		SCN	E3	1.3	IBL	5700	--	Elite
OAC Elevation				1.3	IY	4400	51	Agrocentre Belcan
OAC Rush				1.3	IY	4600	30	SeCan
Osaka				1.3	IY	5200	--	Synagri
P13A89X		SCN 1k	RR2X	1.3	BL	5600	--	Pioneer
PRO 13X836N		SCN 1c, 3a	RR2X	1.3	BL	5700	28	Sevita International
PS 1338 XRN		SCN 1c	RR2X	1.3	BL	5500	38	PRIDE Seeds
14-W6E3		SCN 1c, 3a	E3	1.4	BF	5700	--	Syngenta Canada, Inc.
Azalea				1.4	IY	5000	46	Sevita International
DKB14-65		SCN 1c, 3a	RR2X	1.4	BL	5600	35*	DEKALB
PS 1421 EN		SCN	E3	1.4	BL	6000	--	PRIDE Seeds
S14-C7XF		SCN 1c	XF	1.4	BR	5700	--	Syngenta Canada, Inc.
S14-U9X		SCN 1c	RR2X	1.4	BR	5400	40	Syngenta Canada, Inc.
Zana		3a		1.4	Y	4900	--	Prograin
Alameda				1.5	IY	5200	--	Saatbau Linz
B152RX		SCN 1k	RR2X	1.5	BR	5500	--	Brevant Seeds
Barton		SCN		1.5	Y	5100	28	Sevita International
Cyclone R2X		SCN 1k, 3a	RR2X	1.5	BL	5300	--	Elite
DKB15-54		SCN 1c	RR2X	1.5	BL	4600	40	DEKALB
Keith XF		SCN 3a	XF	1.5	BR	5300	--	SeCan
Laurentian		SCN		1.5	Y	9500	31	Sevita International
P15A63X		SCN 1k	RR2X	1.5	BL	5000	--	Pioneer
PS 1520 XRN		SCN 1c	RR2X	1.5	BF	5600	32*	PRIDE Seeds
Rondo R2X		SCN 1c, 3a	RR2X	1.5	BR	5200	--	Prograin
SI 1520E3N		SCN 1k	E3	1.5	IBL	5700	23*	Sevita International
AAC Talbot		SCN 1c		1.6	Y	4100	--	Elite
B161ME3		SCN 1k	E3	1.6	IBL	5800	--	Brevant Seeds
OAC Aberdeen		SCN		1.6	IY	4400	35	Huron Commodities Inc.
P16A84X		SCN 1k	RR2X	1.6	IBL	5700	--	Pioneer
P16T71E		SCN	E3	1.6	IBL	4700	--	Pioneer
PRO 15X926N		SCN 1c	RR2X	1.6	IBL	5500	38	Sevita International
S14-H3		SCN		1.6	IY	4300	--	Hensall Co-op
S16-K2X		SCN 1k, 3a	RR2X	1.6	BL	5000	31*	Syngenta Canada, Inc.
Compass E3			E3	1.7	IBL	5400	--	Horizon Seeds Canada
Cougar E3		SCN 3a	E3	1.7	BF	5400	--	Elite
P17A51X		SCN 1c	RR2X	1.7	BF	4800	--	Pioneer
PS 1721 EN		SCN 1c, 3a	E3	1.7	Y	5300	--	PRIDE Seeds
Ranger R2X		SCN 1c, 3a	RR2X	1.7	IBL	5200	--	SeCan
Savard E3		SCN 1k	E3	1.7	IBL	5000	29*	SeCan
Dionne R2X		SCN	RR2X	1.8	BL	5700	30	SeCan
OAC Paris		SCN		1.8	Y	4300	33*	SeCan
P18A98X		SCN 1c	RR2X	1.8	IBL	5300	--	Pioneer
SI 1820XTN		SCN 3a	RR2X	1.8	BR	5500	--	Sevita International

Table 1. Soybean Variety Performance List and Descriptions







Variety	PBR	Notes	Herbicide Reaction	Relative Maturity†	Hilum Colour	Seeds per Kg	Phytophthora		Distributor
							Root Rot % Plant Loss**		
B191FE		SCN 1c, 3a	E3	1.9	BF	5700	--		Brevant Seeds
Candor		3a		1.9	Y	4000	40		Sevita International
CF19X9		SCN 1c	RR2X	1.9	IBL	5600	--		CROPLAN by WinField United
DKB19-80		SCN 1c	RR2X	1.9	BL	5700	20*		DEKALB
HDC Blake				1.9	Y	3900	--		Hensall Co-op
P19A14X		SCN 1k	RR2X	1.9	BF	6100	--		Pioneer
PRO 3025R2C		SCN 1k	RR2Y	1.9	BL	5200	34		Sevita International
OAC Bruton		SCN		2.0	Y	3900	43		SeCan
P20A22X		SCN 1k, 3a	RR2X	2.0	BL	5500	--		Pioneer
P20T95E			E3	2.0	IBL	5000	--		Pioneer
Panther XF		SCN 1c	XF	2.0	BL	5600	--		Elite
PS 2020 XRN		SCN 1c	RR2X	2.0	IBL	5700	39		PRIDE Seeds
S20-E3		SCN 1c, 3a	E3	2.0	BF	4600	34*		Syngenta Canada, Inc.
S20-L8X		SCN 1c	RR2X	2.0	BL	5000	39		Syngenta Canada, Inc.
S20-M1		SCN 1c		2.0	Y	4900	43		Syngenta Canada, Inc.
DKB21-30XF		SCN 1c	XF	2.1	BL	5400	--		DEKALB
OAC Kent				2.1	Y	4500	33		SeCan
P21A20				2.1	Y	4800	--		Pioneer
P21A28X		SCN 1k	RR2X	2.1	BL	5600	--		Pioneer
PS 2120 EN		SCN 1k	E3	2.1	IBL	6000	37*		PRIDE Seeds
S21-C6		SCN		2.1	Y	4100	34*		Syngenta Canada, Inc.
SI 2121XTN		SCN 1c	RR2X	2.1	IBL	5000	--		Sevita International
B221RX		SCN 1k	RR2X	2.2	BL	6400	--		Brevant Seeds
OAC Marvel		SCN		2.2	Y	4400	37		Huron Commodities Inc.
Ocelot E3		SCN 1c	E3	2.2	IBL	5400	--		Elite
S22-J4X		SCN 1c	RR2X	2.2	BL	5100	33		Syngenta Canada, Inc.
AAC McRae		SCN		2.3	Y	4200	--		Hensall Co-op
Curve E3			E3	2.3	IBL	6300	--		Horizon Seeds Canada
DKB23-40		SCN	RR2X	2.3	IBL	5900	32*		DEKALB
P23A32X		SCN 1c	RR2X	2.3	BR	5600	--		Pioneer
Rx Torque		SCN 1c, 3a	RR2X	2.3	IBL	5200	--		Elite
S23-K7E3		SCN 1c	E3	2.3	IBL	5600	--		Syngenta Canada, Inc.
SG 2311				2.3	Y	4600	39		Huron Commodities Inc.
SI 2321E3N		SCN 1k	E3	2.3	BF	4800	--		Sevita International
Express R2X		SCN 1c, 1k	RR2X	2.4	BL	5700	31		SeCan
P24A80X		SCN 1k	RR2X	2.4	BL	6200	--		Pioneer
P24T76E		SCN 1c, 3a	E3	2.4	BF	6000	--		Pioneer
PS 2444 XRN		SCN 1k	RR2X	2.4	BL	6000	41		PRIDE Seeds
AAC 26-15		SCN		2.5	Y	4600	32		Huron Commodities Inc.
AAC Wigle		SCN		2.5	Y	4300	47		SeCan
B251FE		SCN 1c	E3	2.5	BF	6100	--		Brevant Seeds
CF3176Xt		1c	RR2X	2.5	IBL	6000	--		CROPLAN by WinField United
Cohen R2X		SCN 1c	RR2X	2.5	BF	5200	--		SeCan

Table 1. Soybean Variety Performance List and Descriptions

Variety	PBR	Notes	Herbicide Reaction	Relative Maturity†	Hilum Colour	Seeds per Kg	Phytophthora		Distributor
							Root Rot %	Plant Loss**	
CP2521E		SCN	E3	2.5	IBL	5600	--		CROPLAN by WinField United
DF 155				2.5	Y	4600	--		AGRIS Co-operative Ltd.
DKB25-57		SCN 1c	RR2X	2.5	IBL	5300	34*		DEKALB
Francis E3		SCN	E3	2.5	IBL	7000	32*		SeCan
P25A68X		SCN 1k	RR2X	2.5	BL	5300	--		Pioneer
PS 2521 XFN		SCN 1c	XF	2.5	BL	5400	--		PRIDE Seeds
Wolverine E3		SCN 1k	E3	2.5	BF	6200	--		Elite
Hickstead		SCN		2.6	Y	4500	--		Southwest Seeds
P26A34X		SCN 1k, 3a	RR2X	2.6	BL	4600	--		Pioneer
PS 2666 XRN		SCN 1c	RR2X	2.6	IBL	5400	34		PRIDE Seeds
S26-E3		SCN 1k	E3	2.6	BF	7000	27*		Syngenta Canada, Inc.
Emerge E3		SCN 1k	E3	2.7	BF	5600	--		Elite
P27A17X		SCN 1k	RR2X	2.7	BL	5900	--		Pioneer
PS 2720 EN		SCN 1k	E3	2.7	BF	5900	27*		PRIDE Seeds
Superior R2X		SCN 1c	RR2X	2.7	IBL	6000	--		Elite
AAC Big Ben		SCN		2.8	Y	4700	--		Southwest Seeds
B281KE		SCN	E3	2.8	IBL	6000	--		Brevant Seeds
P28T14E		SCN	E3	2.8	IBL	6500	--		Pioneer
PS 2889XRN		SCN 1c, 1k	RR2X	2.8	IBL	6600	28		PRIDE Seeds
S28-H4E3		SCN 1k, 3a	E3	2.8	BF	6400	--		Syngenta Canada, Inc.
Supreme XF		SCN 1c, 3a	XF	2.8	BF	6000	--		Elite
P29A25X		SCN 1k	RR2X	2.9	BR	5800	--		Pioneer
S29-R5X		SCN 1k	RR2X	2.9	BR	6000	33		Syngenta Canada, Inc.
B301ME		1k	E3	3.0	IBL	6300	--		Brevant Seeds
P31A22X		SCN 1k	RR2X	3.1	BR	5800	--		Pioneer
P31A95BX		1k	RR2X	3.1	BL	5700	--		Pioneer
S31-Y2X		SCN 1c	RR2X	3.1	BL	5000	27		Syngenta Canada, Inc.
CP3220RX		SCN 1c	RR2X	3.2	IBL	6500	--		CROPLAN by WinField United
P32T26E		1c	E3	3.2	BF	5900	--		Pioneer
DKB33-54		SCN 1k, 3a	RR2X	3.3	IBL	5600	29		DEKALB

NOTES:

1a, 1c, etc. - Phytoph. resist. genes
 HP - High Protein
 SCN - SCN Resistant
 L-LA - Low-Linolenic Acid

Plant Breeders' Rights



PBR 78



PBR 91 or
 PBR 91 pending

See pbrfacts.ca

Herbicide Reaction

RR2Y - Roundup Ready 2 Yield
 RR2X - Roundup Ready 2 Xtend
 XF - XtendFlex
 E3 - Enlist E3
 LL - Liberty Link
 MS - Metribuzin Sensitive

†Relative Maturity - ranking of maturity provided by seed sponsors.

**Phytophthora % Plant Loss - 2 year averages shown where available. New calculation method used, see note.

Ontario Soybean And Canola Committee

TABLE 2a.1 AGRONOMIC DATA AT MATURITY GROUP 00 (2100-2300 HU) AREAS , RR TEST 2021

Variety	Days to Mature	NEW LISKEARD Yield Index 2 year	Plant Height (cm)	Lodging 1=standing 5=flat
DKB0009-89	114	94	56	1.3
S0009-M2	114	89	51	1.2
Fresco R2X	115	82	54	1.2
Mahony R2	115	99	58	1.4
DKB002-32	117	98	59	1.3
P005A83X	117	--	56	1.1
S007-Y4	117	110	57	1.2
S008-N2	117	105	57	1.7
Bourke R2X	118	103	60	1.6
Elmo E3	118	--	62	1.2
Kudo R2X	118	98	66	1.7
P006A37X	118	107	54	1.2
PS 0068 XR	118	104	60	1.2
S007-Z1X	118	--	56	1.3
PS 0074 R2	119	112	59	1.8
LSD (0.10)		5		
Average yield (T/ha)		2.94		
(bu/ac)		43.5		

Testing Locations: Table 2a.1			
New Liskeard	2019	2020	--

2021 trial data unavailable due to weather damage in spring.

Ontario Soybean And Canola Committee

TABLE 2.1 AGRONOMIC DATA AT MATURITY GROUP 00 (2300-2500 HU) AREAS , RR TEST 2021

Variety	Days to Mature	AVERAGE Yield Index			ARTHUR Yield Index		DUNDALK Yield Index		ELORA Yield Index		Plant Height (cm)	Lodging 1=standing 5=flat
		1 year	2 year	3 year	2 year	3 year	2 year	3 year	2 year	3 year		
S007-Y4	107	83	88	91	84	90	89	91	92	93	64	1.1
PS 0068 XR	109	87	88	90	85	87	92	94	86	87	75	1.5
S007-Z1X	110	88	91	--	84	--	97	--	91	--	77	2.1
SI 00820XTN	112	95	93	--	91	--	92	--	95	--	70	2.0
S008-N2	112	94	94	98	81	87	107	107	94	99	79	2.4
S01-C4X	112	88	97	100	96	98	92	96	105	107	82	1.6
Kudo R2X	112	91	90	94	93	96	83	91	94	96	80	2.7
PS 0098 XR	113	94	97	101	95	103	101	101	95	100	73	1.9
Elmo E3	113	103	97	--	94	--	101	--	96	--	74	1.6
PS 0074 R2	113	102	97	103	84	95	107	111	98	101	77	2.3
Rico R2X	113	92	94	99	99	104	88	93	97	102	71	1.3
PRO 2525R2	114	113	106	106	105	109	110	108	102	101	86	2.1
Bronco R2X	114	116	106	--	109	--	104	--	105	--	82	1.6
LS 008R21	114	98	99	101	98	105	96	98	103	102	78	2.0
Donaldo R2X	115	107	106	--	104	--	110	--	104	--	79	1.8
DKB008-48	116	111	107	--	112	--	105	--	103	--	80	1.4
DKB03-25	116	121	114	--	122	--	103	--	118	--	82	2.0
DKB00-20	116	119	111	--	115	--	106	--	113	--	85	2.0
PRO 03X74	117	117	108	109	114	111	99	102	110	113	79	1.7
Salto R2	117	111	107	107	115	115	107	108	100	99	73	1.5
S04-J6X	117	118	110	--	119	--	113	--	98	--	80	1.5
DTM (1yr)												
Mahony R2	108	83	--	--	--	--	--	--	--	--	--	--
Merino R2X	109	86	--	--	--	--	--	--	--	--	--	--
S006-K3X	111	82	--	--	--	--	--	--	--	--	--	--
S02-M4XF	111	105	--	--	--	--	--	--	--	--	--	--
SI 00620XTN	111	86	--	--	--	--	--	--	--	--	--	--
Mao R2X	111	84	--	--	--	--	--	--	--	--	--	--
Verso R2X	111	100	--	--	--	--	--	--	--	--	--	--
SI 007XTN	112	90	--	--	--	--	--	--	--	--	--	--
SI 0320XTN	118	114	--	--	--	--	--	--	--	--	--	--
Emilio E3	119	112	--	--	--	--	--	--	--	--	--	--
Triquet R2X	120	111	--	--	--	--	--	--	--	--	--	--
LSD (0.10)		0	4	3	7	7	8	6	4	4		
Average yield (T/ha)		3.19	3.26	3.03	3.34	2.88	3.33	3.13	3.11	3.07		
(bu/ac)		47.3	48.4	44.9	49.6	42.7	49.4	46.5	46.2	45.5		

Testing Locations: Table 2.1				
Arthur	2019	2020	2021	
Dundalk	2019	2020	2021	
Elora	2019	2020	2021	

Ontario Soybean And Canola Committee

TABLE 3.1 AGRONOMIC DATA AT MATURITY GROUP 0 (2500-2800 HU) AREAS , RR TEST 2021

Variety	Days to Mature	AVERAGE Yield Index			BRUSSELS Yield Index		ELORA Yield Index		OTTAWA Yield Index	PORT HOPE Yield Index		Plant Height (cm)	Lodging 1=standing 5=flat
		1 year	2 year	3 year	2 year	3 year	2 year	3 year	2 year	2 year	3 year		
S01-C4X	108	94	89	91	82	85	87	92	103	92	91	84	2.5
PS 0229 XRN	109	96	94	95	94	98	96	93	94	93	95	74	1.8
B011DE	111	91	85	--	83	--	84	--	--	82	--	75	2.2
PS 0420 XRN	111	101	99	99	104	104	97	96	95	95	97	76	1.3
SI 0320XTN	111	98	100	--	97	--	107	--	--	100	--	82	2.3
Woden R2X	111	92	95	98	90	93	100	103	100	95	97	87	2.4
Salto R2	112	97	95	95	96	95	91	92	96	95	95	74	1.9
S04-J6X	112	100	99	--	104	--	95	--	--	99	--	80	2.0
PRO 03X74	112	99	91	94	86	90	91	95	100	91	93	81	2.2
PS 0416 R2	112	98	98	100	98	100	101	104	99	94	97	84	2.2
S07-K5X	113	97	98	99	96	99	101	102	96	98	98	82	1.8
B081RX	113	98	95	--	97	--	98	--	--	88	--	81	2.1
P05A35X	113	102	98	--	101	--	98	--	--	90	--	72	1.3
B061FE	113	95	92	92	85	88	90	92	98	98	95	83	2.2
SI 0620XTN	113	107	105	--	102	--	110	--	--	105	--	83	2.1
Expand R2X	113	95	97	98	100	101	93	94	95	97	100	79	1.8
S09-R8X	114	101	100	100	94	98	108	107	95	102	101	85	2.1
PRO 2625R2	114	99	99	101	98	101	97	99	100	101	102	83	1.7
B063UX	114	103	101	--	102	--	102	--	--	98	--	82	2.0
Nano R2X	114	102	102	--	98	--	104	--	--	107	--	84	2.5
Vertigo R2	114	102	101	102	104	105	95	98	101	103	103	83	1.9
PRO 2735R2C	114	98	99	102	105	108	102	103	98	92	96	79	1.4
Miko R2	114	106	106	108	99	104	108	109	105	114	112	86	2.9
P07A18X	114	105	106	--	111	--	107	--	--	100	--	85	1.3
S12-M5X	114	109	111	--	109	--	112	--	--	113	--	72	1.7
PS 0779 XRN	114	97	102	103	103	107	96	95	104	106	105	85	2.2
Altitude R2	115	101	103	106	97	103	103	106	105	108	108	74	2.3
P09A53X	115	106	106	110	111	112	101	110	109	105	109	85	1.4
P09A62X	115	106	104	107	101	104	104	108	106	109	110	77	2.2
SI 0720E3N	115	98	100	--	104	--	92	--	--	104	--	77	1.7
Beliveau R2X	116	104	103	103	105	104	107	109	103	97	96	82	2.0
DKB11-84	116	106	109	--	113	--	109	--	--	106	--	82	1.8
B091FE	117	97	96	94	104	99	90	90	94	94	90	75	1.5
Enyo E3	117	104	102	--	108	--	96	--	--	104	--	82	2.0
DKB08-98	118	102	104	--	97	--	114	--	--	106	--	91	2.4
B088Y1	118	108	104	106	101	103	105	104	106	107	109	87	2.4
SI 1120E3N	118	109	112	--	118	--	113	--	--	110	--	75	1.3
DTM (1yr)													
S02-M4XF	107	94	--	--	--	--	--	--	--	--	--	--	--
DKB03-25	109	99	--	--	--	--	--	--	--	--	--	--	--
Grizzly R2X	109	90	--	--	--	--	--	--	--	--	--	--	--
Shaw R2X	109	98	--	--	--	--	--	--	--	--	--	--	--
Stingray R2X	109	94	--	--	--	--	--	--	--	--	--	--	--
EXP0321XRN	110	102	--	--	--	--	--	--	--	--	--	--	--
Cobra R2X	110	100	--	--	--	--	--	--	--	--	--	--	--
07-A7E3	110	92	--	--	--	--	--	--	--	--	--	--	--
Amino R2X	110	102	--	--	--	--	--	--	--	--	--	--	--
CL1941256	111	99	--	--	--	--	--	--	--	--	--	--	--
Ramage XF	112	99	--	--	--	--	--	--	--	--	--	--	--
Harvey E3	112	95	--	--	--	--	--	--	--	--	--	--	--
P06A48X	112	102	--	--	--	--	--	--	--	--	--	--	--
Seabrook R2X	112	105	--	--	--	--	--	--	--	--	--	--	--
CP0921X	113	98	--	--	--	--	--	--	--	--	--	--	--
Park E3	113	104	--	--	--	--	--	--	--	--	--	--	--
S10-W8XF	113	101	--	--	--	--	--	--	--	--	--	--	--
SI 0921XTN	113	102	--	--	--	--	--	--	--	--	--	--	--
Kites E3	114	100	--	--	--	--	--	--	--	--	--	--	--
Samson E3	114	98	--	--	--	--	--	--	--	--	--	--	--
Viper R2X	114	110	--	--	--	--	--	--	--	--	--	--	--
Orr R2X	114	103	--	--	--	--	--	--	--	--	--	--	--
Axis E3	115	97	--	--	--	--	--	--	--	--	--	--	--
Landmark E3	116	97	--	--	--	--	--	--	--	--	--	--	--
Elico E3	116	92	--	--	--	--	--	--	--	--	--	--	--
LSD (0.10)		8	5	4	12	9	10	8	5	7	6		
Average yield (T/ha)		4.10	4.08	3.83	4.78	4.64	3.69	3.37	3.06	4.13	4.01		
(bu/ac)		60.8	60.6	56.9	70.9	68.8	54.7	50.0	45.4	61.2	59.4		

Testing Locations: Table 3.1				
Brussels	2019	2020	2021	
Elora	2019	2020	2021	
Ottawa	2019	--	2021	
Port Hope	2019	2020	2021	

Ontario Soybean And Canola Committee

TABLE 3.2 AGRONOMIC DATA AT MATURITY GROUP 0 (2500-2800 HU) AREAS , CONVENTIONAL TEST 2021

Variety	Days to Mature	AVERAGE Yield Index			BRUSSELS Yield Index		ELORA Yield Index		OTTAWA Yield Index	PORT HOPE Yield Index		Plant Height (cm)	Lodging 1=standing 5=flat
		1 year	2 year	3 year	2 year	3 year	2 year	3 year	2 year	2 year	3 year		
AAC Hensatto	104	68	66	67	73	70	61	65	73	60	63	72	2.1
Primo	106	83	81	81	79	77	75	80	91	82	81	90	3.1
BAFFIN	106	84	85	--	86	--	81	--	--	85	--	78	2.0
Aurelina	108	96	98	96	88	90	103	99	93	107	101	90	2.4
Mozart	108	97	94	94	102	98	95	96	93	85	89	87	2.1
Atiron	109	93	92	--	85	--	92	--	--	96	--	91	2.3
Asahi	109	100	99	--	98	--	103	--	--	97	--	90	1.9
AAC Shinju	110	83	84	82	90	86	77	84	87	79	74	89	2.9
JAGO	110	92	94	--	95	--	97	--	--	91	--	82	2.0
Kazart	110	88	89	93	84	90	90	95	95	94	95	97	3.0
Arenda	111	91	92	--	82	--	92	--	--	101	--	89	3.0
Astor	111	92	94	95	91	91	97	99	102	93	92	79	2.0
Panorama	111	98	101	101	102	103	104	102	94	100	101	75	1.6
S03-P4	111	91	92	--	85	--	91	--	--	100	--	97	2.6
S04-K9	112	105	105	--	104	--	104	--	--	106	--	83	2.0
AAC Larkin	112	81	79	81	79	82	82	84	82	76	77	87	2.8
OAC Strive	112	104	103	103	101	103	105	101	100	105	105	91	1.9
S10-R2	112	101	104	104	98	101	99	99	104	112	113	96	2.9
Haltifo	113	106	102	--	102	--	99	--	--	100	--	88	2.0
OAC Champion	113	102	101	100	99	94	98	101	101	105	105	97	2.6
OAC Kamran	113	106	108	105	118	114	99	96	103	106	103	77	1.3
Windsor	113	101	93	96	92	93	98	101	100	87	94	77	2.2
OAC Lakeview	113	108	103	101	95	91	106	106	105	110	109	88	2.7
OAC Bounty	113	104	106	104	107	101	102	103	102	109	107	90	2.6
AAC Hoshi	114	84	85	88	84	84	85	87	92	86	90	92	2.8
S07-M8	114	105	106	105	107	106	104	101	106	108	107	86	1.9
OAC Drayton	114	109	106	107	114	111	108	107	102	100	106	91	2.1
Chiba	115	97	98	97	97	98	96	94	91	98	101	99	1.8
Cypress	115	107	108	106	111	108	106	100	107	105	107	85	1.5
OAC Acclaim	115	104	106	105	112	108	109	106	104	98	100	76	1.5
OAC Hastings	115	106	107	106	118	116	103	100	103	99	100	89	1.4
Marula	115	105	107	103	109	106	107	104	104	105	99	96	1.8
Dunham	115	103	101	99	103	100	106	103	95	97	98	91	2.0
Kristian	115	109	111	--	108	--	112	--	--	115	--	96	1.8
Angelica	115	108	105	104	99	101	114	109	107	106	102	99	2.5
OAC Wallace	115	111	110	110	112	112	110	112	108	109	109	91	2.1
Asana	116	103	107	103	110	103	107	104	95	108	105	91	2.1
Ajico	116	110	110	108	116	113	115	113	103	103	102	86	1.6
Ezra	116	116	119	113	122	114	117	114	116	117	110	96	2.0
Finch	117	112	109	109	109	109	113	111	108	107	108	95	1.7
AAC Kovik	117	100	98	98	93	96	103	102	104	98	93	86	1.8
OAC Evolution	117	113	113	109	110	102	116	113	112	115	112	96	1.9
Neptune	117	105	111	110	122	118	104	99	108	107	109	89	1.9
Genesis	118	103	108	109	100	103	113	115	104	115	112	91	2.6
OAC Elevation	118	107	107	105	111	109	101	96	108	106	108	98	2.3
Kagawa	119	104	105	103	105	104	107	105	102	103	101	93	1.7
Skyline	120	99	100	100	94	94	96	95	98	109	110	94	2.5
DTM (1yr)													
Abiola	110	98	--	--	--	--	--	--	--	--	--	--	--
Kyoto	110	107	--	--	--	--	--	--	--	--	--	--	--
Lindber	111	81	--	--	--	--	--	--	--	--	--	--	--
Aya	113	101	--	--	--	--	--	--	--	--	--	--	--
Acora	114	109	--	--	--	--	--	--	--	--	--	--	--
Alameda	117	100	--	--	--	--	--	--	--	--	--	--	--
Atena	117	111	--	--	--	--	--	--	--	--	--	--	--
LSD (0.10)		7	5	4	11	9	7	6	6	9	8		
Average yield (T/ha)		3.53	3.47	3.27	4.13	4.03	2.82	2.62	2.77	3.75	3.49		
(bu/ac)		52.4	51.5	48.5	61.3	59.8	41.9	38.8	41.1	55.6	51.7		

Testing Locations: Table 3.2				
Brussels	2019	2020	2021	
Elora	2019	2020	2021	
Ottawa	2019	--	2021	
Port Hope	2019	2020	2021	

Ontario Soybean And Canola Committee

TABLE 4.1 AGRONOMIC DATA AT MATURITY GROUP 1 (2700-2900 HU) AREAS , RR TEST 2021

Variety	Days to Mature	AVERAGE Yield Index			EXETER Yield Index		ST. MARYS Yield Index	WINCHESTER Yield Index		WOODSTOCK Yield Index		Plant Height (cm)	Lodging 1=standing 5=flat
		1 year	2 year	3 year	2 year	3 year	2 year	2 year	3 year	2 year	3 year		
Miko R2	117	88	90	93	95	98	93	95	98	79	82	83	1.5
Neo R2X	117	98	96	--	98	--	--	97	--	99	--	82	1.4
B102ZE	118	88	87	--	90	--	--	81	--	95	--	80	1.2
S12-M5X	119	102	100	--	99	--	--	103	--	97	--	70	1.2
PS 1119 XRN	119	94	95	95	93	94	94	101	98	94	94	81	1.4
Maris R2X	119	95	94	--	94	--	--	93	--	92	--	81	1.1
Enyo E3	120	97	95	--	101	--	--	89	--	99	--	78	1.3
SI 1120E3N	120	101	97	--	104	--	--	91	--	91	--	71	1.0
PS 1338 XRN	121	97	94	97	92	94	97	95	96	96	101	81	1.2
PRO 13X836N	121	84	90	93	100	102	89	89	91	82	88	75	1.0
S14-U9X	121	107	105	101	101	100	95	112	106	102	101	85	1.1
Rondo R2X	121	102	101	101	101	101	102	101	102	101	98	88	1.2
DKB11-51	121	94	95	--	94	--	--	91	--	100	--	85	1.4
PS 1520 XRN	122	106	105	--	104	--	--	106	--	106	--	84	1.1
P15A63X	122	100	98	101	100	102	97	96	96	105	108	77	1.1
Dionne R2X	122	99	97	98	97	98	99	99	98	97	99	88	1.3
S16-K2X	123	103	102	--	101	--	--	104	--	109	--	81	1.3
B152RX	123	113	109	--	103	--	--	111	--	110	--	84	1.1
DKB14-65	123	100	101	--	101	--	--	107	--	94	--	84	1.2
Cyclone R2X	124	104	103	102	99	98	107	105	103	101	101	80	1.2
SI 1520E3N	124	101	101	--	100	--	--	103	--	99	--	83	1.2
SI 1820XTN	124	113	109	--	104	--	--	110	--	114	--	88	1.4
P16T71E	124	96	95	95	101	100	97	93	91	87	90	80	1.3
DKB15-54	124	99	99	99	96	97	100	102	101	100	99	90	1.3
B161ME3	125	101	100	--	101	--	--	104	--	94	--	78	1.1
P18A98X	125	109	107	106	102	101	102	105	108	113	112	87	1.3
PRO 15X926N	125	103	103	104	104	106	99	106	104	102	106	91	1.6
DKB19-80	126	103	105	--	102	--	--	103	--	110	--	91	1.3
CF19X9	126	107	105	103	106	102	103	101	102	105	105	87	1.3
P19A14X	126	108	105	105	103	104	112	101	100	106	106	84	1.4
P16A84X	126	109	106	--	106	--	--	104	--	104	--	87	1.2
Savard E3	126	103	101	--	104	--	--	94	--	102	--	82	1.2
PRO 3025R2C	127	109	105	104	98	97	108	108	105	109	107	93	1.4
B191FE	128	106	104	103	104	104	106	100	100	105	102	85	1.4
DTM (1yr)													
SI 0921XTN	117	93	--	--	--	--	--	--	--	--	--	--	--
CF2858Xt	118	83	--	--	--	--	--	--	--	--	--	--	--
Landmark E3	118	93	--	--	--	--	--	--	--	--	--	--	--
Pico R2X	118	89	--	--	--	--	--	--	--	--	--	--	--
Viper R2X	118	97	--	--	--	--	--	--	--	--	--	--	--
S10-W8XF	118	96	--	--	--	--	--	--	--	--	--	--	--
Kites E3	119	88	--	--	--	--	--	--	--	--	--	--	--
14-W6E3	119	98	--	--	--	--	--	--	--	--	--	--	--
Harrier E3	120	101	--	--	--	--	--	--	--	--	--	--	--
Compass E3	121	97	--	--	--	--	--	--	--	--	--	--	--
S14-C7XF	122	109	--	--	--	--	--	--	--	--	--	--	--
P13A89X	123	110	--	--	--	--	--	--	--	--	--	--	--
PS 1421 EN	124	105	--	--	--	--	--	--	--	--	--	--	--
Keith XF	124	102	--	--	--	--	--	--	--	--	--	--	--
CP1121E	125	87	--	--	--	--	--	--	--	--	--	--	--
Cougar E3	126	105	--	--	--	--	--	--	--	--	--	--	--
P17A51X	126	101	--	--	--	--	--	--	--	--	--	--	--
PS 1721 EN	127	106	--	--	--	--	--	--	--	--	--	--	--
Panther XF	128	101	--	--	--	--	--	--	--	--	--	--	--
LSD (0.10)		6	4	4	8	10	6	6	4	8	6		
Average yield (T/ha)		4.22	4.24	4.31	4.82	4.56	4.34	4.37	4.60	3.58	3.74		
(bu/ac)		62.5	62.8	63.9	71.5	67.7	64.4	64.8	68.2	53.1	55.5		

Testing Locations: Table 4.1			
Exeter	2019	2020	2021
St. Marys	2019	--	2021
Winchester	2019	2020	2021
Woodstock	2019	2020	2021

Ontario Soybean And Canola Committee

TABLE 4.2 AGRONOMIC DATA AT MATURITY GROUP 1 (2700-2900 HU) AREAS , CONVENTIONAL TEST 2021

Variety	Days to Mature	AVERAGE Yield Index			EXETER Yield Index		ST. MARYS Yield Index	WINCHESTER Yield Index		WOODSTOCK Yield Index		Plant Height (cm)	Lodging 1=standing 5=flat
		1 year	2 year	3 year	2 year	3 year	2 year	2 year	3 year	2 year	3 year		
S10-R2	115	98	97	96	103	99	88	94	93	100	102	87	1.8
Havane	115	93	95	96	98	97	100	94	95	88	92	83	1.4
Asana	116	92	91	--	96	--	--	89	--	83	--	82	1.5
Ezra	117	110	106	--	102	--	--	104	--	114	--	86	1.4
Marula	117	94	93	--	92	--	--	94	--	91	--	87	1.4
OAC Rush	119	109	106	105	105	103	111	107	107	100	100	87	1.2
S12-J7	119	108	104	105	106	106	106	97	100	110	111	81	1.4
Acora	119	97	101	100	100	98	102	104	103	100	95	94	1.6
P11A10	119	109	105	102	106	104	98	107	102	103	103	89	1.3
Kagawa	119	92	93	--	84	--	--	99	--	96	--	86	1.1
S14-H3	119	103	100	99	103	102	94	94	95	105	103	78	1.2
Eider	119	100	100	99	93	94	101	107	103	101	101	93	1.4
Odessa	119	103	103	102	104	101	106	102	103	98	97	83	1.3
Skyline	120	98	96	93	92	89	97	95	94	100	98	85	1.4
Genesis	120	97	98	99	98	99	101	99	99	97	98	86	1.4
Atena	120	102	100	98	102	102	93	105	102	91	93	81	1.0
DH530	121	93	94	96	100	102	94	92	93	88	91	87	1.4
OAC Malory	121	93	95	95	96	96	91	95	97	98	95	87	1.4
Azalea	121	105	103	104	109	109	105	97	99	97	101	79	1.5
Barton	121	102	105	104	109	104	99	100	100	114	113	84	1.8
Taku	122	110	107	--	103	--	--	108	--	112	--	98	1.4
Emperor	122	101	99	99	105	100	98	94	96	104	104	81	1.4
Bercika	122	99	100	--	99	--	--	95	--	107	--	94	1.9
Baltazar	123	102	98	--	95	--	--	102	--	93	--	88	1.1
Zana	123	106	107	104	101	99	107	112	111	108	102	94	1.1
OAC Aberdeen	123	111	108	106	106	105	106	106	104	113	112	80	1.0
OAC Paris	123	104	103	--	104	--	--	103	--	102	--	91	1.2
OAC Adare	124	100	98	99	102	100	94	101	104	89	93	85	1.3
Forto	124	99	99	--	99	--	--	104	--	99	--	98	1.4
Laurentian	124	100	97	96	100	98	99	88	89	103	101	95	1.4
Candor	124	102	101	99	101	99	104	102	102	91	93	85	1.4
HDC Blake	125	101	102	103	96	95	108	111	109	95	102	95	1.5
AAC Talbot	125	100	98	--	91	--	--	99	--	111	--	98	1.3
DTM (1yr)													
Ajico	114	100	--	--	--	--	--	--	--	--	--	--	--
Finch	115	100	--	--	--	--	--	--	--	--	--	--	--
Osaka	115	84	--	--	--	--	--	--	--	--	--	--	--
Aya	116	98	--	--	--	--	--	--	--	--	--	--	--
OAC Elevation	119	88	--	--	--	--	--	--	--	--	--	--	--
LSD (0.10)		8	5	4	11	9	6	6	4	11	9		
Average yield (T/ha)		3.63	3.68	3.71	4.45	4.44	3.49	3.93	4.18	2.71	2.66		
(bu/ac)		53.9	54.6	55.0	66.0	65.8	51.7	58.4	62.0	40.2	39.5		

Testing Locations: Table 4.2			
Exeter	2019	2020	2021
St. Marys	2019	--	2021
Winchester	2019	2020	2021
Woodstock	2019	2020	2021

Ontario Soybean And Canola Committee

TABLE 5.1 AGRONOMIC DATA AT EARLY MATURITY GROUP 2 (2900-3300 HU) AREAS , RR TEST 2021

Variety	Days to Mature	CLAY AVG Yield Index		INWOOD Yield Index	PALMYRA Yield Index		LOAM AVG Yield Index		RIDGETOWN Yield Index		TALBOTVILLE Yield Index		Plant Height (cm)	Lodging 1=standing 5=flat
		1 year	2 year	2 year	2 year	3 year	1 year	2 year	2 year	3 year	2 year	3 year		
S16-K2X	116	95	97	--	97	--	100	100	102	--	99	--	89	1.5
PS 2120 EN	118	80	88	--	89	--	103	106	108	--	103	--	85	1.4
DKB19-80	119	105	104	--	101	--	98	99	98	--	101	--	93	2.1
PS 2020 XRN	119	97	97	103	93	95	91	95	97	100	92	90	85	1.8
S20-L8X	119	103	100	97	102	103	87	95	93	95	97	96	91	2.1
Express R2X	120	108	105	115	103	101	97	102	106	106	95	95	92	2.0
S20-E3	120	103	100	--	99	--	107	105	108	--	101	--	90	1.1
PS 2444 XRN	120	93	93	96	95	98	91	96	95	97	96	100	92	2.2
B221RX	120	120	110	114	107	105	111	106	104	104	107	106	95	1.2
P21A28X	120	105	99	111	95	98	106	96	93	98	101	97	90	1.1
DKB23-40	120	85	91	--	91	--	97	101	108	--	91	--	89	1.6
P24T76E	121	108	104	102	102	103	99	97	97	97	98	99	92	1.4
S22-J4X	121	101	101	93	104	98	99	100	103	104	96	94	88	1.4
P23A32X	121	100	103	97	106	104	105	101	103	103	99	102	87	1.4
P24A80X	121	108	107	107	107	104	121	112	106	107	119	114	92	1.4
Rx Torque	121	88	93	80	97	98	107	102	105	106	98	99	90	1.4
CF3176Xt	121	102	99	107	97	98	104	99	97	100	101	102	95	2.3
DKB25-57	122	98	103	--	107	--	105	101	103	--	97	--	93	1.4
CP2521E	123	103	102	--	100	--	100	96	95	--	98	--	92	1.6
PS 2666 XRN	124	103	104	96	104	106	95	97	96	99	98	99	93	2.2
B251FE	124	104	103	83	103	88	89	90	85	84	98	97	91	1.2
P27A17X	125	101	100	102	99	100	111	105	99	102	114	110	92	1.6
DTM (1yr)														
SI 2321E3N	113	90	--	--	--	--	88	--	--	--	--	--	--	--
Compass E3	116	90	--	--	--	--	85	--	--	--	--	--	--	--
Cougar E3	117	93	--	--	--	--	77	--	--	--	--	--	--	--
Cyclone R2X	117	98	--	--	--	--	99	--	--	--	--	--	--	--
Ranger R2X	117	103	--	--	--	--	102	--	--	--	--	--	--	--
DKB21-30XF	119	109	--	--	--	--	95	--	--	--	--	--	--	--
SI 2121XTN	119	104	--	--	--	--	94	--	--	--	--	--	--	--
P20T95E	119	91	--	--	--	--	103	--	--	--	--	--	--	--
P20A22X	120	107	--	--	--	--	113	--	--	--	--	--	--	--
Cohen R2X	120	91	--	--	--	--	96	--	--	--	--	--	--	--
Panther XF	121	95	--	--	--	--	101	--	--	--	--	--	--	--
Curve E3	122	96	--	--	--	--	94	--	--	--	--	--	--	--
Ocelot E3	122	99	--	--	--	--	100	--	--	--	--	--	--	--
S23-K7E3	123	103	--	--	--	--	102	--	--	--	--	--	--	--
Wolverine E3	123	89	--	--	--	--	96	--	--	--	--	--	--	--
P25A68X	126	117	--	--	--	--	117	--	--	--	--	--	--	--
P26A34X	126	114	--	--	--	--	114	--	--	--	--	--	--	--
PS 2521 XFN	127	101	--	--	--	--	103	--	--	--	--	--	--	--
LSD (0.10)		14	10	16	10	9	12	7	11	9	8	8		
Average yield (T/ha)		3.67	4.22	2.91	4.86	4.38	5.08	5.34	6.27	5.89	4.41	4.31		
(bu/ac)		54.5	62.6	43.2	72.1	64.9	75.3	79.2	93.0	87.4	65.4	64.0		

Testing Locations: Table 5.1			
Inwood	2019	--	2021
Palmyra	2019	2020	2021
Ridgetown	2019	2020	2021
Talbotville	2019	2020	2021

Ontario Soybean And Canola Committee

TABLE 5.2 AGRONOMIC DATA AT EARLY MATURITY GROUP 2 (2900-3300 HU) AREAS , CONVENTIONAL TEST 2021

Variety	Days to Mature	CLAY AVG Yield Index		INWOOD Yield Index	PALMYRA Yield Index		LOAM AVG Yield Index		RIDGETOWN Yield Index		TALBOTVILLE Yield Index		Plant Height (cm)	Lodging 1=standing 5=flat
		1 year	2 year	2 year	2 year	3 year	1 year	2 year	2 year	3 year	2 year	3 year		
OAC Kent	117	106	102	104	99	95	94	93	95	96	90	90	96	2.6
HDC Blake	117	109	101	107	94	93	105	98	98	97	98	91	103	1.8
S20-M1	118	91	95	71	101	101	106	105	105	105	106	107	101	2.0
P21A20	119	86	85	95	82	90	106	109	110	107	107	105	91	1.5
OAC Bruton	119	110	111	106	114	112	99	101	103	104	99	99	98	2.1
S21-C6	119	108	102	--	101	--	93	94	97	--	89	--	95	2.0
Candor	120	94	95	82	96	97	100	95	106	103	79	84	91	2.1
SG 2311	120	114	109	110	108	104	99	96	97	96	96	96	98	1.7
OAC Marvel	120	88	90	96	88	90	94	100	94	95	109	104	101	1.9
AAC McRae	122	100	100	103	101	101	108	103	100	97	107	107	104	2.0
Hickstead	122	96	99	--	101	--	101	101	97	--	107	--	95	1.9
DF 155	123	93	91	109	86	91	102	99	103	104	92	97	97	2.0
AAC 26-15	123	96	102	93	105	105	88	94	90	92	98	99	101	2.1
AAC Wigle	123	107	106	112	106	104	107	104	101	102	107	107	101	2.1
AAC Big Ben	125	109	113	110	117	115	112	109	103	102	116	113	111	2.2
DTM (1yr)														
OAC Aberdeen	117	99	--	--	--	--	114	--	--	--	--	--	--	--
AAC Talbot	120	92	--	--	--	--	70	--	--	--	--	--	--	--
LSD (0.10)		16	12	15	15	13	12	7	10	8	11	9		
Average yield (T/ha)		3.23	3.72	2.77	4.17	3.92	4.51	4.58	5.35	5.21	3.81	3.78		
(bu/ac)		47.9	55.2	41.1	61.9	58.1	66.9	67.9	79.3	77.3	56.5	56.1		

Testing Locations: Table 5.2			
Inwood	2019	--	2021
Palmyra	2019	2020	2021
Ridgetown	2019	2020	2021
Talbotville	2019	2020	2021

Ontario Soybean And Canola Committee

TABLE 6.1 AGRONOMIC DATA AT LATE MATURITY GROUP 2 (3300-3500 HU) AREAS , RR TEST 2021

Variety	Days to Mature	CLAY AVG Yield Index		MERLIN Yield Index	WOODSLEE Yield Index	LOAM AVG Yield Index		CHATHAM Yield Index		MALDEN Yield Index		Plant Height (cm)	Lodging 1=standing 5=flat
		1 year	2 year	2 year	2 year	1 year	2 year	2 year	3 year	2 year	3 year		
S26-E3	119	103	104	102	--	93	97	93	--	100	--	84	1.0
S29-R5X	120	97	95	93	96	98	101	110	105	92	94	88	1.2
Francis E3	121	86	84	85	--	102	101	100	--	103	--	81	1.0
PS 2720 EN	121	102	100	97	--	102	104	109	--	100	--	82	1.0
PS 2889XRN	121	93	95	94	97	93	97	103	102	90	87	89	1.0
Emerge E3	121	99	108	111	--	96	101	102	--	100	--	82	1.0
Superior R2X	122	94	98	99	88	95	96	98	101	94	95	88	1.1
B281KE	124	106	100	98	--	101	94	92	--	96	--	83	1.0
B301ME	124	108	114	124	--	109	105	105	--	105	--	86	1.0
P28T14E	124	108	109	108	99	109	108	111	106	106	107	86	1.0
P31A22X	124	104	100	97	106	102	104	95	96	112	110	87	1.1
CP3220RX	126	98	98	96	--	96	97	97	--	97	--	94	1.2
P29A25X	126	99	98	100	102	96	89	86	91	92	96	87	1.0
S31-Y2X	127	103	100	97	110	109	105	98	97	112	107	89	1.0
DKB33-54	127	100	101	105	103	102	101	102	102	101	104	85	1.1
DTM (1yr)													
Wolverine E3	120	92	--	--	--	95	--	--	--	--	--	--	--
S28-H4E3	123	96	--	--	--	99	--	--	--	--	--	--	--
Supreme XF	123	98	--	--	--	96	--	--	--	--	--	--	--
P32T26E	127	101	--	--	--	97	--	--	--	--	--	--	--
P31A95BX	130	114	--	--	--	112	--	--	--	--	--	--	--
LSD (0.10)		9	9	13	6	10	8	14	10	8	7		
Average yield (T/ha)		5.56	5.14	4.62	5.65	4.73	4.50	4.45	4.52	4.55	4.08		
(bu/ac)		82.5	76.3	68.6	83.8	70.2	66.7	66.0	67.1	67.4	60.6		

TABLE 6.2 AGRONOMIC DATA AT LATE MATURITY GROUP 2 (3300-3500 HU) AREAS , CONVENTIONAL TEST 2021

Variety	Days to Mature	CLAY AVG Yield Index		MERLIN Yield Index	WOODSLEE Yield Index	LOAM AVG Yield Index		CHATHAM Yield Index		MALDEN Yield Index		Plant Height (cm)	Lodging 1=standing 5=flat
		1 year	2 year	2 year	2 year	1 year	2 year	2 year	3 year	2 year	3 year		
S20-M1	116	90	91	93	--	82	93	102	--	83	--	99	1.4
S21-C6	116	95	95	93	--	102	99	101	--	98	--	92	1.2
SG 2311	116	118	116	115	104	106	96	92	93	100	96	91	1.0
OAC Marvel	116	102	103	103	90	97	99	102	100	96	91	98	1.1
AAC 26-15	119	99	99	96	97	105	106	106	105	107	103	95	1.1
DF 155	121	--	--	106	--	--	--	99	98	--	--	100	1.1
Hickstead	122	85	89	88	--	94	98	94	--	102	--	87	1.5
AAC Big Ben	125	105	106	106	100	103	109	104	104	115	112	103	1.4
DTM (1yr)													
HDC Blake	117	110	--	--	--	101	--	--	--	--	--	--	--
AAC McRae	120	100	--	--	--	99	--	--	--	--	--	--	--
AAC Wigle	124	95	--	--	--	103	--	--	--	--	--	--	--
LSD (0.10)		13	11	13	10	11	8	10	8	12	10		
Average yield (T/ha)		4.67	4.45	4.27	5.28	4.29	4.03	4.07	4.17	3.98	3.80		
(bu/ac)		69.3	66.1	63.3	78.3	63.7	59.7	60.3	61.8	59.1	56.3		

Testing Locations: Table 6.1 and 6.2			
Merlin	--	2020	2021
Woodslee	2019	--	2021
Chatham	2019	2020	2021
Malden	2019	2020	2021

Interpretation of Tables & Results

Interpretation of Table 1

Notes: Varieties with resistance genes for races of the Phytophthora root rot organism in Ontario:

- 1a,1c,1k, 6:** Resistance genes for Phytophthora root rot in Ontario which provide resistance to some races of the pathogen. Rps 1a does not provide protection to most races of the pathogen in Ontario
- SCN:** Resistant to some HG types of Soybean Cyst Nematode (SCN) in Ontario.
- HP:** Varieties with above average protein index. See Protein & Oil Index section below.
- L-LA:** L-LA is a designation used by seed sponsors to indicate a soybean variety that produces low linolenic acid in the seed

Herbicide Reaction

- RR:** Roundup Ready™ (Trademark of Monsanto Company)
- RR2Y:** Roundup Ready 2 Yield™ (Trademark of Monsanto Company)
- RR2X:** Roundup Ready 2 Xtend™ (Trademark of Monsanto Company)
- E3:** Enlist E3™ (Trademark of Dow AgroSciences, DuPont or Pioneer and affiliated companies or their respective owners)
- LL:** Liberty Link™ (Trademark of Bayer CropScience AG)

Varieties have not been evaluated for metribuzin tolerance by OSACC. For further information contact seed distributor. The following variety has been reported to OSACC as being Metribuzin Sensitive (**MS**): Astor.

Relative Maturity

Ranking of maturities has been initiated to provide producers with a rating system that is similar to the USA soybean industry standards. Rankings are not assigned by OSACC. See attached Relative Maturity map on the GoSoy.ca web site and last page.

Hilum Colour

Each soybean seed has a hilum which is the point where it was attached to the pod. Varieties differ in hilum colour and can be either Yellow (Y), Imperfect Yellow (IY), Gray (GR), Buff (BF), Brown (BR), Black (BL), or Imperfect Black (IBL). Hilum colour may also be Light (L). Yellow hilum soybeans are usually the only type accepted for the export market. In certain years discolouration of the hilum of IY varieties can occur and as a result the soybeans may not be acceptable for export markets.

Seeds per Kilogram

This is an estimate of the relative number of seeds of a particular variety in a kilogram of seed based on a 1-2 years of data from all locations where a variety was tested. Since seed size can vary from year to year and from seed lot to seed lot these figures should be used as a rough guide only. The actual seed size reported on each seed lot should be used to calculate seeding rate.

Phytophthora Root Rot % Plant Loss

Phytophthora root rot testing is carried out on clay soils infested with common races of Phytophthora at Woodslee. Previous methodology used counting plants shortly after emergence (3-4 weeks after planting) and a subsequent counting 4 weeks later. The loss was estimated based on the difference between count 2 and count 1, taken as a percentage. The limitation in this counting method is that it does not take into account pre-emergence mortality due to PRR nor does it take into account late season mortality. Starting in 2019 we began expressing the PRR ratings based on final stand in a High phytophthora pressure environment. This final stand was only rated once for all maturity groups and this was again changed to rate the plants near the R6 growth stage which was done in 2020 in order to capture late season PRR damage.

Protein & Oil Index

Protein Index (%) and Oil (%) are found on the web at www.Gosoy.ca.

Least Significant Difference (LSD)

The Least Significant Difference (LSD) was determined for each Yield Index column. To compare any two varieties within a column, the yield can be considered the same if the difference between their yield indices is less than or equal to the LSD for that column.

Interpretation of Results (Tables 2 to 6)

Days from Planting to Maturity

Maturity is affected by planting date and the area where a variety is being grown. Varieties are rated as being mature when 95% of the pods on the plants are ripe. Normally, 3-10 additional drying days are needed before the crop is dry enough for combining. A 2-year average is shown.

Yield Index

Varieties can only be compared within each test area. Yield index of a variety indicates its performance as a percentage of the average yield of all varieties grown in a test area. Small index differences may not be meaningful. In Tables 2-4, the yield index for each location and for the average of all locations is based on 2-3 years of testing. In Tables 5-6, the Clay and Loam Averages are based on 3 years of testing. Yield index averaged over locations and years will be a more reliable indicator of yield potential than performance from one single location or single year.

Plant Height

An indicator of the amount of plant growth, it is measured at maturity as the length of the stem from the base of the plant at soil level to its tip. A 2-year average is shown.

Lodging

A visual estimate at maturity of the standability of the crop. A value of 1 is equivalent to a crop standing completely upright, while a 5 represents a crop entirely flat. Within a test area, varieties with lower values are less prone to lodging. A 2-year average is shown. Lodging may not be rated for all test sites in each maturity group.

Testing Methods

In each trial, varieties were replicated in a suitable experimental design and received equal fertility, weed control and management. All trials were planted and harvested by machine. Tests were separated into conventional herbicide and glyphosate herbicide treated plots. Prior to harvest, plant height and lodging scores were obtained. The grain harvested from each plot was weighed and the yield of soybeans was calculated in tonnes/hectare at 13% moisture.

Food Soybean Varieties (F)

The Conventional and Food soybean variety trials were combined for the first time in 2006. All conventional and food varieties were grown in the same test sites in all three years for which data is presented.


Ontario Soybean And Canola Committee
Test Locations and Soil Types - 2021 Trials

Location	Table	Relative		Row Width (cm)	Seeding Rate (plant/ac)	Co-operator	Trial Co-ordinator
		Maturity	Soil Type				
New Liskeard	2a	00.5	clay	35	200,000	U of Guelph, New Liskeard	U of Guelph, New Liskeard
Dundalk	2b	00.9	loam	56	192,000	Leo Blydorp	ORDC, AAFC, Ottawa
Arthur	2b	0.2	clay loam	56	192,000	Doug Shaw	ORDC, AAFC, Ottawa
Elora	2b & 3	0.6	silt loam	35	200,000	OAC, U of Guelph	OAC, U of Guelph
Ottawa	3	0.6	clay loam	45	200,000	Research Centre, AAFC, Ottawa	ORDC, AAFC, Ottawa
Brussels	3	0.7	loam	56	192,000	Neil Mitchell	ORDC, AAFC, Ottawa
Port Hope	3	1.0	sandy loam	56	192,000	Bruce Hendry	ORDC, AAFC, Ottawa
Winchester	4	1.0	silt loam	Twin (48, 28)*	200,000	U of Guelph, Winchester	U of Guelph, Winchester
Woodstock	4	1.8	clay loam	35	200,000	OAC, U of Guelph	OAC, U of Guelph
Exeter	4	1.7	clay loam	38	200,000	Huron Research Station	Ridgetown Campus, U of Guelph
St. Marys	4	1.5	clay loam	35	200,000	Alex Gibson	OAC, U of Guelph
Talbotville	5	2.3	clay loam	56	192,000	Dan Curtis	Ridgetown Campus, U of Guelph
Palmyra	5	2.7	clay	43	235,000	Richard Wierenga	Ridgetown Campus, U of Guelph
Inwood	5	2.4	clay	43	235,000	Jeff Lassaline	Ridgetown Campus, U of Guelph
Ridgetown	5	2.8	clay loam	43	200,000	Ridgetown Campus, U of Guelph	Ridgetown Campus, U of Guelph
Chatham	6	2.9	clay loam	43	200,000	Heather Macleod	Ridgetown Campus, U of Guelph
Merlin	6	3.1	clay	43	235,000	Grant Guy	Ridgetown Campus, U of Guelph
Woodslee	6	3.3	clay	46	200,000	Research Centre, AAFC, Harrow	HRDC, AAFC, Harrow
Malden	6	3.5	clay loam	46	185,000	Research Centre, AAFC, Harrow	HRDC, AAFC, Harrow

* Twin rows 48 (between twin rows) and 28 cm (within twin row) spacing.

Ontario Soybean And Canola Committee
Soybean Variety Distributors

Distributor	Address	Telephone	Fax	Internet
AGRIS Co-operative Ltd.	835 Park Ave. W., Chatham, ON, N7M 0N1	519-380-2384	519-354-7058	www.agris.coop
Agrocentre Belcan	180 Montée Ste-Marie, Ste. Marthe, QC, J0P 1W0	1-800-363-5146	450-459-4216	www.agrocentrebclan.com
C&M Seeds	6180 5th Line, Palmerston, ON, N0G 2P0	1-888-733-9432	519-343-3792	info@redwheat.com www.redwheat.com
Cerela Inc.	1133 4e rang, St-Hugues, QC, J0H 1N0	450-894-2358		annie.archambault@cerela.ca www.cerela.ca
Corteva Agriscience (Brevant)	7398 Queen's Line, P.O. Box 730, Chatham, ON, N7M 5L1	1-800-265-9435	519-436-6753	david.harwood@pioneer.com https://engage.brevant.com/en-ca
Corteva Agriscience (Pioneer)	PO Box 730, 7398 Queen's Line, Chatham, ON, N7M 5L1	1-800-265-9435	519-380-2014	david.harwood@corteva.com www.pioneer.com/Canada
DEKALB	2-679 Southgate Drive, Guelph, ON, N1G 4S2	519-767-3366		www.dekalb.ca
Hensall Co-op	Box 219, 1 Davidson Drive, Hensall, ON, N0M 1X0	519-262-3002	519-262-3412	pcornwell@hdc.on.ca www.hdc.on.ca
Huron Commodities Inc.	75 Wellington St., P.O Box 1353, Clinton, ON, N0M 1L0	519-482-8400	519-482-8383	w.wheeler@huron.com www.huron.com
Horizon Seeds Canada Inc.	729 Mid N. Walsingham Townline Rd., Courtland, ON, N0J 1E0	519-842-5538		curtis@horizonseeds.ca www.horizonseeds.ca
Maizex Seeds Inc. (Elite brand)	4488 Mint Line, Tilbury, ON, N0P 2L0	519-682-1720	519-682-2144	www.maizex.com
PRIDE Seeds	PO Box 1088, Chatham, ON, N7M 5L6	1-800-265-5280	519-354-8155	www.prideseed.com
Prograin	145 Rang du Bas-de-la-Rivière N, Saint-Césaire, QC, J0L 1T0	450-469-5744	450-469-4547	sylvain.legay@prograin.qc.ca www.semencesprograin.com
Saatbau Linz	201, rue St Louis, 412, St Jean sur Richeleu, QC, J3B 1X9	514-609-0881		Pierre.Boireau@saatbau.com www.saatbau.com
SeCan	400-300 Terry Fox Drive, Kanata, ON, K2K 0E3	1-866-797-7874	613-592-9497	seed@secan.com www.secan.com
Semican Inc	366, Rang 10, Plessisville, QC, G6L 2Y2	819-362-8823	819-362-3385	jgoulet@semican.ca www.semican.ca
Sevita International	11451 Cameron Rd, Inkerman, ON, K0E 1J0	613-989-3000	613-989-3838	info@sevita.com www.sevita.com
SG Ceresco Inc	164 chemin Grande-Ligne, St-Urbain-Premier, QC, J0S 1Y0	450-427-3831	450-427-2067	cpacurariu@sgceresco.com www.sgceresco.com
Snobelen Farms Ltd.	5220 Hwy 23, RR #2, Palmerston, ON, N0G 2P0	519-343-3630	519-343-2037	tteune@snobelenfarms.com www.snobelengrain.com
Southwest Seeds Inc.	R.R. # 1, 19686 Scane Rd., Ridgetown, ON, N0P 2C0	519-674-0054		revonmartels@gmail.com
Syngenta Canada, Inc.	140 Research Lane, Guelph, ON, N1G 4Z3	1-888-366-4211	1-888-717-7122	www.syngenta.ca/nk
WinField United Canada	302 Wellman Lane #101, Saskatoon, SK, S7T 0J1	306-249-5112		damccolm@landolakes.com www.winfieldunited.ca



Ontario Soybean
Relative Maturity Map