

2022

Ontario Soybean Variety Trials

Data Collected 2020-2022

Conducted by the
Ontario Soybean And Canola Committee
www.GoSoy.ca

Research conducted and reported by:



Agriculture and
Agri-Food Canada

Agriculture et
Agroalimentaire Canada

Ontario



UNIVERSITY
of GUELPH



Grain Farmers of Ontario
www.gfo.ca

January 30, 2023

© 1987 Ontario Soybean And Canola Committee

ONTARIO SOYBEAN AND CANOLA COMMITTEE (OSACC)

This organization is made up of representatives of Agriculture & Agri-Food Canada, the University of Guelph, the Ontario Seed Growers Association, the Canadian Seed Trade Association, the Grain Farmers of Ontario, OMAFRA and various agricultural organizations. Soybean variety Trials are conducted each year by AAFC research centres at Ottawa and Harrow; University of Guelph and its regional campuses at Ridgetown, Winchester and New Liskeard; or by a contractor under the directions of regional MG zone coordinators. Information in this brochure as well as additional variety information can be found on the web at **www.GoSoy.ca**

© (1987) OSACC. Any reproduction of this report must include at least an entire table. Requests for reproduction must be made to:

**Soybean Data Coordinator
OSACC
Box 947
Harrow ON NOR 1G0
Email: gosoytom@cogeco.ca**

Copyright/Permission to Reproduce

Materials in this Publication were produced and/or compiled by the Ontario Soybean And Canola Committee for the purpose of providing growers with direct access to information about the soybean varieties. The material in this publication is covered by the provisions of the Copyright Act and by Canadian laws and regulations. Such provisions serve to identify the information source and, in specific instances, to prohibit reproduction of materials in part or whole without written permission from the Ontario Soybean And Canola Committee.

2022

Ontario Soybean Variety Trials

Conducted by the Ontario Soybean and Canola Committee • www.GoSoy.ca

Tables

Table 1. Soybean Variety Performance List and Descriptions	2
Table 2a. Agronomic Data at Early Maturity Group 00 (2100-2300 HU) Areas	9
Table 2b. Agronomic Data at Maturity Group 00 (2300-2500 HU) Areas	10
Table 3. Agronomic Data at Maturity Group 0 (2500-2800 HU) Areas	11
Table 4. Agronomic Data at Maturity Group 1 (2700-2900 HU) Areas	13
Table 5. Agronomic Data at Early Maturity Group 2 (2900-3300 HU) Areas	15
Table 6. Agronomic Data at Late Maturity Group 2 (3300-3500 HU) Areas	17

Reference

Interpretation of Tables and Results	18
Test Locations and Soil Types	19
Soybean Variety Distributors	20
Ontario Soybean Relative Maturity Map	21

Head to Head comparisons can be made from the [Agronomic Performance](#) page at GoSoy.ca

Table 1. Soybean Variety Performance List and Descriptions






Variety	PBR	Notes	Herbicide Reaction	Relative Maturity†	Hilum Colour	Seeds per Kg	Phytophthora	
							Root Rot % Plant Loss**	Distributor
ABACA				000.7	IY	5100	--	SG Ceresco, Inc.
Evo E3			E3	000.7	BF	7100	--	Prograin
Gecko R2X		1c	RR2X	000.7	BL	7400	--	Prograin
S0007-S1X		1c, 3a	RR2X	000.7	IY	6300	--	Syngenta Canada, Inc.
DKB0009-89		1c, 1k	RR2X	000.9	BL	5500	44	DEKALB
Fresco R2X		1a	RR2X	000.9	BL	6000	--	Prograin
S0009-F2X		1c	RR2X	000.9	BR	6800	--	Syngenta Canada, Inc.
S0009-M2		6	RR2Y	000.9	IY	6500	46	Syngenta Canada, Inc.
PS 0011 XRN		SCN 1c	RR2X	00.0	BL	6600	--	PRIDE Seeds
S001-D8X		1c	RR2X	00.1	IY	6800	--	Syngenta Canada, Inc.
DKB002-32		SCN 1k	RR2X	00.2	BR	6600	29	DEKALB
JAGO				00.2	Y	5000	--	SG Ceresco, Inc.
Mahony R2			RR2Y	00.2	BL	5200	45	SeCan
Siberia		1a		00.2	IY	6300	--	Prograin
S003-R5X		1c	RR2X	00.3	IY	6700	--	Syngenta Canada, Inc.
Bourke R2X		1k	RR2X	00.4	BL	6100	41	SeCan
Merino R2X		SCN 1k	RR2X	00.4	BL	5000	--	Prograin
Mozart				00.4	Y	4600	--	Semican Inc.
Aurelina				00.5	IY	4900	46	C&M Seeds
Hart R2X		1c	RR2X	00.5	BR	5200	--	SeCan
P005A83X		SCN 1c	RR2X	00.5	BL	5600	--	Pioneer
S007-Y4		1c	RR2Y	00.5	IY	5500	36	Syngenta Canada, Inc.
B0061E		1c	E3	00.6	BR	5500	--	Brevant Seeds
DKB006-80		SCN 1c	RR2X	00.6	BL	5500	--	DEKALB
Kudo R2X			RR2X	00.6	BL	5900	--	Prograin
P006A37X		1c	RR2X	00.6	BR	5900	--	Pioneer
S006-K3X		SCN 1c	RR2X	00.6	BF	6800	--	Syngenta Canada, Inc.
Elmo E3		SCN 1a	E3	00.7	LBR	6700	--	Prograin
Liska				00.7	IY	5700	--	Prograin
Maya		1c		00.7	IY	5900	--	Prograin
PS 0072 XR		1c, 1k	RR2X	00.7	BL	5400	--	PRIDE Seeds
S007-A2XS			RR2X	00.7	GR	7400	--	Syngenta Canada, Inc.
S007-Z1X		1c	RR2X	00.7	BR	5200	45*	Syngenta Canada, Inc.
SI 007XTN		SCN 1c	RR2X	00.7	BL	4800	--	Sevita International
AAC Hensatto				00.8	Y	11100	--	Hensall Co-op
BAFFIN				00.8	IY	5300	--	SG Ceresco, Inc.
DKB008-48			RR2X	00.8	BL	5800	28*	DEKALB
S008-N2			RR2Y	00.8	BR	5000	44	Syngenta Canada, Inc.
Hana				00.9	Y	5400	16	Prograin
Jari				00.9	IY	5200	14	Elite
Kazart				00.9	Y	4500	--	Semican Inc.
Koa		1c		00.9	IY	5900	--	Prograin
PS 0098 XR		1k	RR2X	00.9	BL	6100	32	PRIDE Seeds

Table 1. Soybean Variety Performance List and Descriptions










Variety	PBR	Notes	Herbicide Reaction	Relative Maturity†	Hilum Colour	Seeds per Kg	Phytophthora	
							Root Plant Loss**	Root Rot % Distributor
Triquet R2X		SCN 1k	RR2X	00.9	BL	5200	--	SeCan
Verso R2X		1k	RR2X	00.9	BR	5900	--	Prograin
Bronco R2X		1c, 6	RR2X	0.0	IY	5100	--	Prograin
PRO 2525R2			RR2Y	0.0	BL	5000	41	Sevita International
Apollina				0.1	IY	4700	--	Saatbau Linz
Atiron		HP		0.1	IY	4900	43*	Huron Commodities Inc.
Grizzly R2X		SCN 1k, 3a	RR2X	0.1	BL	5600	--	Elite
LS 008R21			RR2Y	0.1	BR	5400	49	Sevita International
Rico R2X		SCN 1c	RR2X	0.1	LBR	6200	--	Prograin
S01-C4X		1c	RR2X	0.1	BL	5900	46	Syngenta Canada, Inc.
Asahi				0.2	IY	5200	--	Synagri
Donaldo R2X		1c	RR2X	0.2	BL	5700	--	Prograin
Emilio E3		1a, 3a	E3	0.2	BF	6100	--	Prograin
Haltifo				0.2	Y	4500	--	Centre de Criblage MarcBercier
Kyoto				0.2	Y	4900	--	Synagri
S02-M4XF		SCN 1c	XF	0.2	BL	6000	--	Syngenta Canada, Inc.
AAC Shinju		1c		0.3	Y	8800	39	Huron Commodities Inc.
B036CE		SCN 1k	E3	0.3	BR	5600	--	Brevant Seeds
Cobra R2X		SCN 1c	RR2X	0.3	BR	5700	--	Elite
DKB03-25		1c	RR2X	0.3	BR	5600	32*	DEKALB
Panorama		1c, 6		0.3	Y	5000	44	Sevita International
PRO 03X74		1c	RR2X	0.3	BR	5700	48	Sevita International
PS 0322 EN		SCN 1c	E3	0.3	IBL	6200	--	PRIDE Seeds
S03-P4		SCN 1c, 3a		0.3	IY	4800	50*	Syngenta Canada, Inc.
S03-V5E3		SCN 1c	E3	0.3	IBL	6200	--	Syngenta Canada, Inc.
AAC Larkin				0.4	Y	10100	44	Sevita International
OAC Champion				0.4	IY	4800	55	Agrocentre Belcan
OAC Strive				0.4	IY	4500	35	SeCan
P04A98E		SCN 1c	E3	0.4	BR	4900	--	Pioneer
PS 0420 XRN		SCN	RR2X	0.4	BL	5500	--	PRIDE Seeds
S04-J6X		SCN 1c	RR2X	0.4	BL	6200	37*	Syngenta Canada, Inc.
S04-K9		SCN 1c		0.4	Y	4400	35*	Syngenta Canada, Inc.
Salto R2		1c, 3a	RR2Y	0.4	BR	5900	--	Prograin
Stingray R2X		SCN 1c	RR2X	0.4	BL	5800	--	Elite
Utica				0.4	IY	4800	43*	Sevita International
Aya		3a		0.5	Y	4400	--	Prograin
Graves E3		SCN 3a	E3	0.5	LBR	5500	--	SeCan
Hola		1c, 3a		0.5	IY	4600	--	Prograin
OAC Acclaim				0.5	IY	4600	44	Huron Commodities Inc.
OAC Hastings				0.5	IY	4800	50	SeCan
OAC Lakeview				0.5	Y	5000	44	Snobelen Farms Ltd.
P05A35X		1c	RR2X	0.5	BF	5200	--	Pioneer
PS 0521 XRN		SCN 1c	RR2X	0.5	IBL	5500	--	PRIDE Seeds
Ramage XF		SCN 1c	XF	0.5	IY	6100	--	SeCan

Table 1. Soybean Variety Performance List and Descriptions












Variety	PBR	Notes	Herbicide Reaction	Relative Maturity†	Hilum Colour	Seeds per Kg	Phytophthora		Distributor
							Root Plant Loss**	Rot %	
Samson E3		1k	E3	0.5	LBR	6500	--		SeCan
Savage R2X		SCN 1c	RR2X	0.5	BL	6000	--		SeCan
Altitude R2		3a	RR2Y	0.6	BR	5000	42		SeCan
Amino R2X		SCN 1c	RR2X	0.6	BL	5600	--		Prograin
Asana		1c		0.6	Y	4500	--		Prograin
Cypress		1c		0.6	Y	5100	27		Sevita International
DKB06-76		SCN 1k	RR2X	0.6	IBL	5300	--		DEKALB
Expand R2X		SCN 1c	RR2X	0.6	BL	5700	34		SeCan
Harvey E3			E3	0.6	BF	6100	--		SeCan
Kristian				0.6	IY	4500	33*		SG Ceresco, Inc.
Lindber				0.6	Y	10900	--		Sevita International
Lion R2X		1c	RR2X	0.6	IY	5600	--		Elite
Nano R2X		SCN 3a	RR2X	0.6	BR	5700	--		Prograin
OAC Carson				0.6	IY	4600	49		SeCan
OAC Evolution				0.6	IY	5000	37		Agrocentre Belcan
OAC Kamran				0.6	IY	4800	43		SeCan
P06A38E		1c	E3	0.6	BR	5000	--		Pioneer
P06A48X		1c	RR2X	0.6	LBR	5900	--		Pioneer
Perry E3		SCN 3a	E3	0.6	LBR	6200	--		SeCan
S06-A3XF		SCN 1c, 3a	XF	0.6	GR	5300	--		Syngenta Canada, Inc.
Seabrook R2X		1k	RR2X	0.6	BL	6300	--		SeCan
SI 0620XTN		SCN 1c	RR2X	0.6	BL	5800	--		Sevita International
Abiola				0.7	IY	4800	--		Saatbau Linz
Angelica				0.7	IY	4800	55		C&M Seeds
Atacama				0.7	IY	5000	--		SG Ceresco, Inc.
Axis E3		1c	E3	0.7	LBR	5800	--		Horizon Seeds Canada
B074HE		1c	E3	0.7	BR	5000	--		Brevant Seeds
Caliper E3			E3	0.7	IBL	5100	--		Horizon Seeds Canada
Dunham		SCN 1c		0.7	IY	4400	39		Sevita International
Dyno R2X		SCN 1c	RR2X	0.7	BR	5100	--		Prograin
Elico E3		SCN	E3	0.7	Y	5800	--		Prograin
EW2021083		SCN 3a	E3	0.7	IBL	5600	--		Syngenta Canada, Inc.
Kagawa				0.7	IY	4300	--		Synagri
Marula		1c		0.7	Y	4500	--		Prograin
Navan		SCN 1c, 3a		0.7	Y	4500	34*		Sevita International
OAC Wallace				0.7	BR	5100	48		SeCan
PS 0779 XRN		SCN 1c	RR2X	0.7	BL	6200	39		PRIDE Seeds
S07-K5X		3a	RR2X	0.7	GR	5300	40		Syngenta Canada, Inc.
Ajico		1c		0.8	IY	4600	--		Elite
Albenga				0.8	IY	4800	3*		SG Ceresco, Inc.
Enyo E3		SCN	E3	0.8	BF	5700	--		Prograin
Ezra		3a		0.8	Y	4800	--		Prograin
Miko R2		1c	RR2Y	0.8	BR	5200	--		Prograin
Neptune		1c, 3a		0.8	IY	4100	34		Sevita International

Table 1. Soybean Variety Performance List and Descriptions





Variety	PBR	Notes	Herbicide Reaction	Relative Maturity†	Hilum Colour	Seeds per Kg	Phytophthora	
							Root Plant Loss**	Root Rot %
Orr R2X		SCN 3a	RR2X	0.8	BR	5600	--	SeCan
Park E3			E3	0.8	BF	6200	--	SeCan
S07-M8		1c		0.8	IY	4600	43	Syngenta Canada, Inc.
SI 0720E3N		SCN 1a, 3a	E3	0.8	IBL	5500	34*	Sevita International
Vertigo R2		SCN 1c	RR2Y	0.8	BL	5700	--	Prograin
Viper R2X		SCN 1c	RR2X	0.8	BL	5300	--	Elite
Wilma		1c, 3a		0.8	Y	4700	--	Prograin
AAC Kovik				0.9	Y	4600	--	SG Ceresco, Inc.
Acuna		1c		0.9	IY	4200	--	Prograin
B091FE		1c	E3	0.9	IBL	5800	--	Brevant Seeds
Beliveau R2X		SCN 1k, 3a	RR2X	0.9	BR	5400	28	SeCan
Finch		1c		0.9	Y	5100	36	Sevita International
Genesis		1a		0.9	Y	4800	46	Sevita International
Havane				0.9	Y	4700	30	SG Ceresco, Inc.
Landmark E3		3a	E3	0.9	IBL	5300	--	Horizon Seeds Canada
Matilda		1k		0.9	IY	4900	44	Sevita International
P09A53X		1k	RR2X	0.9	BR	5000	--	Pioneer
P09A62X		1c	RR2X	0.9	BF	5400	--	Pioneer
Pico R2X		SCN 1c	RR2X	0.9	BL	5800	--	Prograin
PS 0944 XRN		SCN 1c	RR2X	0.9	IBL	5400	--	PRIDE Seeds
Reece R2X		SCN 1c	RR2X	0.9	BL	6000	--	SeCan
S09-B5XF		SCN 1c, 3a	XF	0.9	GR	5300	--	Syngenta Canada, Inc.
S09-H7E3		SCN 1k	E3	0.9	BF	5600	--	Syngenta Canada, Inc.
SI 0921XTN		SCN	RR2X	0.9	BL	5900	--	Sevita International
Acora		1c		1	Y	4800	--	Prograin
Forto				1	IY	4300	--	SG Ceresco, Inc.
Kites E3		1a	E3	1	BF	6300	--	Elite
OAC Malory		SCN		1	Y	5100	30	SeCan
PS 1022 EN		SCN 1c, 3a	E3	1	BF	5200	--	PRIDE Seeds
S10-R2		SCN		1	Y	5100	42	Syngenta Canada, Inc.
S10-W8XF		SCN 1c	XF	1	IY	5700	--	Syngenta Canada, Inc.
B119KE		SCN	E3	1.1	IBL	5300	--	Brevant Seeds
DKB11-51		SCN	RR2X	1.1	BL	5900	35*	DEKALB
DKB11-84		SCN 3a	RR2X	1.1	BR	6100	30*	DEKALB
Eider				1.1	Y	4900	27	SG Ceresco, Inc.
Neo R2X		SCN 3a	RR2X	1.1	BR	5400	--	Prograin
Odessa				1.1	IY	4100	32	Sevita International
P11A10				1.1	Y	4900	--	Pioneer
SI 1120E3N		SCN	E3	1.1	IBL	5100	31*	Sevita International
Skyline		SCN 1c, 3a		1.1	Y	5200	32	Sevita International
Summit E3			E3	1.1	IBL	5700	--	Horizon Seeds Canada
Taku				1.1	Y	5100	--	SG Ceresco, Inc.
Atena		1c, 3a		1.2	Y	4300	--	Prograin
Baltazar				1.2	IY	4700	--	Semican Inc.

Table 1. Soybean Variety Performance List and Descriptions







Variety	PBR	Notes	Herbicide Reaction	Relative Maturity†	Hilum Colour	Seeds per Kg	Phytophthora		Distributor
							Root Plant Loss**	Rot %	
DH530				1.2	IY	5200	46		Sevita International
Maris R2X		SCN 3a	RR2X	1.2	BR	6000	--		Elite
Mya		SCN 1c		1.2	IY	4500	--		Prograin
P12T94E		SCN	E3	1.2	IBL	4900	--		Pioneer
S12-J7		SCN 1c, 3a		1.2	Y	4300	35		Syngenta Canada, Inc.
S12-M5X		SCN 1k, 3a	RR2X	1.2	BL	5000	36*		Syngenta Canada, Inc.
SI 1222E3N		SCN 1k	E3	1.2	IBL	4700	--		Sevita International
Harrier E3		SCN	E3	1.3	IBL	5400	--		Elite
OAC Elevation				1.3	IY	4400	51		Agrocentre Belcan
P13A89X		SCN 1k	RR2X	1.3	BL	5800	--		Pioneer
PS 1338 XRN		SCN 1c	RR2X	1.3	BL	5700	38		PRIDE Seeds
Rask E3		SCN 1c	E3	1.3	IBL	4600	--		SeCan
S13-Y4XF		SCN 1c, 3a	XF	1.3	BR	5200	--		Syngenta Canada, Inc.
Zeta		SCN 1c		1.3	IY	5000	--		Prograin
Avalanche XF		SCN 1c, 3a	XF	1.4	BL	4900	--		Elite
Barton		SCN		1.4	Y	5100	28		Sevita International
DKB14-65		SCN 1c, 3a	RR2X	1.4	BL	5700	35*		DEKALB
Inwood		SCN		1.4	IY	4700	--		SeCan
OAC Union		SCN		1.4	Y	4600	35		SeCan
PS 1421 EN		SCN	E3	1.4	BL	5600	--		PRIDE Seeds
S14-C7XF		SCN 1c	XF	1.4	BR	5600	--		Syngenta Canada, Inc.
S14-W6E3		SCN 1c, 3a	E3	1.4	BF	5500	--		Syngenta Canada, Inc.
SI 1422XTN		SCN 1c	RR2X	1.4	BL	5100	--		Sevita International
Alameda				1.5	IY	5300	--		SG Ceresco, Inc.
Alinova				1.5	IY	4900	--		Sevita International
B158DE		SCN 1k	E3	1.5	BR	5800	--		Brevant Seeds
Cyclone R2X		SCN 1k, 3a	RR2X	1.5	BL	5300	--		Elite
PS 1520 XRN		SCN 1c	RR2X	1.5	BF	5700	32*		PRIDE Seeds
Rondo R2X		SCN 1c, 3a	RR2X	1.5	BR	5300	--		Prograin
SI 1520E3N		SCN 1k	E3	1.5	IBL	5700	23*		Sevita International
CP1622X			RR2X	1.6	BL	5400	--		CROPLAN by WinField United
Laurentian		SCN		1.6	Y	9600	31		Sevita International
OAC Aberdeen		SCN		1.6	IY	4500	35		Huron Commodities Inc.
P16A84X		SCN 1k	RR2X	1.6	IBL	5700	--		Pioneer
S14-H3		SCN		1.6	IY	4400	--		Hensall Co-op
S16-K2X		SCN 1k, 3a	RR2X	1.6	BL	5000	31*		Syngenta Canada, Inc.
Compass E3			E3	1.7	IBL	5300	--		Horizon Seeds Canada
Cougar E3		SCN 3a	E3	1.7	BF	5400	--		Elite
Keith XF		SCN 3a	XF	1.7	BR	5300	--		SeCan
P17A87E		SCN 1k	E3	1.7	BL	5000	--		Pioneer
PS 1721 EN		SCN 1c, 3a	E3	1.7	Y	5200	--		PRIDE Seeds
Ranger R2X		SCN 1c, 3a	RR2X	1.7	IBL	5300	--		SeCan
Savard E3		SCN 1k	E3	1.7	IBL	5200	29*		SeCan
SI 1820XTN		SCN 3a	RR2X	1.7	BR	5500	--		Sevita International

Table 1. Soybean Variety Performance List and Descriptions

Variety	PBR	Notes	Herbicide Reaction	Relative Maturity†	Hilum Colour	Seeds per Kg	Phytophthora		Distributor
							Root Plant Loss**	Rot %	
B182ME		SCN 1k	E3	1.8	BL	5600	--		Brevant Seeds
P18A73E		SCN 1k	E3	1.8	BL	5700	--		Pioneer
P18A98X		SCN 1c	RR2X	1.8	IBL	5200	--		Pioneer
Raglan R2X		SCN 1c	RR2X	1.8	BL	5500	--		SeCan
S18-F1E3S		SCN 1k	E3	1.8	IBL	5700	--		Syngenta Canada, Inc.
B191FE		SCN 1c, 3a	E3	1.9	BF	5600	--		Brevant Seeds
Candor		3a		1.9	Y	4000	40		Sevita International
DKB19-80		SCN 1c	RR2X	1.9	BL	5600	20*		DEKALB
HDC Blake				1.9	Y	4200	--		Hensall Co-op
B205VE		SCN 1k	E3	2	BR	6200	--		Brevant Seeds
OAC Bruton	91	SCN		2	Y	4100	43		SeCan
P20A22X		SCN 1k, 3a	RR2X	2	BL	5500	--		Pioneer
Panther XF		SCN 1c	XF	2	BL	5600	--		Elite
PS 2020 XRN		SCN 1c	RR2X	2	IBL	5700	39		PRIDE Seeds
Rowan		SCN 1c		2	IY	5000	-		Sevita International
S20-L8X		SCN 1c	RR2X	2	BL	4900	39		Syngenta Canada, Inc.
DKB21-30XF		SCN 1c	XF	2.1	BL	5400	--		DEKALB
OAC Kent				2.1	Y	4500	33		SeCan
P21A20				2.1	Y	4900	--		Pioneer
P21A28X		SCN 1k	RR2X	2.1	BL	5500	--		Pioneer
P21A53E		SCN 1c	E3	2.1	BR	5400	--		Pioneer
PS 2120 EN		SCN 1k	E3	2.1	IBL	5900	37*		PRIDE Seeds
SI 2121XTN		SCN 1c	RR2X	2.1	IBL	5100	--		Sevita International
Masters XF		SCN 1c	XF	2.2	IBL	5500	--		SeCan
OAC Marvel		SCN		2.2	Y	4400	37		Huron Commodities Inc.
Ocelot E3		SCN 1c	E3	2.2	IBL	5400	--		Elite
S22-A2E3		SCN 1c	E3	2.2	IBL	5300	--		Syngenta Canada, Inc.
S22-J4X		SCN 1c	RR2X	2.2	BL	5100	33		Syngenta Canada, Inc.
AAC McRae	91	SCN		2.3	Y	4200	--		Hensall Co-op
Curve E3			E3	2.3	IBL	6200	--		Horizon Seeds Canada
P23A40E		SCN 1k	E3	2.3	BL	5800	--		Pioneer
PS 2322 XFN		SCN 1c	XF	2.3	IBL	5300	--		PRIDE Seeds
S23-K7E3		SCN 1c	E3	2.3	IBL	5600	--		Syngenta Canada, Inc.
SG 2311				2.3	Y	4700	39		Huron Commodities Inc.
SI 2322E3N		SCN 1k	E3	2.3	BF	5500	--		Sevita International
Darby E3		SCN 1k	E3	2.4	IBL	6200	--		SeCan
DKB24-35		SCN 1c	RR2X	2.4	IBL	5600	--		DEKALB
Express R2X		SCN 1c, 1k	RR2X	2.4	BL	5700	31		SeCan
P24A80X		SCN 1k	RR2X	2.4	BL	5900	--		Pioneer
AAC 26-15		SCN		2.5	Y	4900	32		Huron Commodities Inc.
AAC Wigle	91	SCN		2.5	Y	4500	47		SeCan
B251FE		SCN 1c	E3	2.5	BF	5900	--		Brevant Seeds
B253LE		SCN 1k	E3	2.5	BL	4900	--		Brevant Seeds
DF 155				2.5	Y	4700	--		AGRIS Co-operative Ltd.

Table 1. Soybean Variety Performance List and Descriptions

Variety	PBR	Notes	Herbicide Reaction	Relative Maturity†	Hilum Colour	Seeds per Kg	Phytophthora	
							Root Rot % Plant Loss**	Distributor
DKB25-17XF		SCN 1c	XF	2.5	IBL	5600	--	DEKALB
DKB25-57		SCN 1c	RR2X	2.5	IBL	5200	34*	DEKALB
P25A16E		SCN 1k	E3	2.5	BR	6300	--	Pioneer
P25A68X		SCN 1k	RR2X	2.5	BL	5400	--	Pioneer
PS 2521 XFN		SCN 1c	XF	2.5	BL	5300	--	PRIDE Seeds
S25-G8E3		SCN 1c	E3	2.5	BF	6000	--	Syngenta Canada, Inc.
Hickstead		SCN		2.6	Y	4600	--	Southwest Seeds
OAC Stirling		SCN		2.6	Y	4800	34	Huron Commodities Inc.
P26A34X		SCN 1k, 3a	RR2X	2.6	BL	4600	--	Pioneer
S26-E3		SCN 1k	E3	2.6	BF	7100	27*	Syngenta Canada, Inc.
PS 2720 EN		SCN 1k	E3	2.7	BF	5900	27*	PRIDE Seeds
AAC Big Ben		SCN		2.8	Y	4800	--	Southwest Seeds
P28A65E		SCN 1k	E3	2.8	BL	5700	--	Pioneer
PS 2889XRN		SCN 1c, 1k	RR2X	2.8	IBL	6800	28	PRIDE Seeds
S28-H4E3		SCN 1k, 3a	E3	2.8	BF	6300	--	Syngenta Canada, Inc.
P29A19E		SCN 1k, 3a	E3	2.9	BL	6000	--	Pioneer
P29A25X		SCN 1k	RR2X	2.9	BR	5900	--	Pioneer
S29-R5X		SCN 1k	RR2X	2.9	BR	6200	33	Syngenta Canada, Inc.
B301ME		1k	E3	3	IBL	6300	--	Brevant Seeds
P31A95BX		1k	RR2X	3.1	BL	5900	--	Pioneer
CP3220RX		SCN 1c	RR2X	3.2	IBL	6800	--	CROPLAN by WinField United
P32T26E		1c	E3	3.2	BF	6100	--	Pioneer
DKB33-54		SCN 1k, 3a	RR2X	3.3	IBL	5700	29	DEKALB

NOTES:

1a, 1c, etc. - Phytoph. resist. genes

HP - High Protein

SCN - SCN Resistant

L-LA - Low-Linolenic Acid

Plant Breeders' Rights



PBR 78



PBR 91 or

PBR 91 pending

See pbrfacts.ca

Herbicide Reaction

RR2Y - Roundup Ready 2 Yield

RR2X - Roundup Ready 2 Xtend

XF - XtendFlex

E3 - Enlist E3

LL - Liberty Link

MS - Metribuzin Sensitive

†Relative Maturity - ranking of maturity provided by seed sponsors.

**Phytophthora % Plant Loss - * only 2 year data available. New calculation method used, see note.

Ontario Soybean And Canola Committee

TABLE 2a.1 AGRONOMIC DATA AT MATURITY GROUP 00 (2100-2300 HU) AREAS , RR TEST 2022

Variety	Days to Mature		NEW LISKEARD Yield Index		Plant Height (cm)	Lodging 1=standing 5=flat
	1 year	2 year	1 year	2 year		
Fresco R2X	103	109	92	92	51	1.1
S0009-M2	104	109	84	86	51	1.1
S001-D8X	106	111	88	91	57	1.1
DKB0009-89	111	113	94	94	58	1.1
P006A37X	111	115	108	107	58	1.1
P005A83X	112	115	103	100	60	1.1
S007-Y4	112	115	109	110	61	1.1
S008-N2	112	115	107	105	62	1.4
DKB002-32	113	115	106	102	61	1.1
Kudo R2X	114	116	105	103	68	1.4
S007-Z1X	114	116	98	100	62	1.1
Bourke R2X	115	117	105	103	64	1.3
Elmo E3	125	122	108	108	66	1.1
Varieties with one year of data						
Evo E3	103	--	84	--	--	--
S0009-F2X	103	--	88	--	--	--
S0007-S1X	107	--	87	--	--	--
Gecko R2X	109	--	95	--	--	--
PS 0011 XRN	110	--	91	--	--	--
S003-R5X	110	--	100	--	--	--
S007-A2XS	112	--	110	--	--	--
Hart R2X	113	--	110	--	--	--
Merino R2X	114	--	103	--	--	--
S006-K3X	114	--	101	--	--	--
DKB006-80	115	--	115	--	--	--
Triquet R2X	120	--	112	--	--	--
LSD (0.10)			9	6		
Average yield (T/ha)			4.15	3.66		
(bu/ac)			61.5	54.4		

Testing Locations: Table 2a.1			
New Liskeard	2020	--	2022

TABLE 2a.2 AGRONOMIC DATA AT MATURITY GROUP 00 (2100-2300 HU) AREAS , CONVENTIONAL TEST 2022

Variety	Days to Mature		NEW LISKEARD Yield Index	Plant Height (cm)	Lodging 1=standing 5=flat
	1 year	2 year	1 year		
Varieties with one year of data					
Siberia	107	--	103	--	--
ABACA	111	--	102	--	--
Liska	111	--	98	--	--
JAGO	113	--	111	--	--
BAFFIN	113	--	93	--	--
Maya	113	--	105	--	--
Hana	115	--	111	--	--
Koa	115	--	103	--	--
AAC Hensatto	125	--	74	--	--
LSD (0.10)			9		
Average yield (T/ha)			3.94		
(bu/ac)			58.5		

Testing Locations: Table 2a.2			
New Liskeard	--	--	2022

Ontario Soybean And Canola Committee

TABLE 2.1 AGRONOMIC DATA AT MATURITY GROUP 00 (2300-2500 HU) AREAS , RR TEST 2022

Variety	Days to Mature		AVERAGE Yield Index			BELWOOD Yield Index		DUNDALK Yield Index		ELORA Yield Index		Plant Height (cm)	Lodging 1=standing 5=flat
	1 year	2 year	1 year	2 year	3 year	2 year	3 year	2 year	3 year	2 year	3 year		
Merino R2X	109	109	88	86	--	81	--	89	--	88	--	70	1.5
Mahony R2	110	109	81	82	--	77	--	84	--	84	--	64	1.2
S007-Z1X	111	110	95	90	90	75	80	100	96	96	95	70	1.5
S006-K3X	112	111	101	90	--	86	--	87	--	98	--	70	1.3
S008-N2	112	112	103	97	95	94	87	102	102	96	96	73	2.0
S01-C4X	112	112	109	97	99	93	97	99	96	100	104	74	1.3
S02-M4XF	113	112	105	104	--	100	--	106	--	106	--	70	1.0
DKB006-80	111	112	96	95	--	92	--	99	--	94	--	72	1.8
Kudo R2X	111	112	103	96	92	102	95	89	87	96	93	72	1.9
PS 0098 XR	113	113	94	93	94	94	92	97	99	88	92	67	1.5
SI 007XTN	114	113	85	87	--	88	--	82	--	90	--	62	1.1
Rico R2X	114	113	106	98	96	98	98	92	89	104	101	67	1.2
Verso R2X	115	113	105	101	--	94	--	105	--	105	--	80	1.9
Bronco R2X	113	114	94	104	100	103	99	107	102	103	100	72	1.1
DKB008-48	113	114	89	99	99	104	102	99	100	95	95	69	1.1
LS 008R21	114	114	108	102	100	107	101	100	99	99	99	73	1.4
Elmo E3	117	115	100	101	96	105	94	99	100	97	93	72	1.1
Donaldo R2X	115	115	93	99	100	97	96	97	101	103	102	71	1.2
PRO 2525R2	117	116	104	108	103	106	100	110	107	108	102	81	1.6
Triquet R2X	113	117	97	103	--	101	--	99	--	109	--	76	1.8
PRO 03X74	114	117	105	110	104	115	109	106	98	108	107	72	1.2
DKB03-25	120	118	121	120	114	126	118	109	105	123	119	77	1.8
Salto R2	120	119	116	112	108	120	113	116	109	100	100	69	1.2
S04-J6X	121	119	122	119	111	130	119	118	111	108	104	77	1.3
Emilio E3	120	120	108	109	--	117	--	108	--	102	--	72	1.4
Varieties with one year of data													
B0061E	109	--	73	--	--	--	--	--	--	--	--	--	--
Hart R2X	110	--	80	--	--	--	--	--	--	--	--	--	--
PS 0072 XR	113	--	96	--	--	--	--	--	--	--	--	--	--
Amino R2X	120	--	103	--	--	--	--	--	--	--	--	--	--
S03-V5E3	121	--	120	--	--	--	--	--	--	--	--	--	--
LSD (0.10)			9	7	5	8	7	12	9	15	11		
Average yield (T/ha)			2.89	3.07	3.21	3.07	3.31	3.04	3.40	3.10	2.91		
(bu/ac)			42.8	45.6	47.6	45.6	49.1	45.2	50.4	45.9	43.2		

TABLE 2.2 AGRONOMIC DATA AT MATURITY GROUP 00 (2300-2500 HU) AREAS , CONVENTIONAL TEST 2022

Variety	Days to Mature		AVERAGE Yield Index			BELWOOD Yield	DUNDALK Yield	ELORA Yield Index	Plant Height (cm)	Lodging 1=standing 5=flat
	1 year	2 year	1 year	2 year	3 year	1 year	1 year	1 year	(cm)	5=flat
Varieties with one year of data										
ABACA	113	--	94	--	--	94	92	98	--	--
BAFFIN	114	--	101	--	--	106	97	100	--	--
JAGO	116	--	105	--	--	108	101	105	--	--
AAC Hensatto	118	--	72	--	--	71	57	89	--	--
Atiron	119	--	104	--	--	101	116	94	--	--
Panorama	121	--	112	--	--	108	117	111	--	--
Utica	123	--	112	--	--	112	120	104	--	--
LSD (0.10)			9			19	17	11		
Average yield (T/ha)			2.74			2.85	2.70	2.68		
(bu/ac)			40.7			42.2	40.0	39.8		

Testing Locations: Table 2.1			
Belwood	2020	2021	2022
Dundalk	2020	2021	2022
Elora	2020	2021	2022

Testing Locations: Table 2.2			
Belwood	--	--	2022
Dundalk	--	--	2022
Elora	--	--	2022

Ontario Soybean And Canola Committee

TABLE 3.1 AGRONOMIC DATA AT MATURITY GROUP 0 (2500-2800 HU) AREAS , RR TEST 2022

Variety	Days to Mature		AVERAGE Yield Index			ELORA Yield Index		OTTAWA Yield Index	PORT HOPE Yield Index	WALTON Yield Index		Plant Height (cm)	Lodging 1=standing 5=flat
	1 year	2 year	1 year	2 year	3 year	2 year	3 year	2 year	2 year	3 year			
S02-M4XF	111	109	92	93	--	95	--	97	--	87	--	78	2.1
Grizzly R2X	114	111	95	92	--	88	--	95	--	94	--	65	1.3
Cobra R2X	113	111	96	98	--	99	--	99	--	93	--	77	2.1
Salto R2	115	111	86	92	91	88	89	91	93	92	91	71	1.4
Stingray R2X	114	111	93	93	--	98	--	93	--	90	--	75	1.7
DKB03-25	115	111	98	98	--	101	--	100	--	92	--	83	2.1
PRO 03X74	112	112	96	97	91	95	92	98	89	98	89	81	1.7
S04-J6X	116	112	100	99	98	91	95	98	97	105	102	81	1.7
PS 0420 XRN	117	113	94	98	96	95	93	99	93	99	99	74	1.2
PS 0521 XRN	117	113	104	102	--	106	--	103	--	97	--	79	1.5
S07-K5X	117	113	97	97	96	97	101	94	96	99	95	81	1.4
Amino R2X	118	114	96	99	--	91	--	101	--	102	--	70	1.1
P05A35X	120	114	100	101	97	103	100	106	88	98	97	70	1.3
SI 0620XTN	117	114	97	102	101	106	106	102	102	99	97	81	1.9
Ramage XF	118	114	96	97	--	103	--	90	--	97	--	81	2.0
Miko R2	119	115	106	106	105	105	108	104	111	103	99	85	2.3
Expand R2X	120	115	97	95	95	90	94	94	95	101	98	78	1.5
Harvey E3	119	115	96	95	--	96	--	95	--	98	--	76	1.4
Nano R2X	120	115	103	102	101	106	104	101	105	99	97	82	2.2
DKB06-76	120	115	99	97	--	102	--	98	--	94	--	80	1.6
Seabrook R2X	120	115	104	104	--	110	--	104	--	100	--	96	1.9
Vertigo R2	122	116	100	101	99	95	95	101	101	104	101	80	1.5
PS 0779 XRN	120	116	105	100	101	98	100	102	104	99	100	81	1.7
P06A48X	121	116	106	103	--	101	--	106	--	103	--	75	1.3
Altitude R2	121	116	94	98	99	99	101	100	105	91	94	71	1.5
SI 0921XTN	121	117	100	101	--	105	--	95	--	102	--	79	1.5
P09A53X	123	117	103	104	104	106	103	104	103	105	106	82	1.4
S10-W8XF	122	117	105	102	--	105	--	101	--	101	--	81	1.7
Samson E3	122	117	101	98	--	104	--	99	--	99	--	79	1.3
S12-M5X	123	117	106	108	108	107	109	111	111	103	105	70	1.4
SI 0720E3N	122	117	93	95	96	92	93	97	102	92	96	76	1.5
Park E3	123	117	95	100	--	104	--	96	--	97	--	84	1.5
Viper R2X	122	117	107	108	--	110	--	104	--	111	--	74	1.7
Kites E3	123	117	107	102	--	100	--	103	--	103	--	80	1.5
P09A62X	124	118	109	107	104	107	106	107	106	106	100	75	1.9
Beliveau R2X	124	118	111	106	103	107	108	107	94	108	105	78	1.3
Elico E3	121	118	100	95	--	94	--	93	--	101	--	77	1.2
B091FE	124	118	101	98	96	91	92	102	92	101	99	75	1.5
Axis E3	123	118	96	96	--	98	--	95	--	96	--	79	1.7
DKB11-84	123	118	111	107	108	106	107	109	104	109	110	80	1.5
Orr R2X	124	118	109	105	--	107	--	104	--	106	--	82	1.4
Landmark E3	122	118	103	99	--	94	--	100	--	103	--	83	1.0
Enyo E3	123	119	103	103	101	96	96	96	102	111	107	79	1.8
SI 1120E3N	126	120	105	107	108	105	108	104	107	111	112	71	1.2
Varieties with one year of data													
S03-V5E3	114	--	95	--	--	--	--	--	--	--	--	--	--
B036CE	115	--	94	--	--	--	--	--	--	--	--	--	--
PS 0322 EN	116	--	95	--	--	--	--	--	--	--	--	--	--
Savage R2X	118	--	97	--	--	--	--	--	--	--	--	--	--
P04A98E	119	--	95	--	--	--	--	--	--	--	--	--	--
EW2021083	120	--	96	--	--	--	--	--	--	--	--	--	--
Lion R2X	120	--	104	--	--	--	--	--	--	--	--	--	--
P06A38E	120	--	99	--	--	--	--	--	--	--	--	--	--
S06-A3XF	120	--	96	--	--	--	--	--	--	--	--	--	--
Graves E3	121	--	90	--	--	--	--	--	--	--	--	--	--
Perry E3	121	--	95	--	--	--	--	--	--	--	--	--	--
S09-B5XF	122	--	105	--	--	--	--	--	--	--	--	--	--
PS 0944 XRN	122	--	109	--	--	--	--	--	--	--	--	--	--
B074HE	123	--	100	--	--	--	--	--	--	--	--	--	--
S09-H7E3	123	--	107	--	--	--	--	--	--	--	--	--	--
Dyno R2X	124	--	110	--	--	--	--	--	--	--	--	--	--
Reece R2X	124	--	106	--	--	--	--	--	--	--	--	--	--
Caliper E3	125	--	95	--	--	--	--	--	--	--	--	--	--
LSD (0.10)			5	5	4	9	7	6	7	12	8		
Average yield (T/ha)			3.99	4.07	4.12	3.53	3.33	4.02	4.22	4.88	4.86		
(bu/ac)			59.2	60.4	61.0	52.4	49.3	59.7	62.6	72.4	72.1		

Testing Locations: Table 3.1				
Elora	2020	2021	2022	
Ottawa	--	2021	2022	
Port Hope	2020	2021	--	
Walton	2020	2021	2022	

Ontario Soybean And Canola Committee

TABLE 3.2 AGRONOMIC DATA AT MATURITY GROUP 0 (2500-2800 HU) AREAS , CONVENTIONAL TEST 2022

Variety	Days to Mature		AVERAGE Yield Index			ELORA Yield Index		OTTAWA Yield Index	PORT HOPE Yield Index	WALTON Yield Index		Plant Height (cm)	Lodging 1=standing 5=flat
	1 year	2 year	1 year	2 year	3 year	2 year	3 year	2 year	2 year	2 year	3 year		
BAFFIN	109	107	79	81	82	79	79	83	83	77	82	72	1.5
Aurelina	111	108	96	95	96	95	100	93	104	91	89	86	1.7
Mozart	112	108	89	93	91	93	94	88	83	96	96	82	1.5
Asahi	111	108	89	94	94	93	98	93	95	93	93	81	1.3
JAGO	112	109	95	92	93	96	96	95	89	90	93	77	1.4
Kazart	112	110	90	88	88	83	89	91	92	84	83	93	2.3
OAC Carson	113	110	92	92	93	93	94	92	100	91	89	78	1.5
Atiron	114	110	88	90	89	89	89	91	94	86	85	85	1.6
AAC Shinju	115	110	87	84	83	81	81	87	77	86	86	89	2.1
Apollina	114	111	96	100	--	98	--	103	--	101	--	83	1.5
S03-P4	113	111	98	93	92	89	92	96	98	92	87	91	1.8
Panorama	114	111	96	96	98	99	100	96	97	91	97	69	1.2
AAC Larkin	114	112	88	83	80	83	82	86	74	80	80	88	2.4
Haltifo	112	112	88	97	96	95	92	103	97	91	94	81	1.4
S04-K9	114	112	104	103	103	101	102	102	103	104	102	80	1.4
Abiola	116	112	94	95	--	100	--	91	--	96	--	80	1.3
OAC Strive	116	112	103	102	101	101	102	102	102	105	100	86	1.3
OAC Lakeview	116	113	101	104	101	103	103	101	107	102	95	82	1.7
S10-R2	117	113	104	101	102	96	97	106	109	98	98	89	1.9
OAC Champion	116	113	94	97	97	92	95	98	103	97	95	89	1.7
OAC Kamran	117	113	97	101	103	97	95	97	103	106	112	72	1.1
Kyoto	117	113	97	102	--	100	--	105	--	99	--	82	1.3
Utica	118	113	97	97	99	97	99	97	95	101	104	83	1.4
Hola	120	114	94	103	--	106	--	103	--	97	--	83	1.2
Atacama	116	114	105	99	--	108	--	103	--	90	--	78	1.2
S07-M8	119	115	107	104	105	99	102	105	105	110	106	83	1.5
OAC Acclaim	118	115	106	103	104	107	106	105	95	106	108	74	1.3
Aya	119	115	102	100	--	99	--	100	--	100	--	83	1.4
Angelica	118	115	113	108	105	113	112	108	103	102	101	93	1.6
Asana	120	115	106	103	105	102	104	100	105	107	107	87	1.5
Marula	119	116	101	102	103	99	102	100	102	107	106	94	1.3
Dunham	120	116	94	98	97	102	100	92	95	102	100	86	1.4
OAC Wallace	120	116	109	109	108	108	107	107	107	111	109	86	1.5
Cypress	120	116	107	106	106	102	104	104	103	109	109	81	1.2
Lindber	123	116	91	84	--	81	--	91	--	86	--	85	1.6
Navan	121	116	106	108	108	108	108	103	112	109	110	87	1.3
OAC Hastings	122	116	106	104	105	104	100	107	97	107	112	88	1.2
Ajico	120	116	106	107	107	113	111	101	100	113	111	82	1.3
Kristian	121	116	106	106	108	109	107	103	112	109	108	89	1.3
AAC Kovik	120	117	96	97	96	105	102	100	95	84	89	81	1.3
Finch	121	117	109	109	107	114	110	106	104	108	107	90	1.2
Ezra	120	117	101	108	111	111	110	105	114	109	114	90	1.5
OAC Evolution	121	117	108	109	110	108	110	109	112	111	108	89	1.5
Matilda	122	118	114	111	111	109	109	112	111	112	112	87	1.4
Neptune	122	118	112	106	109	105	104	109	104	110	117	84	1.4
Acuna	122	118	110	111	--	117	--	108	--	110	--	91	1.5
Genesis	123	118	110	105	107	106	110	105	112	104	102	90	1.9
Acora	124	118	111	108	--	105	--	105	--	115	--	99	1.5
Alameda	123	119	101	99	--	105	--	99	--	97	--	97	1.4
OAC Elevation	126	120	101	103	103	99	98	105	104	106	106	95	1.6
Kagawa	124	120	105	103	103	101	105	104	100	105	103	89	1.3
Skyline	123	120	105	100	99	96	99	99	106	99	96	91	1.6
Atena	126	120	107	108	--	105	--	108	--	110	--	85	1.1
Varieties with one year of data													
ABACA	109	--	89	--	--	--	--	--	--	--	--	--	--
Jari	111	--	90	--	--	--	--	--	--	--	--	--	--
Hana	113	--	92	--	--	--	--	--	--	--	--	--	--
Albenga	121	--	103	--	--	--	--	--	--	--	--	--	--
Wilma	124	--	115	--	--	--	--	--	--	--	--	--	--
LSD (0.10)			5	4	4	7	5	6	9	11	8		
Average yield (T/ha)			3.48	3.56	3.54	3.29	2.89	3.61	3.85	3.84	3.94		
(bu/ac)			51.6	52.8	52.5	48.8	42.9	53.5	57.1	56.9	58.4		

Testing Locations: Table 3.2			
Elora	2020	2021	2022
Ottawa	--	2021	2022
Port Hope	2020	2021	--
Walton	2020	2021	2022

Ontario Soybean And Canola Committee

TABLE 4.1 AGRONOMIC DATA AT MATURITY GROUP 1 (2700-2900 HU) AREAS , RR TEST 2022

Variety	Days to Mature		AVERAGE Yield Index			EXETER Yield Index		ST. MARYS Yield Index	WINCHESTER Yield Index		WOODSTOCK Yield Index		Plant Height (cm)	Lodging 1=standing 5=flat
	1 year	2 year	1 year	2 year	3 year	2 year	3 year	2 year	3 year	2 year	3 year			
Miko R2	117	117	95	91	92	95	96	86	97	97	82	82	85	1.5
Pico R2X	118	118	98	93	--	97	--	91	94	--	86	--	77	1.1
SI 0921XTN	119	118	93	92	--	96	--	90	93	--	89	--	81	1.1
S12-M5X	119	118	96	99	98	99	98	96	104	102	93	94	68	1.1
S10-W8XF	119	118	99	97	--	97	--	92	102	--	97	--	80	1.1
Neo R2X	119	118	97	97	96	100	98	89	97	97	103	99	84	1.3
Landmark E3	119	118	89	91	--	91	--	95	94	--	79	--	79	1.0
Maris R2X	118	119	96	95	94	92	93	97	96	95	95	93	82	1.1
Enyo E3	120	120	97	96	96	100	100	91	96	93	97	99	80	1.2
SI 1120E3N	121	120	99	100	98	103	103	101	95	92	99	95	71	1.0
Harrier E3	121	120	94	97	--	96	--	99	94	--	101	--	84	1.5
Rondo R2X	121	121	98	99	99	98	99	102	98	99	98	98	89	1.1
S14-W6E3	123	121	102	99	--	106	--	97	95	--	99	--	77	1.1
PS 1338 XRN	122	121	95	96	94	88	89	94	103	99	98	96	84	1.1
DKB11-51	122	122	100	96	96	95	96	98	94	95	100	97	85	1.3
Compass E3	124	122	101	98	--	97	--	105	96	--	95	--	74	1.1
P12T94E	123	122	97	98	--	100	--	92	100	--	98	--	79	1.1
PS 1520 XRN	124	123	107	106	105	101	102	105	109	108	109	106	83	1.1
S14-C7XF	125	123	106	107	--	100	--	101	110	--	117	--	92	1.2
DKB14-65	124	124	101	100	101	99	100	104	100	103	96	98	86	1.2
P13A89X	125	124	105	107	--	109	--	106	110	--	101	--	88	1.1
S16-K2X	127	124	105	103	103	102	100	99	108	108	104	105	82	1.1
PS 1421 EN	125	124	106	105	--	103	--	100	107	--	109	--	92	1.1
SI 1820XTN	126	125	100	106	106	105	104	104	105	105	110	110	88	1.4
Cyclone R2X	126	125	105	104	103	101	101	104	110	108	100	100	82	1.1
Keith XF	126	125	105	103	--	98	--	102	107	--	105	--	89	1.2
P18A98X	125	125	110	109	107	106	104	109	113	109	107	109	87	1.1
SI 1520E3N	128	126	101	101	101	102	102	102	98	100	102	100	85	1.1
Cougar E3	126	126	106	105	--	104	--	106	98	--	112	--	77	1.3
PS 1721 EN	127	127	95	100	--	99	--	106	93	--	104	--	84	1.0
P16A84X	128	127	104	106	105	103	104	111	104	103	104	104	87	1.0
Savard E3	128	127	101	102	101	106	104	105	94	93	103	103	82	1.1
DKB19-80	130	128	105	103	105	106	104	108	94	99	106	111	91	1.4
B191FE	128	128	95	100	100	102	101	107	93	95	98	102	81	1.5
Panther XF	129	129	102	101	--	102	--	104	94	--	105	--	92	1.5
Varieties with one year of data														
Caliper E3	119	--	90	--	--	--	--	--	--	--	--	--	--	--
S09-H7E3	119	--	99	--	--	--	--	--	--	--	--	--	--	--
PS 1022 EN	119	--	95	--	--	--	--	--	--	--	--	--	--	--
Dyno R2X	121	--	102	--	--	--	--	--	--	--	--	--	--	--
CP1622X	123	--	83	--	--	--	--	--	--	--	--	--	--	--
S13-Y4XF	123	--	104	--	--	--	--	--	--	--	--	--	--	--
Summit E3	123	--	96	--	--	--	--	--	--	--	--	--	--	--
B119KE	124	--	95	--	--	--	--	--	--	--	--	--	--	--
Avalanche XF	124	--	105	--	--	--	--	--	--	--	--	--	--	--
SI 1222E3N	124	--	103	--	--	--	--	--	--	--	--	--	--	--
B158DE	125	--	103	--	--	--	--	--	--	--	--	--	--	--
SI 1422XTN	126	--	111	--	--	--	--	--	--	--	--	--	--	--
Rask E3	127	--	104	--	--	--	--	--	--	--	--	--	--	--
B182ME	128	--	104	--	--	--	--	--	--	--	--	--	--	--
P17A87E	128	--	102	--	--	--	--	--	--	--	--	--	--	--
P18A73E	129	--	101	--	--	--	--	--	--	--	--	--	--	--
Ocelot E3	130	--	102	--	--	--	--	--	--	--	--	--	--	--
LSD (0.10)			6	4	3	11	8	6	6	5	7	6		
Average yield (T/ha)			4.16	4.21	4.22	4.64	4.74	4.10	4.74	4.55	3.38	3.44		
(bu/ac)			61.8	62.5	62.6	68.8	70.3	60.8	70.3	67.5	50.2	51.0		

Testing Locations: Table 4.1			
Exeter	2020	2021	2022
St. Marys	--	2021	2022
Winchester	2020	2021	2022
Woodstock	2020	2021	2022

Ontario Soybean And Canola Committee

TABLE 4.2 AGRONOMIC DATA AT MATURITY GROUP 1 (2700-2900 HU) AREAS , CONVENTIONAL TEST 2022

Variety	Days to Mature		AVERAGE Yield Index			EXETER Yield Index		ST. MARYS Yield Index	WINCHESTER Yield Index		WOODSTOCK Yield Index		Plant Height (cm)	Lodging 1=standing 5=flat
	1 year	2 year	1 year	2 year	3 year	2 year	3 year	2 year	2 year	3 year	2 year	3 year		
Havane	115	115	91	91	93	97	97	94	88	93	83	87	77	1.4
S10-R2	116	115	99	98	98	101	101	87	98	98	109	102	82	1.7
Aya	116	116	91	94	--	94	--	94	98	--	89	--	77	1.2
Asana	117	116	86	89	89	97	96	92	86	87	74	80	78	1.5
Ezra	118	117	96	103	102	102	101	102	103	101	106	108	84	1.3
Marula	118	117	90	92	92	93	93	91	90	92	92	91	85	1.3
Finch	120	117	99	99	--	96	--	101	100	--	99	--	84	1.2
Acora	119	118	95	95	99	95	98	100	93	98	93	101	90	1.5
Odessa	121	119	102	102	102	105	104	104	102	103	94	97	79	1.1
Kagawa	120	119	94	92	93	87	87	96	99	100	84	90	82	1.1
P11A10	121	120	102	105	104	108	107	101	108	103	103	102	89	1.3
Skyline	120	120	98	98	96	94	92	98	102	98	98	100	82	1.4
Eider	121	120	93	96	97	91	92	94	102	104	99	100	86	1.4
S14-H3	121	120	101	101	100	103	104	97	101	96	103	101	75	1.2
S12-J7	122	120	103	105	103	108	106	99	99	98	116	110	77	1.3
Atena	121	120	99	100	100	103	101	102	102	103	89	91	76	1.1
DH530	122	121	94	93	94	101	100	88	94	93	85	90	83	1.5
OAC Malory	122	121	103	97	98	97	98	92	99	99	101	99	82	1.5
OAC Elevation	123	121	95	91	--	87	--	97	91	--	87	--	85	1.3
Mya	123	122	102	104	--	105	--	98	104	--	111	--	93	1.5
Baltazar	121	122	96	99	97	91	94	101	110	104	90	90	86	1.2
Barton	124	122	100	101	103	104	106	99	95	98	108	110	81	1.9
Taku	124	122	116	112	110	107	104	117	110	110	117	114	93	1.5
OAC Union	124	123	109	112	111	111	109	108	114	113	116	114	80	1.2
Zeta	125	124	112	112	--	110	--	110	113	--	119	--	82	1.2
OAC Aberdeen	126	124	109	110	108	108	108	113	100	102	124	115	76	1.1
Forto	125	125	101	99	100	96	98	98	101	103	102	99	97	1.4
Laurentian	126	125	94	96	96	102	100	95	89	88	102	103	92	1.4
Candor	127	126	97	99	99	101	101	108	97	98	87	90	84	1.4
HDC Blake	129	127	95	98	99	96	96	104	100	104	87	93	92	1.5
Rowan	128	127	116	116	115	110	108	119	112	115	133	122	90	1.2
Varieties with one year of data														
Matilda	119	--	105	--	--	--	--	--	--	--	--	--	--	--
Wilma	121	--	109	--	--	--	--	--	--	--	--	--	--	--
Alinova	126	--	108	--	--	--	--	--	--	--	--	--	--	--
LSD (0.10)			7	5	4	15	10	6	6	5	9	9		
Average yield (T/ha)			3.25	3.46	3.53	3.99	4.14	3.41	4.02	3.99	2.41	2.54		
(bu/ac)			48.2	51.3	52.4	59.2	61.5	50.6	59.7	59.2	35.7	37.7		

Testing Locations: Table 4.2			
Exeter	2020	2021	2022
St. Marys	--	2021	2022
Winchester	2020	2021	2022
Woodstock	2020	2021	2022

Ontario Soybean And Canola Committee

TABLE 5.1 AGRONOMIC DATA AT EARLY MATURITY GROUP 2 (2900-3300 HU) AREAS , RR TEST 2022

Variety	Days to Mature		CLAY AVG Yield Index		INWOOD Yield Index	PALMYRA Yield Index			LOAM AVG Yield Index		FINGAL Yield Index	RIDGETOWN Yield Index		Plant Height (cm)	Lodging
	1 year	2 year	1 year	2 year	1 year	2 year	3 year	1 year	2 year	2 year	2 year	3 year		1=standing	5=flat
Compass E3	116	116	91	89	89	89	--	85	84	--	93	--	71	1.3	
Ranger R2X	117	117	87	95	101	93	--	92	98	--	97	--	85	1.8	
PS 2120 EN	122	119	95	85	81	86	90	107	103	103	104	108	81	1.3	
DKB21-30XF	119	119	103	105	105	105	--	94	94	--	97	--	84	1.7	
PS 2020 XRN	118	119	94	95	105	92	93	94	91	92	94	96	86	1.8	
SI 2121XTN	120	120	84	94	114	88	--	99	95	--	96	--	88	1.5	
DKB19-80	122	120	105	103	110	102	102	106	100	101	100	101	89	2.1	
P20A22X	123	121	106	105	97	107	--	110	111	--	110	--	83	1.1	
S20-L8X	123	121	106	103	91	106	102	98	90	97	91	95	88	2.0	
P21A28X	123	122	112	106	110	105	100	102	104	101	99	97	87	1.1	
Express R2X	124	122	103	104	108	103	102	102	98	95	103	105	90	1.9	
S22-J4X	125	123	91	96	91	97	99	104	100	96	102	104	86	1.3	
DKB25-17XF	126	123	105	100	92	102	--	112	107	--	110	--	86	1.3	
P24A80X	125	123	105	105	104	106	105	100	112	120	104	105	89	1.4	
S23-K7E3	126	124	106	102	105	102	--	98	100	--	98	--	81	1.3	
DKB25-57	126	124	103	99	87	102	105	93	100	97	100	100	89	1.3	
Curve E3	129	124	98	95	95	96	--	101	96	--	100	--	83	1.1	
DKB24-35	128	125	102	95	84	98	--	97	101	--	101	--	91	1.6	
P25A68X	129	127	110	113	121	110	--	101	110	--	106	--	89	1.3	
B251FE	135	128	101	101	98	102	101	96	91	98	88	89	88	1.2	
PS 2521 XFN	131	128	104	101	101	100	--	106	104	--	104	--	87	1.8	
P26A34X	133	128	108	110	110	110	--	104	109	--	104	--	92	1.3	
Varieties with one year of data															
Summit E3	114	--	86	--	--	--	--	92	--	--	--	--	--	--	--
S18-F1E3S	119	--	86	--	--	--	--	99	--	--	--	--	--	--	--
Raglan R2X	119	--	94	--	--	--	--	98	--	--	--	--	--	--	--
Masters XF	123	--	100	--	--	--	--	99	--	--	--	--	--	--	--
B205VE	125	--	94	--	--	--	--	94	--	--	--	--	--	--	--
P21A53E	126	--	107	--	--	--	--	94	--	--	--	--	--	--	--
P23A40E	126	--	110	--	--	--	--	103	--	--	--	--	--	--	--
PS 2322 XFN	128	--	108	--	--	--	--	106	--	--	--	--	--	--	--
SI 2322E3N	129	--	93	--	--	--	--	104	--	--	--	--	--	--	--
S22-A2E3	129	--	100	--	--	--	--	103	--	--	--	--	--	--	--
S25-G8E3	130	--	97	--	--	--	--	103	--	--	--	--	--	--	--
S26-E3	131	--	103	--	--	--	--	105	--	--	--	--	--	--	--
B253LE	133	--	105	--	--	--	--	102	--	--	--	--	--	--	--
LSD (0.10)			11	9	24	9	8	11	9	8	10	8			
Average yield (T/ha)			5.14	4.22	3.02	4.83	4.99	5.99	5.41	4.40	6.18	6.14			
(bu/ac)			76.3	62.7	44.7	71.6	74.1	88.8	80.3	65.3	91.7	91.1			

Testing Locations: Table 5.1			
Inwood	--	2021	--
Palmyra	2020	2021	2022
Fingal	2020	2021	--
Ridgetown	2020	2021	2022

Ontario Soybean And Canola Committee

TABLE 5.2 AGRONOMIC DATA AT EARLY MATURITY GROUP 2 (2900-3300 HU) AREAS , CONVENTIONAL TEST 2022

Variety	Days to Mature		CLAY AVG Yield Index		INWOOD Yield Index	PALMYRA Yield Index			LOAM AVG Yield Index		FINGAL Yield Index	RIDGETOWN Yield Index		Plant Height (cm)	Lodging 1=standing 5=flat
	1 year	2 year	1 year	2 year	1 year	2 year	3 year	1 year	2 year	2 year	2 year	3 year			
OAC Aberdeen	118	117	92	95	87	97	--	102	107	--	103	--	83	1.3	
Rowan	119	118	94	99	101	98	--	120	118	--	115	--	95	1.6	
HDC Blake	121	119	97	102	120	96	94	71	90	97	85	90	97	1.7	
OAC Kent	122	119	106	105	112	102	100	84	88	89	86	91	92	2.6	
OAC Bruton	120	120	102	105	102	106	107	105	99	98	103	104	94	2.1	
Candor	119	120	107	99	92	101	99	88	93	79	97	100	85	2.1	
P21A20	124	121	96	90	96	88	86	110	104	106	106	110	88	1.6	
SG 2311	122	121	98	106	112	104	103	89	93	95	93	95	92	1.7	
OAC Marvel	123	122	99	91	93	91	91	103	95	108	93	97	96	1.7	
OAC Stirling	123	123	101	106	93	110	108	103	106	107	107	104	98	2.1	
AAC 26-15	125	124	100	97	91	99	102	104	91	97	94	95	97	2.1	
AAC McRae	128	125	105	101	95	102	101	111	106	106	107	104	100	1.9	
Hickstead	127	125	101	97	94	98	99	100	98	106	98	99	89	1.9	
DF 155	130	126	110	99	106	97	94	90	95	91	96	99	93	2.0	
AAC Wigle	130	126	100	103	106	102	102	106	104	106	104	103	98	1.9	
AAC Big Ben	133	128	110	108	99	111	113	117	111	115	111	108	106	2.2	
Varieties with one year of data															
Inwood	113	--	84	--	--	--	--	97	--	--	--	--	--	--	--
LSD (0.10)			10	10	20	11	10	11	9	11	10	8			
Average yield (T/ha)			5.21	3.94	2.82	4.51	4.58	4.97	4.79	3.84	5.16	5.21			
(bu/ac)			77.3	58.5	41.9	66.8	68.0	73.8	71.0	57.0	76.6	77.2			

Testing Locations: Table 5.2			
Inwood	--	2021	--
Palmyra	2020	2021	2022
Fingal	2020	2021	--
Ridgetown	2020	2021	2022

Ontario Soybean And Canola Committee

TABLE 6.1 AGRONOMIC DATA AT LATE MATURITY GROUP 2 (3300-3500 HU) AREAS , RR TEST 2022

Variety	Days to Mature		CLAY AVG Yield Index		MERLIN Yield Index		WOODSLEE Yield Index	LOAM AVG Yield Index		CHATHAM Yield Index		MALDEN Yield Index		Plant Height (cm)	Lodging 1=standing 5=flat
	1 year	2 year	1 year	2 year	2 year	3 year	2 year	1 year	2 year	2 year	3 year	2 year	3 year		
S26-E3	113	116	83	94	91	97	97	90	92	88	91	95	99	78	1.0
PS 2720 EN	114	118	97	100	100	97	100	105	103	110	109	98	101	78	1.0
S29-R5X	117	119	98	97	96	94	98	108	103	111	112	96	96	84	1.2
PS 2889XRN	120	121	98	95	87	91	101	107	100	105	104	96	98	85	1.0
S28-H4E3	121	122	99	97	92	--	101	102	101	97	--	104	--	78	1.0
B301ME	122	124	101	105	111	117	99	95	102	100	100	103	105	81	1.0
CP3220RX	122	125	103	100	98	98	102	94	95	95	96	95	97	88	1.1
P29A25X	121	125	108	102	105	102	100	101	98	97	90	100	98	84	1.0
P32T26E	123	125	94	98	99	--	97	100	98	98	--	99	--	81	1.0
DKB33-54	123	126	106	102	104	104	100	103	102	97	99	107	105	80	1.1
P31A95BX	124	127	107	111	117	--	106	99	105	103	--	107	--	86	1.2
Varieties with one year of data															
S25-G8E3	116	--	101	--	--	--	--	100	--	--	--	--	--	--	--
Darby E3	116	--	86	--	--	--	--	99	--	--	--	--	--	--	--
P25A16E	118	--	106	--	--	--	--	109	--	--	--	--	--	--	--
P28A65E	119	--	100	--	--	--	--	93	--	--	--	--	--	--	--
P29A19E	120	--	112	--	--	--	--	96	--	--	--	--	--	--	--
LSD (0.10)			9	6	11	10	7	6	6	9	9	8	6		
Average yield (T/ha)			3.75	4.67	4.36	4.34	4.99	5.12	4.93	4.61	4.54	5.24	4.81		
(bu/ac)			55.6	69.3	64.6	64.4	74.1	76.0	73.1	68.3	67.4	77.8	71.3		

TABLE 6.2 AGRONOMIC DATA AT LATE MATURITY GROUP 2 (3300-3500 HU) AREAS , CONVENTIONAL TEST 2022

Variety	Days to Mature		CLAY AVG Yield Index		MERLIN Yield Index		WOODSLEE Yield Index	LOAM AVG Yield Index		CHATHAM Yield Index		MALDEN Yield Index		Plant Height (cm)	Lodging 1=standing 5=flat
	1 year	2 year	1 year	2 year	2 year	3 year	2 year	1 year	2 year	2 year	3 year	2 year	3 year		
OAC Marvel	110	114	99	100	104	102	97	103	101	104	103	98	94	88	1.0
SG 2311	111	114	95	107	110	109	105	89	98	95	87	101	97	82	1.0
HDC Blake	114	115	84	99	94	--	103	66	84	81	--	86	--	82	1.3
AAC McRae	113	116	108	103	106	--	100	97	98	103	--	94	--	92	1.4
OAC Stirling	113	116	103	101	98	--	103	113	101	102	--	101	--	86	1.3
AAC 26-15	112	117	95	97	93	93	100	100	103	108	106	98	99	85	1.1
DF 155	113	117	107	--	107	104	--	107	--	106	95	--	--	85	1.0
AAC Wigle	114	119	96	95	97	--	93	108	106	100	--	111	--	86	1.3
Hickstead	116	120	99	90	87	89	93	103	99	101	98	97	98	80	1.4
AAC Big Ben	120	123	113	108	111	108	106	116	110	106	106	113	112	98	1.3
LSD (0.10)			7	8	11	10	12	11	8	10	8	12	9		
Average yield (T/ha)			3.53	4.13	3.90	4.02	4.35	4.12	4.18	3.85	3.97	4.52	4.30		
(bu/ac)			52.4	61.2	57.8	59.7	64.6	61.0	62.0	57.0	58.9	67.0	63.8		

Testing Locations: Tables 6.1 and 6.2			
Merlin	2020	2021	2022
Woodslee	--	2021	2022
Chatham	2020	2021	2022
Malden	2020	2021	2022

Interpretation of Tables & Results

Interpretation of Table 1

Notes: Varieties with resistance genes for races of the Phytophthora root rot organism in Ontario:

1a,1c,1k, 6: Resistance genes for Phytophthora root rot in Ontario which provide resistance to some races of the pathogen. Rps 1a does not provide protection to most races of the pathogen in Ontario

SCN: Resistant to some HG types of Soybean Cyst Nematode (SCN) in Ontario.

HP: Varieties with above average protein index. See Protein & Oil Index section below.

L-LA: L-LA is a designation used by seed sponsors to indicate a soybean variety that produces low linolenic acid in the seed

Herbicide Reaction

RR: Roundup Ready™ (Trademark of Monsanto Company)

RR2Y: Roundup Ready 2 Yield™ (Trademark of Monsanto Company)

RR2X: Roundup Ready 2 Xtend™ (Trademark of Monsanto Company)

E3: Enlist E3™ (Trademark of Dow AgroSciences, DuPont or Pioneer and affiliated companies or their respective owners)

LL: Liberty Link™ (Trademark of Bayer CropScience AG)

Varieties have not been evaluated for metribuzin tolerance by OSACC. For further information contact seed distributor. The following variety has been reported to OSACC as being Metribuzin Sensitive (**MS**): Astor.

Relative Maturity

Ranking of maturities has been initiated to provide producers with a rating system that is similar to the USA soybean industry standards. Rankings are not assigned by OSACC. See attached Relative Maturity map on the GoSoy.ca web site and last page.

Hilum Colour

Each soybean seed has a hilum which is the point where it was attached to the pod. Varieties differ in hilum colour and can be either Yellow (Y), Imperfect Yellow (IY), Gray (GR), Buff (BF), Brown (BR), Black (BL), or Imperfect Black (IBL). Hilum colour may also be Light (L). Yellow hilum soybeans are usually the only type accepted for the export market. In certain years discolouration of the hilum of IY varieties can occur and as a result the soybeans may not be acceptable for export markets.

Seeds per Kilogram

This is an estimate of the relative number of seeds of a particular variety in a kilogram of seed based on a 1-2 years of data from all locations where a variety was tested. Since seed size can vary from year to year and from seed lot to seed lot these figures should be used as a rough guide only. The actual seed size reported on each seed lot should be used to calculate seeding rate.

Phytophthora Root Rot % Plant Loss

Phytophthora root rot testing is carried out on clay soils infested with common races of Phytophthora at Woodslee. Previous methodology used counting plants shortly after emergence (3-4 weeks after planting) and a subsequent counting 4 weeks later. The loss was estimated based on the difference between count 2 and count 1, taken as a percentage. The limitation in this counting method is that it does not take into account pre-emergence mortality due to PRR nor does it take into account late season mortality. Starting in 2019 we began expressing the PRR ratings based on final stand in a High phytophthora pressure environment. This final stand was only rated once for all maturity groups and this was again changed to rate the plants near the R6 growth stage which was done in 2020 in order to capture late season PRR damage.

Protein & Oil Index

Protein Index (%) and Oil (%) are found on the web at www.Gosoy.ca.

Least Significant Difference (LSD)

The Least Significant Difference (LSD) was determined for each Yield Index column. To compare any two varieties within a column, the yield can be considered the same if the difference between their yield indices is less than or equal to the LSD for that column.

Interpretation of Results (Tables 2 to 6)

Days from Planting to Maturity

Maturity is affected by planting date and the area where a variety is being grown. Varieties are rated as being mature when 95% of the pods on the plants are ripe. Normally, 3-10 additional drying days are needed before the crop is dry enough for combining. Starting in 2022, the 1-year average in addition to the 2-year average is shown. Tables are sorted by the 2-year average.

Yield Index

Varieties can only be compared within each test area. Yield index of a variety indicates its performance as a percentage of the average yield of all varieties grown in a test area. Small index differences may not be meaningful. In Tables 2-4, the yield index for each location and for the average of all locations is based on 2-3 years of testing. In Tables 5-6, the Clay and Loam Averages are based on 3 years of testing. Yield index averaged over locations and years will be a more reliable indicator of yield potential than performance from one single location or single year.

Plant Height

An indicator of the amount of plant growth, it is measured at maturity as the length of the stem from the base of the plant at soil level to its tip. A 2-year average is shown.

Lodging

A visual estimate at maturity of the standability of the crop. A value of 1 is equivalent to a crop standing completely upright, while a 5 represents a crop entirely flat. Within a test area, varieties with lower values are less prone to lodging. A 2-year average is shown. Lodging may not be rated for all test sites in each maturity group.

Testing Methods

In each trial, varieties were replicated in a suitable experimental design and received equal fertility, weed control and management. All trials were planted and harvested by machine. Tests were separated into conventional herbicide and glyphosate herbicide treated plots. Prior to harvest, plant height and lodging scores were obtained. The grain harvested from each plot was weighed and the yield of soybeans was calculated in tonnes/hectare at 13% moisture.

Food Soybean Varieties (F)

The Conventional and Food soybean variety trials were combined for the first time in 2006. All conventional and food varieties were grown in the same test sites in all three years for which data is presented.

Ontario Soybean And Canola Committee
Test Locations and Soil Types - 2022 Trials

Location	Table	Relative		Row Width (cm)	Seeding Rate (plant/ac)	Co-operator	Trial Co-ordinator
		Maturity	Soil Type				
New Liskeard	2a	00.5	clay	35	200,000	U of Guelph, New Liskeard	U of Guelph, New Liskeard
Dundalk	2b	00.9	loam	56	192,000	Leo Blydorp	U of Guelph, OCRC-Winchester
Belwood	2b	0.2	clay loam	56	192,000	Doug Shaw	U of Guelph, OCRC-Winchester
Elora	2b & 3	0.6	silt loam	35	200,000	OAC, U of Guelph	OAC, U of Guelph
Ottawa	3	0.6	clay loam	45	200,000	Research Centre, AAFC, Ottawa	ORDC, AAFC, Ottawa
Walton	3	0.7	loam	56	192,000	Neil Mitchell	ORDC, AAFC, Ottawa
Winchester	4	1.0	clay loam	Twin (48, 28)*	175,000	U of Guelph, Winchester	U of Guelph, OCRC-Winchester
Woodstock	4	1.8	clay loam	35	200,000	OAC, U of Guelph	OAC, U of Guelph
Exeter	4	1.7	clay loam	38	200,000	Huron Research Station	Ridgetown Campus, U of Guelph
St. Marys	4	1.5	clay loam	35	200,000	Alex Gibson	OAC, U of Guelph
Palmyra	5	2.7	clay	43	235,000	Richard Wierenga	Ridgetown Campus, U of Guelph
Ridgetown	5	2.8	clay loam	43	200,000	Ridgetown Campus, U of Guelph	Ridgetown Campus, U of Guelph
Chatham	6	2.9	clay loam	43	200,000	Heather Macleod	Ridgetown Campus, U of Guelph
Merlin	6	3.1	clay	43	235,000	Grant Guy	Ridgetown Campus, U of Guelph
Woodslee	6	3.3	clay	46	200,000	Research Centre, AAFC, Harrow	HRDC, AAFC, Harrow
Malden	6	3.5	clay loam	46	185,000	Research Centre, AAFC, Harrow	HRDC, AAFC, Harrow

* Twin rows 48 (between twin rows) and 28 cm (within twin row) spacing.

Ontario Soybean And Canola Committee
Soybean Variety Distributors

Distributor	Address	Telephone	Fax	Internet
AGRIS Co-operative Ltd.	835 Park Ave. W., Chatham, ON, N7M 0N1	519-380-2384	519-354-7058	www.agris.coop
Agrocentre Belcan	180 Montée Ste-Marie, Ste. Marthe, QC, J0P 1W0	1-800-363-5146	450-459-4216	www.agrocentrebclan.com
C&M Seeds	6180 5th Line, Palmerston, ON, N0G 2P0	1-888-733-9432	519-343-3792	info@redwheat.com www.redwheat.com
Centre de Criblage Marc Bercier Seed Cleaning Inc.	251 rue Caledonia, St-Isidore, ON, K0C 2B0	613-524-2981		kbercier@marcbercier.com
Corteva Agriscience (Brevant)	7398 Queen's Line, P.O. Box 730, Chatham, ON, N7M 5L1	1-800-265-9435	519-436-6753	david.harwood@pioneer.com https://engage.brevant.com/en-ca
Corteva Agriscience (Pioneer)	PO Box 730, 7398 Queen's Line, Chatham, ON, N7M 5L1	1-800-265-9435	519-380-2014	david.harwood@corteva.com www.pioneer.com/Canada
DEKALB	2-679 Southgate Drive, Guelph, ON, N1G 4S2	519-767-3366		www.dekalb.ca
Hensall Co-op	Box 219, 1 Davidson Drive, Hensall, ON, N0M 1X0	519-262-3002	519-262-3412	pcornwell@hdc.on.ca www.hdc.on.ca
Horizon Seeds Canada Inc.	729 Mid N. Walsingham Townline Rd., Courtland, ON, N0J 1E0	519-842-5538		curtis@horizonseeds.ca www.horizonseeds.ca
Huron Commodities Inc.	75 Wellington St., P.O Box 1353, Clinton, ON, N0M 1L0	519-482-8400	519-482-8383	w.wheeler@huron.com www.huron.com
Maizex Seeds Inc. (Elite brand)	4488 Mint Line, Tilbury, ON, N0P 2L0	519-682-1720	519-682-2144	www.maizex.com
PRIDE Seeds	PO Box 1088, Chatham, ON, N7M 5L6	1-800-265-5280	519-354-8155	www.prideseed.com
Prograin	145 Rang du Bas-de-la-Rivière N, Saint-Césaire, QC, J0L 1T0	450-469-5744	450-469-4547	sylvain.legay@prograin.qc.ca www.semencesprograin.com
Saatbau Linz	201, rue St Louis, 412, St Jean sur Richeleu, QC, J3B 1X9	514-609-0881		Pierre.Boireau@saatbau.com www.saatbau.com
SeCan	400-300 Terry Fox Drive, Kanata, ON, K2K 0E3	1-866-797-7874	613-592-9497	seed@secan.com www.secan.com
Semican Inc	50 Boul Industriel, Princeville, QC, G6L 4P2	819-362-8823	819-362-3385	jgoulet@semican.ca www.semican.ca
Sevita International	11451 Cameron Rd, Inkerman, ON, K0E 1J0	613-989-3000	613-989-3838	info@sevita.com www.sevita.com
SG Ceresco Inc	164 chemin Grande-Ligne, St-Urbain-Premier, QC, J0S 1Y0	450-427-3831	450-427-2067	cpacurariu@sgceresco.com www.sgceresco.com
Snobelen Farms Ltd.	5220 Hwy 23, RR #2, Palmerston, ON, N0G 2P0	519-343-3630	519-343-2037	tteune@snobelenfarms.com www.snobelengrain.com
Southwest Seeds Inc.	R.R. # 1, 19686 Scane Rd., Ridgetown, ON, N0P 2C0	519-674-0054		revonmartels@gmail.com
Syngenta Canada, Inc.	140 Research Lane, Guelph, ON, N1G 4Z3	1-888-366-4211	1-888-717-7122	www.syngenta.ca/nk
WinField United Canada	302 Wellman Lane #101, Saskatoon, SK, S7T 0J1	306-249-5112		dammccolm@landolakes.com www.winfieldunited.ca

